

PUBLICATIONS ATLAS – 05 MAR 2026

article

2026

1. Evidence for the collective nature of radial flow in Pb+Pb collisions with the ATLAS detector, G. Aad *et al.*, ATLAS Collaboration, Phys. Rev. Lett 136 (2026) 032301
2. Transforming jet flavour tagging at ATLAS, G. Aad *et al.*, ATLAS Collaboration, Nat. Commun. 17 (2026) 541
3. Observation of W^+W^- production in pp collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector and constraints on anomalous quartic gauge-boson couplings, G. Aad *et al.*, ATLAS Collaboration, Phys. Lett. B 873 (2026) 140050
4. Ring oscillator performance of the ATLAS inner tracker pixel readout chip, Y. Khwaira *et al.*, J. Instrum 21 (2026) P02025

2025

1. The performance of missing transverse momentum reconstruction and its significance with the ATLAS detector using 140 fb^{-1} of $\sqrt{s} = 13$ TeV pp collisions, G. Aad *et al.*, ATLAS Collaboration, Eur. Phys. J. C 85 (2025) 606
2. The quest to discover supersymmetry at the ATLAS experiment, G. Aad *et al.*, ATLAS Collaboration, Phys. Rep. 1116 (2025) 261-300
3. Exploration at the high-energy frontier: ATLAS Run 2 searches investigating the exotic jungle beyond the Standard Model, G. Aad *et al.*, ATLAS Collaboration, Phys. Rep. 1116 (2025) 301-385
4. Software and computing for Run 3 of the ATLAS experiment at the LHC, G. Aad *et al.*, ATLAS Collaboration, Eur. Phys. J. C 85 (2025) 234
5. Electroweak, QCD and flavour physics studies with ATLAS data from Run 2 of the LHC, G. Aad *et al.*, ATLAS Collaboration, Phys. Rep. 1116 (2025) 57-126
6. Climbing to the Top of the ATLAS 13 TeV data, G. Aad *et al.*, ATLAS Collaboration, Phys. Rep. 1116 (2025) 127-183
7. ATLAS searches for additional scalars and exotic Higgs boson decays with the LHC Run 2 dataset, G. Aad *et al.*, ATLAS Collaboration, Phys. Rep. 1116 (2025) 184-260
8. Total cost of ownership and evaluation of Google cloud resources for the ATLAS experiment at the LHC, G. Aad *et al.*, ATLAS Collaboration, Comput. Softw. Big Sci. 9 (2025) 2

9. Search for diphoton resonances in the 66 to 110 GeV mass range using pp collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector, G. Aad *et al.*, ATLAS Collaboration, J. High Energy Phys. 01 (2025) 053
10. Search for light neutral particles decaying promptly into collimated pairs of electrons or muons in pp collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector, G. Aad *et al.*, ATLAS Collaboration, Eur. Phys. J. C 85 (2025) 335
11. Search for a light charged Higgs boson in $t \rightarrow H^\pm b$ decays, with $H^\pm \rightarrow cs$, in pp collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector, G. Aad *et al.*, ATLAS Collaboration, Eur. Phys. J. C 85 (2025) 153
12. Combination of searches for singly and doubly charged Higgs bosons produced via vector-boson fusion in proton-proton collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector, G. Aad *et al.*, ATLAS Collaboration, Phys. Lett. B 860 (2025) 139137
13. Measurement of the associated production of a top-antitop- quark pair and a Higgs boson decaying into a $b\bar{b}$ pair in pp collisions at $\sqrt{s} = 13$ TeV using the ATLAS detector at the LHC, G. Aad *et al.*, ATLAS Collaboration, Eur. Phys. J. C 85 (2025) 210
14. Search for dark matter produced in association with a dark Higgs boson in the $b\bar{b}$ final state using pp collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector, G. Aad *et al.*, ATLAS Collaboration, Phys. Rev. Lett 134 (2025) 121801
15. Constraint on the total width of the Higgs boson from Higgs boson and four-top-quark measurements in pp collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector, G. Aad *et al.*, ATLAS Collaboration, Phys. Lett. B 861 (2025) 139277
16. Measurement of the Lund jet plane in hadronic decays of top quarks and W bosons with the ATLAS detector, G. Aad *et al.*, ATLAS Collaboration, Eur. Phys. J. C 85 (2025) 416
17. Measurement of $t\bar{t}$ production in association with additional b -jets in the $e\mu$ final state in proton-proton collisions at $\sqrt{s}=13$ TeV with the ATLAS detector, G. Aad *et al.*, ATLAS Collaboration, J. High Energy Phys. 01 (2025) 068
18. Search for the associated production of charm quarks and a Higgs boson decaying into a photon pair with the ATLAS detector, G. Aad *et al.*, ATLAS Collaboration, J. High Energy Phys. 02 (2025) 045
19. A precise measurement of the jet energy scale derived from single-particle measurements and in situ techniques in proton- proton collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector, G. Aad *et al.*, ATLAS Collaboration, Eur. Phys. J. C 85 (2025) 927
20. Differential cross-section measurements of Higgs boson production in the $H \rightarrow \tau^+\tau^-$ decay channel in pp collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector, G. Aad *et al.*, ATLAS Collaboration, J. High Energy Phys. 03 (2025) 010

21. Search for boosted low-mass resonances decaying into hadrons produced in association with a photon in pp collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector, G. Aad *et al.*, ATLAS Collaboration, J. High Energy Phys. 01 (2025) 099
22. Combination of searches for singly produced vector-like top quarks in pp collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector, G. Aad *et al.*, ATLAS Collaboration, Phys. Rev. D 111 (2025) 012012
23. Search for the jet-induced diffusion wake in the quark-gluon plasma via measurements of jet-track correlations in photon-jet events in Pb+Pb collisions at $\sqrt{s_{NN}} = 5.02$ TeV with the ATLAS detector, G. Aad *et al.*, ATLAS Collaboration, Phys. Rev. C 111 (2025) 044909
24. Search for magnetic monopole pair production in ultraperipheral Pb+Pb collisions at $\sqrt{s_{NN}} = 5.36$ TeV with the ATLAS detector at the LHC, G. Aad *et al.*, ATLAS Collaboration, Phys. Rev. Lett 134 (2025) 061803
25. Search for $t\bar{t}H/A \rightarrow t\bar{t}t\bar{t}$ production in proton-proton collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector, G. Aad *et al.*, ATLAS Collaboration, Eur. Phys. J. C 85 (2025) 573
26. Measurement of top-quark pair production in association with charm quarks in proton-proton collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector, G. Aad *et al.*, ATLAS Collaboration, Phys. Lett. B 860 (2025) 139177
27. Measurement of photonuclear jet production in ultra- peripheral Pb+Pb collisions at $\sqrt{s_{NN}} = 5.02$ TeV with the ATLAS detector, G. Aad *et al.*, ATLAS Collaboration, Phys. Rev. D 111 (2025) 052006
28. Search for same-charge top-quark pair production in pp collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector, G. Aad *et al.*, ATLAS Collaboration, J. High Energy Phys. 02 (2025) 084
29. Search for single-production of vector-like quarks decaying into Wb in the fully hadronic final state in pp collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector, G. Aad *et al.*, ATLAS Collaboration, J. High Energy Phys. 02 (2025) 075
30. Prospects for sub-EW ALP searches via $\gamma + b\bar{b}$ signatures at the LHC using jet substructure techniques, A. Adhikary *et al.*, Phys. Rev. D 112 (2025) 5
31. Type-II Seesaw Higgs triplet productions and decays at the LHC, O. A. Ducu *et al.*, J. High Energy Phys. 06 (2025) 020
32. Search for a new scalar decaying into new spin-1 bosons in four-lepton final states with the ATLAS detector, G. Aad *et al.*, ATLAS Collaboration, Phys. Lett. B 865 (2025) 139472
33. Search for displaced leptons in $\sqrt{s} = 13$ TeV and 13.6 TeV pp collisions with the ATLAS detector, G. Aad *et al.*, ATLAS Collaboration, Phys. Rev. D 112 (2025) 012016

34. Search for supersymmetry in final states with missing transverse momentum and charm-tagged jets using 139 fb^{-1} of proton-proton collisions at $\sqrt{s} = 13 \text{ TeV}$ with the ATLAS detector, G. Aad *et al.*, ATLAS Collaboration, J. High Energy Phys. 02 (2025) 193
35. Measurements of WH and ZH production with Higgs boson decays into bottom quarks and direct constraints on the charm Yukawa coupling in $13 \text{ TeV } pp$ collisions with the ATLAS detector, G. Aad *et al.*, ATLAS Collaboration, J. High Energy Phys. 04 (2025) 075
36. A search for triple Higgs boson production in the $6b$ final state using pp collisions at $\sqrt{s} = 13 \text{ TeV}$ with the ATLAS detector, G. Aad *et al.*, ATLAS Collaboration, Phys. Rev. D 111 (2025) 032006
37. Search for a heavy charged Higgs boson decaying into a W boson and a Higgs boson in final states with leptons and b -jets in $\sqrt{s} = 13 \text{ TeV } pp$ collisions with the ATLAS detector, G. Aad *et al.*, ATLAS Collaboration, J. High Energy Phys. 02 (2025) 143
38. Search for vector-like leptons coupling to first- and second-generation Standard Model leptons in pp collisions at $\sqrt{s} = 13 \text{ TeV}$ with the ATLAS detector, G. Aad *et al.*, ATLAS Collaboration, J. High Energy Phys. 05 (2025) 075
39. Reconstruction and identification of pairs of collimated τ -leptons decaying hadronically using $\sqrt{s} = 13 \text{ TeV } pp$ collision data with the ATLAS detector, G. Aad *et al.*, ATLAS Collaboration, Eur. Phys. J. C 85 (2025) 561
40. Observation of top-quark pair production in lead-lead collisions at $\sqrt{s_{\text{NN}}} = 5.02 \text{ TeV}$ with the ATLAS detector, G. Aad *et al.*, ATLAS Collaboration, Phys. Rev. Lett 134 (2025) 142301
41. Precision measurement of the B^0 meson lifetime using $B^0 \rightarrow J/\psi K^{*0}$ decays with the ATLAS detector, G. Aad *et al.*, ATLAS Collaboration, Eur. Phys. J. C 85 (2025) 736
42. Search for Higgs boson decays into a Z boson and a light hadronically decaying resonance in 140 fb^{-1} of $13 \text{ TeV } pp$ collisions with the ATLAS detector, G. Aad *et al.*, ATLAS Collaboration, Phys. Lett. B 868 (2025) 139671
43. Measurement of off-shell Higgs boson production in the $H^* \rightarrow ZZ \rightarrow 4\ell$ decay channel using a neural simulation-based inference technique in $13 \text{ TeV } pp$ collisions with the ATLAS detector, G. Aad *et al.*, ATLAS Collaboration, Rep. Prog. Phys. 88 (2025) 057803
44. Precision calibration of calorimeter signals in the ATLAS experiment using an uncertainty-aware neural network, G. Aad *et al.*, ATLAS Collaboration, SciPost Phys. 19 (2025) 155
45. Test of lepton flavour universality in W -boson decays into electrons and τ -leptons using pp collisions at $\sqrt{s} = 13 \text{ TeV}$ with the ATLAS detector, G. Aad *et al.*, ATLAS Collaboration, J. High Energy Phys. 05 (2025) 038

46. Cross-section measurements for the production of a W -boson in association with high-transverse-momentum jets in pp collisions at $\sqrt{s}=13$ TeV with the ATLAS detector, G. Aad *et al.*, ATLAS Collaboration, Eur. Phys. J. C 85 (2025) 738
47. Search for Higgs boson decays into a pair of pseudoscalar particles in the $\gamma\gamma\tau_{had}\tau_{had}$ final state using pp collisions at $\sqrt{s}=13$ TeV with the ATLAS detector, G. Aad *et al.*, ATLAS Collaboration, J. High Energy Phys. 03 (2025) 190
48. Expected Tracking Performance of the ATLAS Inner Tracker at the High-Luminosity LHC, G. Aad *et al.*, ATLAS Collaboration, J. Instrum 20 (2025) P02018
49. Improved reconstruction of highly boosted τ -lepton pairs in the $\tau\tau \rightarrow (\mu\nu_{\mu}\nu_{\tau})(hadrons+\nu_{\tau})$ decay channels with the ATLAS detector, G. Aad *et al.*, ATLAS Collaboration, Eur. Phys. J. C 85 (2025) 706
50. Observation of VVZ production at $\sqrt{s}=13$ TeV with the ATLAS detector, G. Aad *et al.*, ATLAS Collaboration, Phys. Lett. B 866 (2025) 139527
51. Azimuthal anisotropies of charged particles with high transverse momentum in Pb+Pb collisions at $\sqrt{s_{NN}}=5.02$ TeV with the ATLAS detector, G. Aad *et al.*, ATLAS Collaboration, Phys. Rev. C 112 (2025) 024910
52. Energy scale and resolution for anti- k_t jets with radius parameters $R=0.2$ and 0.6 measured in proton-proton collisions at $\sqrt{s}=13$ TeV with the ATLAS detector, G. Aad *et al.*, ATLAS Collaboration, Eur. Phys. J. C 85 (2025) 791
53. Differential cross-section measurements of D^{\pm} and D_s^{\pm} meson production in proton-proton collisions at $\sqrt{s}=13$ TeV with the ATLAS detector, G. Aad *et al.*, ATLAS Collaboration, J. High Energy Phys. 07 (2025) 086
54. Search for charged Higgs bosons produced in top-quark decays or in association with top quarks and decaying via $H^{\pm} \rightarrow \tau^{\pm}\nu_{\tau}$ in 13 TeV pp collisions with the ATLAS detector, G. Aad *et al.*, ATLAS Collaboration, Phys. Rev. D 111 (2025) 072006
55. Configuration, Performance, and Commissioning of the ATLAS b -jet Triggers for the 2022 and 2023 LHC data-taking periods, G. Aad *et al.*, ATLAS Collaboration, J. Instrum 20 (2025) P03002
56. Measurement of jet track functions in pp collisions at $\sqrt{s}=13$ TeV with the ATLAS detector, G. Aad *et al.*, ATLAS Collaboration, Phys. Lett. B 868 (2025) 139680
57. Estimation of backgrounds from jets misidentified as τ -leptons using the Universal Fake Factor method with the ATLAS detector, G. Aad *et al.*, ATLAS Collaboration, Eur. Phys. J. C 85 (2025) 1441
58. Search for long-lived charged particles using large specific ionisation loss and time of flight in 140 fb^{-1} of pp collisions at $\sqrt{s}=13$ TeV with the ATLAS detector, G. Aad *et al.*, ATLAS Collaboration, J. High Energy Phys. 07 (2025) 140

59. Measurement of W^\pm -boson differential cross-sections in proton-proton collisions with low pile-up data at $\sqrt{s} = 5.02$ TeV and 13 TeV with the ATLAS detector, G. Aad *et al.*, ATLAS Collaboration, Eur. Phys. J. C 85 (2025) 729
60. Weakly supervised anomaly detection for resonant new physics in the dijet final state using proton-proton collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector, G. Aad *et al.*, ATLAS Collaboration, Phys. Rev. D 112 (2025) 072009
61. Measurement of the top quark mass with the ATLAS detector using $t\bar{t}$ events with a high transverse momentum top quark, G. Aad *et al.*, ATLAS Collaboration, Phys. Lett. B 867 (2025) 139608
62. Measurement of double-differential charged-current Drell-Yan cross-sections at high transverse masses in pp collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector, G. Aad *et al.*, ATLAS Collaboration, J. High Energy Phys. 07 (2025) 026
63. Search for Higgs boson exotic decays into Lorentz-boosted light bosons in the four- τ final state at $\sqrt{s} = 13$ TeV with the ATLAS detector, G. Aad *et al.*, ATLAS Collaboration, Phys. Lett. B 870 (2025) 139843
64. Charged-hadron and identified-hadron (K_S^0, π, γ) yield measurements in photo-nuclear Pb+Pb and p +Pb collisions at $\sqrt{s_{NN}} = 5.02$ TeV with ATLAS, G. Aad *et al.*, ATLAS Collaboration, Phys. Rev. C 111 (2025) 064908
65. Evidence for longitudinally polarized W bosons in the electroweak production of same-sign W boson pairs in association with two jets in pp collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector, G. Aad *et al.*, ATLAS Collaboration, Phys. Rev. Lett 135 (2025) 111802
66. Search for cascade decays of charged sleptons and sneutrinos in final states with three leptons and missing transverse momentum in pp collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector, G. Aad *et al.*, ATLAS Collaboration, Phys. Rev. D 112 (2025) 012005
67. Search for heavy neutral leptons in decays of W bosons using leptonic and semi-leptonic displaced vertices in $\sqrt{s} = 13$ TeV pp collisions with the ATLAS detector, G. Aad *et al.*, ATLAS Collaboration, J. High Energy Phys. 07 (2025) 196
68. Searches for direct slepton production in the compressed- mass corridor in $\sqrt{s} = 13$ TeV pp collisions with the ATLAS detector, G. Aad *et al.*, ATLAS Collaboration, J. High Energy Phys. 08 (2025) 053
69. Search for a new pseudoscalar decaying into a pair of bottom and antibottom quarks in top-associated production in $\sqrt{s}=13$ TeV proton-proton collisions with the ATLAS detector, G. Aad *et al.*, ATLAS Collaboration, Eur. Phys. J. C 85 (2025) 886
70. Measurements of the production cross-sections of a Higgs boson in association with a vector boson and decaying into WW^* with the ATLAS detector at $\sqrt{s} = 13$ TeV, G. Aad *et al.*, ATLAS Collaboration, J. High Energy Phys. 08 (2025) 034

71. A measurement of the high-mass τ production cross-section at $\sqrt{s} = 13$ TeV with the ATLAS detector and constraints on new particles and couplings, G. Aad *et al.*, ATLAS Collaboration, J. High Energy Phys. 10 (2025) 054
72. Search for events with one displaced vertex from long-lived neutral particles decaying into hadronic jets in the ATLAS muon spectrometer in pp collisions at $\sqrt{s} = 13$ TeV, G. Aad *et al.*, ATLAS Collaboration, Phys. Rev. D 112 (2025) 092001
73. Search for electroweak production of vector-like leptons in τ -lepton and b -jet final states in pp collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector, G. Aad *et al.*, ATLAS Collaboration, Eur. Phys. J. C 85 (2025) 1335
74. Measurement of substructure-dependent suppression of large-radius jets with charged particles in Pb+Pb collisions with ATLAS, G. Aad *et al.*, ATLAS Collaboration, Phys. Lett. B 871 (2025) 139929
75. Measurement of high-mass $t\bar{t}\ell^+\ell^-$ production and lepton flavour universality-inspired effective field theory interpretations at $\sqrt{s} = 13$ TeV with the ATLAS detector, G. Aad *et al.*, ATLAS Collaboration, Eur. Phys. J. C 85 (2025) 1434
76. Measurements of Higgs boson production via gluon-gluon fusion and vector-boson fusion using $H \rightarrow WW^* \rightarrow \ell\nu\ell\nu$ decays in pp collisions with the ATLAS detector and their effective field theory interpretations, G. Aad *et al.*, ATLAS Collaboration, Eur. Phys. J. C 85 (2025) 1403
77. Constraining off-shell Higgs boson production and the Higgs boson total width using $WW \rightarrow \ell\ell$ final states with the ATLAS detector, G. Aad *et al.*, ATLAS Collaboration, Phys. Lett. B 870 (2025) 139898
78. Search for new physics in final states with semi-visible jets or anomalous signatures using the ATLAS detector, G. Aad *et al.*, ATLAS Collaboration, Phys. Rev. D 112 (2025) 012021
79. Search for emerging jets in pp collisions at $\sqrt{s} = 13.6$ TeV with the ATLAS experiment, G. Aad *et al.*, ATLAS Collaboration, Rep. Prog. Phys. 88 (2025) 097801
80. Observation of double parton scattering in same-sign W boson pair production in pp collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector, G. Aad *et al.*, ATLAS Collaboration, Phys. Lett. B 870 (2025) 139892
81. The environmental impact, carbon emissions and sustainability of computing in the ATLAS experiment, G. Aad *et al.*, ATLAS Collaboration, Eur. Phys. J. C 85 (2025) 1397
82. Measurements of W^+W^- production cross-sections in pp collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector, G. Aad *et al.*, ATLAS Collaboration, J. High Energy Phys. 08 (2025) 142
83. A continuous calibration of the ATLAS flavour-tagging classifiers via optimal transportation maps, G. Aad *et al.*, ATLAS Collaboration, Eur. Phys. J. C 85 (2025) 1272

84. An implementation of neural simulation-based inference for parameter estimation in ATLAS, G. Aad *et al.*, ATLAS Collaboration, Rep. Prog. Phys. 88 (2025) 067801
85. Search for single production of vector-like quarks decaying into $W(\ell\nu)b$ in pp collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector, G. Aad *et al.*, ATLAS Collaboration, J. High Energy Phys. 12 (2025) 012
86. Probing the Higgs boson CP properties in vector-boson fusion production in the $H \rightarrow^{+ -}$ channel with the ATLAS detector, G. Aad *et al.*, ATLAS Collaboration, J. High Energy Phys. 10 (2025) 092
87. Search for squarks and gluinos in pp collisions at $\sqrt{s} = 13$ TeV and 13.6 TeV in events with τ -leptons, jets and missing transverse momentum using the ATLAS detector, G. Aad *et al.*, ATLAS Collaboration, Eur. Phys. J. C 85 (2025) 1437
88. Search for decays of the Higgs boson into scalar particles decaying into four or six b -quarks using pp collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector, G. Aad *et al.*, ATLAS Collaboration, Phys. Rev. D 112 (2025) 072005
89. A search for dark matter produced in association with a dark Higgs boson decaying into a Higgs boson pair in $3b$ or $4b$ final states using pp collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector, G. Aad *et al.*, ATLAS Collaboration, J. High Energy Phys. 09 (2025) 067
90. Measurement of the top-quark pole mass in dileptonic $t\bar{t} + 1\text{-jet}$ events at $\sqrt{s} = 13$ TeV with the ATLAS experiment, G. Aad *et al.*, ATLAS Collaboration, J. High Energy Phys. 12 (2025) 023
91. Evidence for the dimuon decay of the Higgs boson in pp collisions with the ATLAS detector, G. Aad *et al.*, ATLAS Collaboration, Phys. Rev. Lett 135 (2025) 231802
92. Search for resonant leptoquark production via lepton-jet signatures in pp collisions at $\sqrt{s} = 13$ TeV and $\sqrt{s} = 13.6$ TeV with the ATLAS detector, G. Aad *et al.*, ATLAS Collaboration, J. High Energy Phys. 12 (2025) 180
93. Measurements and interpretations of $W^{\pm}Z$ production cross-sections in pp collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector, G. Aad *et al.*, ATLAS Collaboration, J. High Energy Phys. 11 (2025) 006
94. Search for the production of a Higgs boson in association with a single top quark in pp collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector, G. Aad *et al.*, ATLAS Collaboration, J. High Energy Phys. 10 (2025) 093
95. Search for electroweak-scale dijet resonances using trigger-level analysis with the ATLAS detector in 132 fb^{-1} of pp collisions at $\sqrt{s} = 13$ TeV, G. Aad *et al.*, ATLAS Collaboration, Phys. Rev. D 112 (2025) 092015

2024

1. Deep generative models for fast photon shower simulation in ATLAS, G. Aad *et al.*, ATLAS Collaboration, Comput. Softw. Big Sci. 8 (2024) 7

2. Probing the CP nature of the top-Higgs Yukawa coupling in $t\bar{t}H$ and tH events with $H \rightarrow b\bar{b}$ decays using the ATLAS detector at the LHC, G. Aad *et al.*, ATLAS Collaboration, Phys. Lett. B 849 (2024) 138469
3. Search for top-philic heavy resonances in pp collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector, G. Aad *et al.*, ATLAS Collaboration, Eur. Phys. J. C 84 (2024) 157
4. Test of CP-invariance of the Higgs boson in vector-boson fusion production and in its decay into four leptons, G. Aad *et al.*, ATLAS Collaboration, J. High Energy Phys. 2405 (2024) 105
5. Observation of $WZ\gamma$ production in pp collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector, G. Aad *et al.*, ATLAS Collaboration, Phys. Rev. Lett 132 (2024) 021802
6. The ATLAS Experiment at the CERN Large Hadron Collider: A Description of the Detector Configuration for Run 3, G. Aad *et al.*, ATLAS Collaboration, J. Instrum 19 (2024) P05063
7. Search for non-resonant production of semi-visible jets using Run 2 data in ATLAS, G. Aad *et al.*, ATLAS Collaboration, Phys. Lett. B 848 (2024) 138324
8. Combination and summary of ATLAS dark matter searches interpreted in a 2HDM with a pseudo-scalar mediator using 139 fb^{-1} of $\sqrt{s} = 13$ TeV pp collision data, G. Aad *et al.*, ATLAS Collaboration, Sci. Bull. 69 (2024) 3005-3035
9. Measurement of the $H \rightarrow \gamma\gamma$ and $H \rightarrow ZZ^* \rightarrow 4\ell$ cross-sections in pp collisions at $\sqrt{s} = 13.6$ TeV with the ATLAS detector, G. Aad *et al.*, ATLAS Collaboration, Eur. Phys. J. C 84 (2024) 78
10. Search for leptoquark pair production decaying into $te^{-}\bar{t}e^{+}$ or $t\mu^{-}\bar{t}\mu^{+}$ in multi-lepton final states in pp collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector, G. Aad *et al.*, ATLAS Collaboration, Eur. Phys. J. C 84 (2024) 818
11. Search for leptoquark pair production decaying into $te^{-}\bar{t}e^{+}$ or $t\mu^{-}\bar{t}\mu^{+}$ in multi-lepton final states in pp collisions at 13 TeV with the ATLAS detector, G. Aad *et al.*, ATLAS Collaboration, Eur. Phys. J. C 84 (2024) 818
12. Search for pair production of squarks or gluinos decaying via sleptons or weak bosons in final states with two same-sign or three leptons with the ATLAS detector, G. Aad *et al.*, ATLAS Collaboration, J. High Energy Phys. 02 (2024) 107
13. Search for new phenomena in two-body invariant mass distributions using unsupervised machine learning for anomaly detection at $\sqrt{s} = 13$ TeV with the ATLAS detector, G. Aad *et al.*, ATLAS Collaboration, Phys. Rev. Lett 132 (2024) 081801
14. Search for singly produced vector-like top partners in multilepton final states with 139 fb^{-1} of pp collision data at $\sqrt{s} = 13$ TeV with the ATLAS detector, G. Aad *et al.*, ATLAS Collaboration, Phys. Rev. D 109 (2024) 112012

15. Search for quantum black hole production in lepton+jet final states using proton-proton collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector, G. Aad *et al.*, ATLAS Collaboration, Phys. Rev. D 109 (2024) 032010
16. Performance and calibration of quark/gluon-jet taggers using 140 fb^{-1} of pp collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector, G. Aad *et al.*, ATLAS Collaboration, Chin. Phys. C 48 (2024) 023001
17. Observation of $W\gamma\gamma$ triboson production in proton-proton collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector, G. Aad *et al.*, ATLAS Collaboration, Phys. Lett. B 848 (2024) 138400
18. Software Performance of the ATLAS Track Reconstruction for LHC Run 3, G. Aad *et al.*, ATLAS Collaboration, Comput. Softw. Big Sci. 8 (2024) 9
19. Measurement of the $t\bar{t}$ cross section and its ratio to the Z production cross section using pp collisions at $\sqrt{s} = 13.6$ TeV with the ATLAS detector, G. Aad *et al.*, ATLAS Collaboration, Phys. Lett. B 848 (2024) 138376
20. Differential cross-section measurements of the production of four charged leptons in association with two jets using the ATLAS detector, G. Aad *et al.*, ATLAS Collaboration, J. High Energy Phys. 01 (2024) 004
21. Electron and photon efficiencies in LHC Run 2 with the ATLAS experiment, G. Aad *et al.*, ATLAS Collaboration, J. High Energy Phys. 2405 (2024) 162
22. Measurement of the centrality dependence of the dijet yield in $p+\text{Pb}$ collisions at $\sqrt{s_{NN}} = 8.16$ TeV with the ATLAS detector, G. Aad *et al.*, ATLAS Collaboration, Phys. Rev. Lett 132 (2024) 102301
23. Azimuthal angle correlations of muons produced via heavy-flavor decays in 5.02 TeV Pb+Pb and pp collisions with the ATLAS detector, G. Aad *et al.*, ATLAS Collaboration, Phys. Rev. Lett 132 (2024) 202301
24. Evidence for the Higgs boson decay to a Z boson and a photon at the LHC, G. Aad *et al.*, ATLAS Collaboration, CMS Collaboration, Phys. Rev. Lett 132 (2024) 021803
25. Search for the $Z\gamma$ decay mode of new high-mass resonances in pp collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector, G. Aad *et al.*, ATLAS Collaboration, Phys. Lett. B 848 (2024) 138394
26. Electron and photon energy calibration with the ATLAS detector using LHC Run 2 data, G. Aad *et al.*, ATLAS Collaboration, J. Instrum 19 (2024) P02009
27. A precise measurement of the Z-boson double-differential transverse momentum and rapidity distributions in the full phase space of the decay leptons with the ATLAS experiment at $\sqrt{s} = 8$ TeV, G. Aad *et al.*, ATLAS Collaboration, Eur. Phys. J. C 84 (2024) 315
28. Search for the exclusive W boson hadronic decays $W^\pm \rightarrow \pi^\pm\gamma$, $W^\pm \rightarrow K^\pm\gamma$ and $W^\pm \rightarrow \rho^\pm\gamma$ with the ATLAS detector, G. Aad *et al.*, ATLAS Collaboration, Phys. Rev. Lett 133 (2024) 161804

29. Measurement of the production cross-section of J/ψ and $\psi(2S)$ mesons in pp collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector, G. Aad *et al.*, ATLAS Collaboration, Eur. Phys. J. C 84 (2024) 169
30. Measurement of t -channel single-top-quark production in pp collisions at $\sqrt{s} = 5.02$ TeV with the ATLAS detector, G. Aad *et al.*, ATLAS Collaboration, Phys. Lett. B 854 (2024) 138726
31. Search for non-resonant Higgs boson pair production in the $2b + 2\ell + E_T^{\text{miss}}$ final state in pp collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector, G. Aad *et al.*, ATLAS Collaboration, J. High Energy Phys. 02 (2024) 037
32. Study of $Z \rightarrow ll\gamma$ decays at $\sqrt{s} = 8$ TeV with the ATLAS detector, G. Aad *et al.*, ATLAS Collaboration, Eur. Phys. J. C 84 (2024) 195
33. Studies of new Higgs boson interactions through nonresonant HH production in the $b\bar{b}\gamma\gamma$ final state in pp collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector, G. Aad *et al.*, ATLAS Collaboration, J. High Energy Phys. 01 (2024) 066
34. Improving topological cluster reconstruction using calorimeter cell timing in ATLAS, G. Aad *et al.*, ATLAS Collaboration, Eur. Phys. J. C 84 (2024) 455
35. Search for Resonant Production of Dark Quarks in the Dijet Final State with the ATLAS Detector, G. Aad *et al.*, ATLAS Collaboration, J. High Energy Phys. 02 (2024) 128
36. Search for a CP-odd Higgs boson decaying into a heavy CP- even Higgs boson and a Z boson in the $\ell^+\ell^-t\bar{t}$ and $\nu\bar{\nu}b\bar{b}$ final states using 140 fb^{-1} of data collected with the ATLAS detector, G. Aad *et al.*, ATLAS Collaboration, J. High Energy Phys. 02 (2024) 197
37. Observation of quantum entanglement in top-quark pairs using the ATLAS detector, G. Aad *et al.*, ATLAS Collaboration, Nature 633 (2024) 542
38. Measurement of ZZ production cross-sections in the four-lepton final state in pp collisions at $\sqrt{s} = 13.6$ TeV with the ATLAS experiment, G. Aad *et al.*, ATLAS Collaboration, Phys. Lett. B 855 (2024) 138764
39. Simultaneous energy and mass calibration of large-radius jets with the ATLAS detector using a deep neural network, G. Aad *et al.*, ATLAS Collaboration, Mach. Learn. Sci. Technol. 5 (2024) 035051
40. Combination of searches for resonant Higgs boson pair production using pp collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector, G. Aad *et al.*, ATLAS Collaboration, Phys. Rev. Lett 132 (2024) 231801
41. Search for light long-lived neutral particles from Higgs boson decays via vector-boson-fusion production from pp collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector, G. Aad *et al.*, ATLAS Collaboration, Eur. Phys. J. C 84 (2024) 719

42. Measurement and interpretation of same-sign W boson pair production in association with two jets in pp collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector, G. Aad *et al.*, ATLAS Collaboration, J. High Energy Phys. 04 (2024) 026
43. Search for the decay of the Higgs boson to a Z boson and a light pseudoscalar particle decaying to two photons, G. Aad *et al.*, ATLAS Collaboration, Phys. Lett. B 850 (2024) 138536
44. Evidence for the $VH, H \rightarrow \tau\tau$ process with the ATLAS detector in Run 2, G. Aad *et al.*, ATLAS Collaboration, Phys. Lett. B 855 (2024) 138817
45. Search for short- and long-lived axion-like particles in $H \rightarrow aa \rightarrow 4\gamma$ decays with the ATLAS experiment at the LHC, G. Aad *et al.*, ATLAS Collaboration, Eur. Phys. J. C 84 (2024) 742
46. Measurement of jet substructure in boosted $t\bar{t}$ events with the ATLAS detector using 140 fb^{-1} of 13 TeV pp collisions, G. Aad *et al.*, ATLAS Collaboration, Phys. Rev. D 109 (2024) 112016
47. Measurement of the Z boson invisible width at $\sqrt{s} = 13$ TeV with the ATLAS detector, G. Aad *et al.*, ATLAS Collaboration, Phys. Lett. B 854 (2024) 138705
48. Inclusive and differential cross-section measurements of $t\bar{t}Z$ production in pp collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector, including EFT and spin-correlation interpretations, G. Aad *et al.*, ATLAS Collaboration, J. High Energy Phys. 2407 (2024) 163
49. Study of high-momentum Higgs boson production in association with a vector boson in the $qqbb$ final state with the ATLAS detector, G. Aad *et al.*, ATLAS Collaboration, Phys. Rev. Lett 132 (2024) 131802
50. Search for heavy resonances in final states with four leptons and missing transverse momentum or jets in pp collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector, G. Aad *et al.*, ATLAS Collaboration, J. High Energy Phys. 10 (2024) 130
51. Measurement of the total and differential cross-sections of $t\bar{t}W$ production in pp collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector, G. Aad *et al.*, ATLAS Collaboration, J. High Energy Phys. 2405 (2024) 131
52. The ATLAS Trigger System for LHC Run 3 and Trigger performance in 2022, G. Aad *et al.*, ATLAS Collaboration, J. Instrum 19 (2024) P06029
53. Combination of searches for pair-produced leptoquarks at $\sqrt{s} = 13$ TeV with the ATLAS detector, G. Aad *et al.*, ATLAS Collaboration, Phys. Lett. B 854 (2024) 138736
54. Search for new phenomena with top-quark pairs and large missing transverse momentum using 140 fb^{-1} of pp collision data at $\sqrt{s} = 13$ TeV with the ATLAS detector, G. Aad *et al.*, ATLAS Collaboration, J. High Energy Phys. 03 (2024) 139

55. Search for pair production of higgsinos in events with two Higgs bosons and missing transverse momentum in $\sqrt{s} = 13$ TeV pp collisions at the ATLAS experiment, G. Aad *et al.*, ATLAS Collaboration, Phys. Rev. D 109 (2024) 112011
56. Search for nearly mass-degenerate higgsinos using low- momentum mildly-displaced tracks in pp collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector, G. Aad *et al.*, ATLAS Collaboration, Phys. Rev. Lett 132 (2024) 221801
57. A search for R-parity-violating supersymmetry in final states containing many jets in pp collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector, G. Aad *et al.*, ATLAS Collaboration, J. High Energy Phys. 2405 (2024) 003
58. Operation and performance of the ATLAS tile calorimeter in LHC Run 2, G. Aad *et al.*, ATLAS Collaboration, Eur. Phys. J. C 84 (2024) 1313
59. Search for pair-production of vector-like quarks in lepton+jets final states containing at least one b-tagged jet using the Run 2 data from the ATLAS experiment, G. Aad *et al.*, ATLAS Collaboration, Phys. Lett. B 854 (2024) 138743
60. Search for electroweak production of supersymmetric particles in final states with two τ -leptons in $\sqrt{s} = 13$ TeV pp collisions with the ATLAS detector, G. Aad *et al.*, ATLAS Collaboration, J. High Energy Phys. 2405 (2024) 150
61. Determination of the relative sign of the Higgs boson couplings to W and Z bosons using WH production via vector- boson fusion with the ATLAS detector, G. Aad *et al.*, ATLAS Collaboration, Phys. Rev. Lett 133 (2024) 141801
62. ATLAS Run 2 searches for electroweak production of supersymmetric particles interpreted within the pMSSM, G. Aad *et al.*, ATLAS Collaboration, J. High Energy Phys. 2405 (2024) 106
63. Interpretations of the ATLAS measurements of Higgs boson production and decay rates and differential cross-sections in pp collisions at $\sqrt{s} = 13$ TeV, G. Aad *et al.*, ATLAS Collaboration, J. High Energy Phys. 11 (2024) 097
64. Performance of the ATLAS forward proton Time-of-Flight detector in Run 2, G. Aad *et al.*, ATLAS Collaboration, J. Instrum 19 (2024) P05054
65. A statistical combination of ATLAS Run 2 searches for charginos and neutralinos at the LHC, G. Aad *et al.*, ATLAS Collaboration, Phys. Rev. Lett 133 (2024) 031802
66. Combination of searches for heavy spin-1 resonances using 139 fb^{-1} of proton-proton collision data at $\sqrt{s} = 13$ TeV with the ATLAS detector, G. Aad *et al.*, ATLAS Collaboration, J. High Energy Phys. 2404 (2024) 118
67. A search for top-squark pair production, in final states containing a top quark, a charm quark and missing transverse momentum, using the 139 fb^{-1} of pp collision data collected by the ATLAS detector, G. Aad *et al.*, ATLAS Collaboration, J. High Energy Phys. 07 (2024) 250

68. A search for top-squark pair production, in final states containing a top quark, a charm quark and missing transverse momentum, using the 139 fb¹ of pp collision data collected by the ATLAS detector, G. Aad *et al.*, ATLAS Collaboration, J. High Energy Phys. 2407 (2024) 250
69. Measurements of Lund subjet multiplicities in 13 TeV proton- proton collisions with the ATLAS detector, G. Aad *et al.*, ATLAS Collaboration, Phys. Lett. B 859 (2024) 139090
70. Search for a new Z' gauge boson via the $pp \rightarrow W^{\pm(*)} \rightarrow Z' \mu^{\pm} \nu \rightarrow \mu^{\pm} \mu^{\mp} \mu^{\pm} \nu$ process in pp collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector, G. Aad *et al.*, ATLAS Collaboration, Phys. Rev. D 110 (2024) 072008
71. Search for high-mass resonances in final states with a τ -lepton and missing transverse momentum with the ATLAS detector, G. Aad *et al.*, ATLAS Collaboration, Phys. Rev. D 109 (2024) 112008
72. Studies of the energy dependence of diboson polarization fractions and the Radiation Amplitude Zero effect in WZ production with the ATLAS detector, G. Aad *et al.*, ATLAS Collaboration, Phys. Rev. Lett 133 (2024) 101802
73. Search for new particles in final states with a boosted top quark and missing transverse momentum in proton-proton collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector, G. Aad *et al.*, ATLAS Collaboration, J. High Energy Phys. 2405 (2024) 263
74. Searches for exclusive Higgs boson decays into $D^* \gamma$ and Z boson decays into $D^0 \gamma$ and $K_s^0 \gamma$ in pp collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector, G. Aad *et al.*, ATLAS Collaboration, Phys. Lett. B 855 (2024) 138762
75. Precise test of lepton flavour universality in W -boson decays into muons and electrons in pp collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector, G. Aad *et al.*, ATLAS Collaboration, Eur. Phys. J. C 84 (2024) 993
76. Measurement of t-channel production of single top quarks and antiquarks in pp collisions at 13 TeV using the full ATLAS Run 2 data sample, G. Aad *et al.*, ATLAS Collaboration, J. High Energy Phys. 2405 (2024) 305
77. Fiducial and differential cross-section measurements of electroweak $W \gamma jj$ production in pp collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector, G. Aad *et al.*, ATLAS Collaboration, Eur. Phys. J. C 84 (2024) 1064
78. Differential cross-sections for events with missing transverse momentum and jets measured with the ATLAS detector in 13 TeV proton-proton collisions, G. Aad *et al.*, ATLAS Collaboration, J. High Energy Phys. 2408 (2024) 223
79. Observation of electroweak production of W^+W in association with jets in proton-proton collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector, G. Aad *et al.*, ATLAS Collaboration, J. High Energy Phys. 2407 (2024) 254
80. Search for charged-lepton-flavour violating $\mu \tau q t$ interactions in top-quark production and decay in pp collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector at the LHC, G. Aad *et al.*, ATLAS Collaboration, Phys. Rev. D 110 (2024) 012014

81. Search for low-mass resonances decaying into two jets and produced in association with a photon or a jet at $\sqrt{s} = 13$ TeV with the ATLAS detector, G. Aad *et al.*, ATLAS Collaboration, Phys. Rev. D 110 (2024) 032002
82. Measurements of inclusive and differential cross-sections of $t\bar{t}\gamma$ production in pp collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector, G. Aad *et al.*, ATLAS Collaboration, J. High Energy Phys. 10 (2024) 191
83. Measurement of vector boson production cross sections and their ratios using pp collisions at $\sqrt{s} = 13.6$ TeV with the ATLAS detector, G. Aad *et al.*, ATLAS Collaboration, Phys. Lett. B 854 (2024) 138725
84. Search for heavy Majorana neutrinos in $e^\pm e^\pm$ and $e^\pm \mu^\pm$ final states via WW scattering in pp collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector, G. Aad *et al.*, ATLAS Collaboration, Phys. Lett. B 856 (2024) 138865
85. Measurements of the production cross-section for a Z boson in association with b - or c -jets in proton-proton collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector, G. Aad *et al.*, ATLAS Collaboration, Eur. Phys. J. C 84 (2024) 984
86. Search for light long-lived particles in pp collisions at $\sqrt{s} = 13$ TeV using displaced vertices in the ATLAS inner detector, G. Aad *et al.*, ATLAS Collaboration, Phys. Rev. Lett 133 (2024) 161803
87. Measurement of the W-boson mass and width with the ATLAS detector using proton-proton collisions at $\sqrt{s} = 7$ TeV, G. Aad *et al.*, ATLAS Collaboration, Eur. Phys. J. C 84 (2024) 1309
88. Measurements of electroweak $W^\pm Z$ boson pair production in association with two jets in pp collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector, G. Aad *et al.*, ATLAS Collaboration, J. High Energy Phys. 2406 (2024) 192
89. Search for pair-produced higgsinos decaying via Higgs or Z bosons to final states containing a pair of photons and a pair of b -jets with the ATLAS detector, G. Aad *et al.*, ATLAS Collaboration, Phys. Lett. B 856 (2024) 138938
90. Search for flavour-changing neutral-current couplings between the top quark and the Higgs boson in multi-lepton final states in 13 TeV pp collisions with the ATLAS detector, G. Aad *et al.*, ATLAS Collaboration, Eur. Phys. J. C 84 (2024) 757
91. Precise measurements of W - and Z -boson transverse momentum spectra with the ATLAS detector using pp collisions at $\sqrt{s} = 5.02$ TeV and 13 TeV, G. Aad *et al.*, ATLAS Collaboration, Eur. Phys. J. C 84 (2024) 1126
92. Characterising the Higgs boson with ATLAS data from Run 2 of the LHC, G. Aad *et al.*, ATLAS Collaboration, Phys. Rep. 11 (2024) 001
93. Search for a resonance decaying into a scalar particle and a Higgs boson in the final state with two bottom quarks and two photons in proton-proton collisions at a center of mass energy of 13 TeV with the ATLAS detector, G. Aad *et al.*, ATLAS Collaboration, J. High Energy Phys. 11 (2024) 047

94. Search for the non-resonant production of Higgs boson pairs via gluon fusion and vector-boson fusion in the $b\bar{b}\tau^+\tau^-$ final state in proton-proton collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector, G. Aad *et al.*, ATLAS Collaboration, Phys. Rev. D 110 (2024) 032012
95. Constraints on dark matter models involving an s -channel mediator with the ATLAS detector in pp collisions at $\sqrt{s} = 13$ TeV, G. Aad *et al.*, ATLAS Collaboration, Eur. Phys. J. C 84 (2024) 1102
96. Search for pair production of boosted Higgs bosons via vector-boson fusion in the $b\bar{b}b\bar{b}$ final state using pp collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector, G. Aad *et al.*, ATLAS Collaboration, Phys. Lett. B 858 (2024) 139007
97. Search for heavy neutral Higgs bosons decaying into a top quark pair in 140 fb¹ of proton-proton collision data at $\sqrt{s} = 13$ TeV with the ATLAS detector, G. Aad *et al.*, ATLAS Collaboration, J. High Energy Phys. 2408 (2024) 013
98. Beam-induced backgrounds measured in the ATLAS detector during local gas injection into the LHC beam vacuum, G. Aad *et al.*, ATLAS Collaboration, J. Instrum 19 (2024) 0614
99. Calibration of a soft secondary vertex tagger using proton-proton collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector, G. Aad *et al.*, ATLAS Collaboration, Phys. Rev. D 110 (2024) 032015
100. Observation of $t\bar{t}$ production in the lepton+jets and dilepton channels in p +Pb collisions at $\sqrt{s_{NN}} = 8.16$ TeV with the ATLAS detector, G. Aad *et al.*, ATLAS Collaboration, J. High Energy Phys. 11 (2024) 101
101. Underlying-event studies with strange hadrons in pp collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector, G. Aad *et al.*, ATLAS Collaboration, Eur. Phys. J. C 84 (2024) 1335
102. Search for dark mesons decaying to top and bottom quarks in proton-proton collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector, G. Aad *et al.*, ATLAS Collaboration, J. High Energy Phys. 2409 (2024) 005
103. Search for non-resonant Higgs boson pair production in final states with leptons, taus, and photons in pp collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector, G. Aad *et al.*, ATLAS Collaboration, J. High Energy Phys. 2408 (2024) 164
104. Search for pair-produced vector-like quarks coupling to light quarks in the lepton plus jets final state using 13 TeV pp collisions with the ATLAS detector, G. Aad *et al.*, ATLAS Collaboration, Phys. Rev. D 110 (2024) 052009
105. Measurements of jet cross-section ratios in 13 TeV proton-proton collisions with ATLAS, G. Aad *et al.*, ATLAS Collaboration, Phys. Rev. D 110 (2024) 072019

106. A simultaneous unbinned differential cross section measurement of twenty-four Z +jets kinematic observables with the ATLAS detector, G. Aad *et al.*, ATLAS Collaboration, Phys. Rev. Lett 133 (2024) 261803
107. Search for a resonance decaying into a scalar particle and a Higgs boson in final states with leptons and two photons in proton-proton collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector, G. Aad *et al.*, ATLAS Collaboration, J. High Energy Phys. 10 (2024) 104
108. Combination of searches for Higgs boson decays into a photon and a massless dark photon using pp collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector, G. Aad *et al.*, ATLAS Collaboration, J. High Energy Phys. 2408 (2024) 153
109. Search for new particles in events with a hadronically decaying W or Z boson and large missing transverse momentum at $\sqrt{s} = 13$ TeV using the ATLAS detector, G. Aad *et al.*, ATLAS Collaboration, J. High Energy Phys. 11 (2024) 126
110. Combination of searches for Higgs boson pair production in pp collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector, G. Aad *et al.*, ATLAS Collaboration, Phys. Rev. Lett 133 (2024) 101801
111. A search for R -parity violating supersymmetric decays of the top squark to a b -jet and a lepton in $\sqrt{s} = 13$ TeV pp collisions with the ATLAS detector, G. Aad *et al.*, ATLAS Collaboration, Phys. Rev. D 110 (2024) 092004
112. Measurement of differential cross-sections in $t\bar{t}$ and $t\bar{t}$ +jets production in the lepton+jets final state in pp collisions at $\sqrt{s} = 13$ TeV using 140 fb^{-1} of ATLAS data, G. Aad *et al.*, ATLAS Collaboration, J. High Energy Phys. 2408 (2024) 182
113. Search for decays of the Higgs boson into a pair of pseudoscalar particles decaying into $b\bar{b}\tau^+\tau^-$ using pp collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector, G. Aad *et al.*, ATLAS Collaboration, Phys. Rev. D 110 (2024) 052013
114. Sensor response and radiation damage effects for 3D pixels in the ATLAS IBL Detector, G. Aad *et al.*, ATLAS Collaboration, J. Instrum 19 (2024) P10008
115. Disentangling sources of momentum fluctuations in Xe+Xe and Pb+Pb collisions with the ATLAS detector, G. Aad *et al.*, ATLAS Collaboration, Phys. Rev. Lett 133 (2024) 252301
116. Search for neutral long-lived particles that decay into displaced jets in the ATLAS calorimeter in association with leptons or jets using pp collisions at $\sqrt{s} = 13$ TeV, G. Aad *et al.*, ATLAS Collaboration, J. High Energy Phys. 11 (2024) 036
117. Using pile-up collisions as an abundant source of low-energy hadronic physics processes in ATLAS and an extraction of the jet energy resolution, G. Aad *et al.*, ATLAS Collaboration, J. High Energy Phys. 12 (2024) 032

118. Measurement of single top-quark production in association with a W boson in pp collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector, G. Aad *et al.*, ATLAS Collaboration, Phys. Rev. D 110 (2024) 072010
119. Jet radius dependence of dijet momentum balance and suppression in Pb+Pb collisions at 5.02 TeV with the ATLAS detector, G. Aad *et al.*, ATLAS Collaboration, Phys. Rev. C 110 (2024) 054912
120. Accuracy versus precision in boosted top tagging with the ATLAS detector, G. Aad *et al.*, ATLAS Collaboration, J. Instrum 19 (2024) P08018
121. Search for heavy right-handed Majorana neutrinos in the decay of top quarks produced in proton–proton collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector, G. Aad *et al.*, ATLAS Collaboration, Phys. Rev. D 110 (2024) 112004
122. Search for supersymmetry using vector boson fusion signatures and missing transverse momentum in pp collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector, G. Aad *et al.*, ATLAS Collaboration, J. High Energy Phys. 12 (2024) 116
123. Search for a light CP-odd Higgs boson decaying into a pair of τ -leptons in proton-proton collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector, G. Aad *et al.*, ATLAS Collaboration, J. High Energy Phys. 12 (2024) 126

2023

1. Observation of electroweak production of two jets and a Z-boson pair, G. Aad *et al.*, ATLAS Collaboration, Nat. Phys 19 (2023) 237-253
2. Search for the charged-lepton-flavor-violating decay $Z \rightarrow e\mu$ in pp collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector, G. Aad *et al.*, ATLAS Collaboration, Phys. Rev. D 108 (2023) 032015
3. Search for heavy neutral leptons in decays of W bosons using a dilepton displaced vertex in $\sqrt{s} = 13$ TeV pp collisions with the ATLAS detector, G. Aad *et al.*, ATLAS Collaboration, Phys. Rev. Lett 131 (2023) 061803
4. Measurement of cross-sections for production of a Z boson in association with a flavor-inclusive or doubly b -tagged large- radius jet in proton-proton collisions at $\sqrt{s} = 13$ TeV with the ATLAS experiment, G. Aad *et al.*, ATLAS Collaboration, Phys. Rev. D 108 (2023) 012022
5. Searches for new phenomena in events with two leptons, jets, and missing transverse momentum in 139 fb^{-1} of $\sqrt{s} = 13$ TeV pp collisions with the ATLAS detector, G. Aad *et al.*, ATLAS Collaboration, Eur. Phys. J. C 83 (2023) 515
6. Observation of the $\gamma\gamma \rightarrow \tau\tau$ Process in $pb + Pb$ Collisions and Constraints on the τ -Lepton Anomalous Magnetic Moment with the ATLAS Detector, G. Aad *et al.*, ATLAS Collaboration, Phys. Rev. Lett 131 (2023) 151802
7. Measurement of the nuclear modification factor of b -jets in 5.02 TeV Pb+Pb collisions with the ATLAS detector, G. Aad *et al.*, ATLAS Collaboration, Eur. Phys. J. C 83 (2023) 438

8. Correlations between flow and transverse momentum in $Xe+Xe$ and $Pb+Pb$ collisions at the LHC with the ATLAS detector: A probe of the heavy-ion initial state and nuclear deformation, G. Aad *et al.*, ATLAS Collaboration, Phys. Rev. C 107 (2023) 054910
9. Measurements of the suppression and correlations of dijets in Pb+Pb collisions at $\sqrt{s_{NN}} = 5.02$ TeV, G. Aad *et al.*, ATLAS Collaboration, Phys. Rev. C 107 (2023) 054908
10. Cross-section measurements for the production of a Z boson in association with high-transverse-momentum jets in pp collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector, G. Aad *et al.*, ATLAS Collaboration, J. High Energy Phys. 2306 (2023) 080
11. Search for flavour-changing neutral-current couplings between the top quark and the photon with the ATLAS detector at $\sqrt{s} = 13$ TeV, G. Aad *et al.*, ATLAS Collaboration, Phys. Lett. B 842 (2023) 137379
12. Production of $\Upsilon(nS)$ mesons in Pb+Pb and pp collisions at 5.02 TeV, G. Aad *et al.*, ATLAS Collaboration, Phys. Rev. C 107 (2023) 054912
13. Differential $t\bar{t}$ cross-section measurements using boosted top quarks in the all-hadronic final state with 139 fb¹ of ATLAS data, G. Aad *et al.*, ATLAS Collaboration, J. High Energy Phys. 2304 (2023) 080
14. Search for heavy, long-lived, charged particles with large ionisation energy loss in pp collisions at $\sqrt{s} = 13$ TeV using the ATLAS experiment and the full Run 2 dataset, G. Aad *et al.*, ATLAS Collaboration, J. High Energy Phys. 2306 (2023) 158
15. Combination of inclusive top-quark pair production cross-section measurements using ATLAS and CMS data at $\sqrt{s} = 7$ and 8 TeV, G. Aad *et al.*, ATLAS Collaboration, CMS Collaboration, J. High Energy Phys. 2307 (2023) 213
16. Strong Constraints on Jet Quenching in Centrality-Dependent $p+Pb$ Collisions at 5.02 TeV from ATLAS, G. Aad *et al.*, ATLAS Collaboration, Phys. Rev. Lett 131 (2023) 072301
17. Search for new phenomena in final states with photons, jets and missing transverse momentum in pp collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector, G. Aad *et al.*, ATLAS Collaboration, J. High Energy Phys. 2307 (2023) 021
18. Search for light long-lived neutral particles that decay to collimated pairs of leptons or light hadrons in pp collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector, G. Aad *et al.*, ATLAS Collaboration, J. High Energy Phys. 2306 (2023) 153
19. Measurement of muon pairs produced via $\gamma\gamma$ scattering in nonultraperipheral $Pb+Pb$ collisions at $\sqrt{s} = 5.02$ TeV with the ATLAS detector, G. Aad *et al.*, ATLAS Collaboration, Phys. Rev. C 107 (2023) 054907
20. Measurements of W^+W^- production in decay topologies inspired by searches for electroweak supersymmetry, G. Aad *et al.*, ATLAS Collaboration, Eur. Phys. J. C 83 (2023) 718

21. Measurements of Higgs boson production by gluon-gluon fusion and vector-boson fusion using $H \rightarrow WW^* \rightarrow e\nu\mu\nu$ decays in pp collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector, G. Aad *et al.*, ATLAS Collaboration, Phys. Rev. D 108 (2023) 032005
22. Measurement of the properties of Higgs boson production at $\sqrt{s} = 13$ TeV in the $H \rightarrow \gamma\gamma$ channel using 139 fb^{-1} of pp collision data with the ATLAS experiment, G. Aad *et al.*, ATLAS Collaboration, J. High Energy Phys. 2307 (2023) 088
23. Measurement of the Higgs boson mass in the $H \rightarrow ZZ^* \rightarrow 4\ell$ decay channel using 139 fb^{-1} of $\sqrt{s} = 13$ TeV pp collisions recorded by the ATLAS detector at the LHC, G. Aad *et al.*, ATLAS Collaboration, Phys. Lett. B 843 (2023) 137880
24. Search for heavy resonances decaying into a Z or W boson and a Higgs boson in final states with leptons and b -jets in 139 fb^{-1} of pp collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector, G. Aad *et al.*, ATLAS Collaboration, J. High Energy Phys. 2306 (2023) 016
25. Measurement of the $t\bar{t}$ production cross-section in pp collisions at $\sqrt{s} = 5.02$ TeV with the ATLAS detector, G. Aad *et al.*, ATLAS Collaboration, J. High Energy Phys. 2306 (2023) 138
26. Search for resonant $WZ \rightarrow \ell\nu\ell'\ell'$ production in proton-proton collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector, G. Aad *et al.*, ATLAS Collaboration, Eur. Phys. J. C 83 (2023) 633
27. Measurement of the total and differential Higgs boson production cross-sections at $\sqrt{s} = 13$ TeV with the ATLAS detector by combining the $H \rightarrow ZZ^* \rightarrow 4\ell$ and $H \rightarrow \gamma\gamma$ decay channels, G. Aad *et al.*, ATLAS Collaboration, J. High Energy Phys. 2305 (2023) 028
28. Measurement of the total cross section and ρ -parameter from elastic scattering in pp collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector, G. Aad *et al.*, ATLAS Collaboration, Eur. Phys. J. C 83 (2023) 441
29. Exclusive dielectron production in ultraperipheral Pb+Pb collisions at $\sqrt{s_{NN}} = 5.02$ TeV with ATLAS, G. Aad *et al.*, ATLAS Collaboration, J. High Energy Phys. 2306 (2023) 182
30. Study of the CP property of the Higgs boson to electroweak boson coupling in the VBF $H \rightarrow \gamma\gamma$ channel with the ATLAS detector, G. Aad *et al.*, ATLAS Collaboration, Phys. Rev. Lett 131 (2023) 061802
31. Searches for exclusive Higgs and Z boson decays into a vector quarkonium state and a photon using 139 fb^{-1} of ATLAS $\sqrt{s} = 13$ TeV proton-proton collision data, G. Aad *et al.*, ATLAS Collaboration, Eur. Phys. J. C 83 (2023) 781
32. Search for flavour-changing neutral current interactions of the top quark and the Higgs boson in events with a pair of -leptons in pp collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector, G. Aad *et al.*, ATLAS Collaboration, J. High Energy Phys. 2306 (2023) 155

33. Evidence for the charge asymmetry in $pp \rightarrow t\bar{t}$ production at $\sqrt{s} = 13$ TeV with the ATLAS detector, G. Aad *et al.*, ATLAS Collaboration, J. High Energy Phys. 2308 (2023) 077
34. Measurement of electroweak $Z(\nu\bar{\nu})\gamma jj$ production and limits on anomalous quartic gauge couplings in pp collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector, G. Aad *et al.*, ATLAS Collaboration, J. High Energy Phys. 2306 (2023) 082
35. Measurement of the top-quark mass using a leptonic invariant mass in pp collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector, G. Aad *et al.*, ATLAS Collaboration, J. High Energy Phys. 2306 (2023) 019
36. Search for displaced photons produced in exotic decays of the Higgs boson using 13 TeV pp collisions with the ATLAS detector, G. Aad *et al.*, ATLAS Collaboration, Phys. Rev. D 108 (2023) 032016
37. Measurements of observables sensitive to colour reconnection in $t\bar{t}$ events with the ATLAS detector at $\sqrt{s} = 13$ TeV, G. Aad *et al.*, ATLAS Collaboration, Eur. Phys. J. C 83 (2023) 518
38. Measurement of single top-quark production in the s-channel in proton–proton collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector, G. Aad *et al.*, ATLAS Collaboration, J. High Energy Phys. 2306 (2023) 191
39. Search for resonant and non-resonant Higgs boson pair production in the $b\bar{b}\tau^+\tau^-$ decay channel using 13 TeV pp collision data from the ATLAS detector, G. Aad *et al.*, ATLAS Collaboration, J. High Energy Phys. 2307 (2023) 040
40. Search for direct pair production of sleptons and charginos decaying to two leptons and neutralinos with mass splittings near the W -boson mass in $\sqrt{s} = 13$ TeV pp collisions with the ATLAS detector, G. Aad *et al.*, ATLAS Collaboration, J. High Energy Phys. 2306 (2023) 031
41. A search for new resonances in multiple final states with a high transverse momentum Z boson in $\sqrt{s} = 13$ TeV pp collisions with the ATLAS detector, G. Aad *et al.*, ATLAS Collaboration, J. High Energy Phys. 2306 (2023) 036
42. Measurement of the polarisation of W bosons produced in top-quark decays using dilepton events at $\sqrt{s} = 13$ TeV with the ATLAS experiment, G. Aad *et al.*, ATLAS Collaboration, Phys. Lett. B 843 (2023) 137829
43. Search for pair-produced scalar and vector leptoquarks decaying into third-generation quarks and first- or second- generation leptons in pp collisions with the ATLAS detector, G. Aad *et al.*, ATLAS Collaboration, J. High Energy Phys. 2306 (2023) 188
44. Search for Higgs boson pair production in association with a vector boson in pp collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector, G. Aad *et al.*, ATLAS Collaboration, Eur. Phys. J. C 83 (2023) 519

45. Search for pair-production of vector-like quarks in pp collision events at $\sqrt{s} = 13$ TeV with at least one leptonically decaying Z boson and a third-generation quark with the ATLAS detector, G. Aad *et al.*, ATLAS Collaboration, Phys. Lett. B 843 (2023) 138019
46. Search for $t\bar{t}H/A \rightarrow t\bar{t}\bar{t}\bar{t}$ production in the multilepton final state in proton-proton collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector, G. Aad *et al.*, ATLAS Collaboration, J. High Energy Phys. 2307 (2023) 203
47. Constraining the Higgs boson self-coupling from single- and double-Higgs production with the ATLAS detector using pp collisions at $\sqrt{s} = 13$ TeV, G. Aad *et al.*, ATLAS Collaboration, Phys. Lett. B 843 (2023) 137745
48. A search for heavy Higgs bosons decaying into vector bosons in same-sign two-lepton final states in pp collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector, G. Aad *et al.*, ATLAS Collaboration, J. High Energy Phys. 2307 (2023) 200
49. Search for boosted diphoton resonances in the 10 to 70 GeV mass range using 138 fb¹ of 13 TeV pp collisions with the ATLAS detector, G. Aad *et al.*, ATLAS Collaboration, J. High Energy Phys. 2307 (2023) 155
50. Constraints on spin-0 dark matter mediators and invisible Higgs decays using ATLAS 13 TeV pp collision data with two top quarks and missing transverse momentum in the final state, G. Aad *et al.*, ATLAS Collaboration, Eur. Phys. J. C 83 (2023) 503
51. Search for dark matter produced in association with a dark Higgs boson decaying into W^+W^- in the one-lepton final state at $\sqrt{s} = 13$ TeV using 139 fb¹ of pp collisions recorded with the ATLAS detector, G. Aad *et al.*, ATLAS Collaboration, J. High Energy Phys. 2307 (2023) 116
52. Search for doubly charged Higgs boson production in multi-lepton final states using 139 fb⁻¹ of proton-proton collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector, G. Aad *et al.*, ATLAS Collaboration, Eur. Phys. J. C 83 (2023) 605
53. Search for supersymmetry in final states with missing transverse momentum and three or more b-jets in 139 fb⁻¹ of proton-proton collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector, G. Aad *et al.*, ATLAS Collaboration, Eur. Phys. J. C 83 (2023) 561
54. Search for new phenomena in multi-body invariant masses in events with at least one isolated lepton and two jets using $\sqrt{s} = 13$ TeV proton-proton collision data collected by the ATLAS detector, G. Aad *et al.*, ATLAS Collaboration, J. High Energy Phys. 2307 (2023) 202
55. Observation of gauge boson joint-polarisation states in $W^\pm Z$ production from pp collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector, G. Aad *et al.*, ATLAS Collaboration, Phys. Lett. B 843 (2023) 137895
56. Measurement of substructure-dependent jet suppression in $Pb+Pb$ collisions at 5.02 TeV with the ATLAS detector, G. Aad *et al.*, ATLAS Collaboration, Phys. Rev. C 107 (2023) 054909

57. Search for dark matter produced in association with a single top quark and an energetic W boson in $\sqrt{s} = 13$ TeV pp collisions with the ATLAS detector, G. Aad *et al.*, ATLAS Collaboration, Eur. Phys. J. C 83 (2023) 603
58. ATLAS flavour-tagging algorithms for the LHC Run 2 pp collision dataset, G. Aad *et al.*, ATLAS Collaboration, Eur. Phys. J. C 83 (2023) 681
59. Measurement of $Z\gamma\gamma$ production in pp collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector, G. Aad *et al.*, ATLAS Collaboration, Eur. Phys. J. C 83 (2023) 539
60. Charged-hadron production in pp , $p+\text{Pb}$, $\text{Pb}+\text{Pb}$, and $\text{Xe}+\text{Xe}$ collisions at $\sqrt{s_{NN}} = 5$ TeV with the ATLAS detector at the LHC, G. Aad *et al.*, ATLAS Collaboration, J. High Energy Phys. 2307 (2023) 074
61. Tools for estimating fake/non-prompt lepton backgrounds with the ATLAS detector at the LHC, G. Aad *et al.*, ATLAS Collaboration, J. Instrum 18 (2023) T11004
62. Measurement of the inclusive $t\bar{t}$ production cross section in the lepton+jets channel in pp collisions at $\sqrt{s} = 7$ TeV with the ATLAS detector using support vector machines, M. Aaboud *et al.*, ATLAS Collaboration, Phys. Rev. D 108 (2023) 032014
63. Measurement of exclusive pion pair production in proton–proton collisions at $\sqrt{s} = 7$ TeV with the ATLAS detector, G. Aad *et al.*, ATLAS Collaboration, Eur. Phys. J. C 83 (2023) 627
64. Search for pair-produced vector-like top and bottom partners in events with large missing transverse momentum in pp collisions with the ATLAS detector, G. Aad *et al.*, ATLAS Collaboration, Eur. Phys. J. C 83 (2023) 719
65. Studies of the muon momentum calibration and performance of the ATLAS detector with pp collisions at $\sqrt{s} = 13$ TeV, G. Aad *et al.*, ATLAS Collaboration, Eur. Phys. J. C 83 (2023) 686
66. Measurements of $Z\gamma$ +jets differential cross sections in pp collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector, G. Aad *et al.*, ATLAS Collaboration, J. High Energy Phys. 2307 (2023) 072
67. Luminosity determination in pp collisions at $\sqrt{s} = 13$ TeV using the ATLAS detector at the LHC, G. Aad *et al.*, ATLAS Collaboration, Eur. Phys. J. C 83 (2023) 982
68. Search for dark photons from Higgs boson decays via ZH production with a photon plus missing transverse momentum signature from pp collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector, G. Aad *et al.*, ATLAS Collaboration, J. High Energy Phys. 2307 (2023) 133
69. Measurement of the charge asymmetry in top-quark pair production in association with a photon with the ATLAS experiment, G. Aad *et al.*, ATLAS Collaboration, Phys. Lett. B 843 (2023) 137848

70. Search for nonresonant pair production of Higgs bosons in the $b\bar{b}b\bar{b}$ final state in pp collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector, G. Aad *et al.*, ATLAS Collaboration, Phys. Rev. D 108 (2023) 052003
71. Search for a new scalar resonance in flavour-changing neutral-current top-quark decays $t \rightarrow qX$ ($q = u, c$), with $X \rightarrow b\bar{b}$, in proton-proton collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector, G. Aad *et al.*, ATLAS Collaboration, J. High Energy Phys. 2307 (2023) 199
72. Search for leptonic charge asymmetry in $t\bar{t}W$ production in final states with three leptons at $\sqrt{s} = 13$ TeV, G. Aad *et al.*, ATLAS Collaboration, J. High Energy Phys. 2307 (2023) 033
73. Measurement of suppression of large-radius jets and its dependence on substructure in Pb+Pb collisions at $\sqrt{s_{NN}} = 5.02$ TeV with the ATLAS detector, G. Aad *et al.*, ATLAS Collaboration, Phys. Rev. Lett 131 (2023) 172301
74. Measurements of differential cross sections of Higgs boson production through gluon fusion in the $H \rightarrow WW^* \rightarrow e\nu\mu\nu$ final state at $\sqrt{s} = 13$ TeV with the ATLAS detector, G. Aad *et al.*, ATLAS Collaboration, Eur. Phys. J. C 83 (2023) 774
75. Calibration of the light-flavour jet mistagging efficiency of the b -tagging algorithms with Z +jets events using 139 fb^{-1} of ATLAS proton-proton collision data at $\sqrt{s} = 13$ TeV, G. Aad *et al.*, ATLAS Collaboration, Eur. Phys. J. C 83 (2023) 728
76. Determination of the strong coupling constant from transverse energy-energy correlations in multijet events at $\sqrt{s} = 13$ TeV with the ATLAS detector, G. Aad *et al.*, ATLAS Collaboration, J. High Energy Phys. 2307 (2023) 085
77. Search for a new Z' gauge boson in 4μ events with the ATLAS experiment, G. Aad *et al.*, ATLAS Collaboration, J. High Energy Phys. 2307 (2023) 090
78. Search for exclusive Higgs and Z boson decays to $\omega\gamma$ and Higgs boson decays to $K^*\gamma$ with the ATLAS detector, G. Aad *et al.*, ATLAS Collaboration, Phys. Lett. B 847 (2023) 138292
79. Model-independent search for the presence of new physics in events including $H \rightarrow \gamma\gamma$ with $\sqrt{s} = 13$ TeV pp data recorded by the ATLAS detector at the LHC, G. Aad *et al.*, ATLAS Collaboration, J. High Energy Phys. 2307 (2023) 176
80. Combination of searches for invisible decays of the Higgs boson using 139 fb^{-1} of proton-proton collision data at $\sqrt{s} = 13$ TeV collected with the ATLAS experiment, G. Aad *et al.*, ATLAS Collaboration, Phys. Lett. B 842 (2023) 137963
81. Search for flavor-changing neutral-current couplings between the top quark and the Z boson with LHC Run 2 proton-proton collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector, G. Aad *et al.*, ATLAS Collaboration, Phys. Rev. D 108 (2023) 032019

82. Search for long-lived, massive particles in events with displaced vertices and multiple jets in pp collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector, G. Aad *et al.*, ATLAS Collaboration, J. High Energy Phys. 2306 (2023) 200
83. Measurement of the production of a W boson in association with a charmed hadron in pp collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector, G. Aad *et al.*, ATLAS Collaboration, Phys. Rev. D 108 (2023) 032012
84. Inclusive-photon production and its dependence on photon isolation in pp collisions at $\sqrt{s} = 13$ TeV using 139 fb^{-1} of ATLAS data, G. Aad *et al.*, ATLAS Collaboration, J. High Energy Phys. 2307 (2023) 086
85. Observation of Single-Top-Quark Production in Association with a Photon Using the ATLAS Detector, G. Aad *et al.*, ATLAS Collaboration, Phys. Rev. Lett 131 (2023) 181901
86. Measurements of the suppression and correlations of dijets in Xe+Xe collisions at $\sqrt{s_{NN}} = 5.44$ TeV, G. Aad *et al.*, ATLAS Collaboration, Phys. Rev. C 108 (2023) 024906
87. Searches for lepton-flavour-violating decays of the Higgs boson into $e\tau$ and $\mu\tau$ in $\sqrt{s} = 13$ TeV pp collisions with the ATLAS detector, G. Aad *et al.*, ATLAS Collaboration, J. High Energy Phys. 2307 (2023) 166
88. Search for a light charged Higgs boson in $t \rightarrow H^{\pm}b$ decays, with $H^{\pm} \rightarrow cb$, in the lepton+jets final state in proton-proton collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector, G. Aad *et al.*, ATLAS Collaboration, J. High Energy Phys. 2309 (2023) 004
89. Search for pair production of third-generation leptoquarks decaying into a bottom quark and a τ -lepton with the ATLAS detector, G. Aad *et al.*, ATLAS Collaboration, Eur. Phys. J. C 83 (2023) 1075
90. Search for third-generation vector-like leptons in pp collisions at $\sqrt{s} = 13 \text{ TeV}$ with the ATLAS detector, G. Aad *et al.*, ATLAS Collaboration, J. High Energy Phys. 2307 (2023) 118
91. Search for excited τ -leptons and leptoquarks in the final state with τ -leptons and jets in pp collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector, G. Aad *et al.*, ATLAS Collaboration, J. High Energy Phys. 2306 (2023) 199
92. Comparison of inclusive and photon-tagged jet suppression in 5.02 TeV Pb+Pb collisions with ATLAS, G. Aad *et al.*, ATLAS Collaboration, Phys. Lett. B 846 (2023) 138154
93. Search for heavy long-lived multi-charged particles in the full LHC Run 2 pp collision data at $\sqrt{s} = 13$ TeV using the ATLAS detector, G. Aad *et al.*, ATLAS Collaboration, Phys. Lett. B 847 (2023) 138316
94. Inclusive and differential cross-sections for dilepton $t\bar{t}$ production measured in $\sqrt{s} = 13$ TeV pp collisions with the ATLAS detector, G. Aad *et al.*, ATLAS Collaboration, J. High Energy Phys. 2307 (2023) 141

95. Observation of four-top-quark production in the multilepton final state with the ATLAS detector, G. Aad *et al.*, ATLAS Collaboration, Eur. Phys. J. C 83 (2023) 496
96. Measurement of the Sensitivity of Two-Particle Correlations in pp Collisions to the Presence of Hard Scatterings, G. Aad *et al.*, ATLAS Collaboration, Phys. Rev. Lett 131 (2023) 162301
97. New techniques for jet calibration with the ATLAS detector, G. Aad *et al.*, ATLAS Collaboration, Eur. Phys. J. C 83 (2023) 761
98. Evidence of off-shell Higgs boson production from ZZ leptonic decay channels and constraints on its total width with the ATLAS detector, G. Aad *et al.*, ATLAS Collaboration, Phys. Lett. B 846 (2023) 138223
99. Integrated and differential fiducial cross-section measurements for the vector boson fusion production of the Higgs boson in the $H \rightarrow WW^* \rightarrow e\nu\mu\nu$ decay channel at 13 TeV with the ATLAS detector, G. Aad *et al.*, ATLAS Collaboration, Phys. Rev. D 108 (2023) 072003
100. Observation of an Excess of Dicharmonium Events in the Four- Muon Final State with the ATLAS Detector, G. Aad *et al.*, ATLAS Collaboration, Phys. Rev. Lett 131 (2023) 151902
101. Search for heavy Majorana or Dirac neutrinos and right- handed W gauge bosons in final states with charged leptons and jets in pp collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector, G. Aad *et al.*, ATLAS Collaboration, Eur. Phys. J. C 83 (2023) 1164
102. Search for an axion-like particle with forward proton scattering in association with photon pairs at ATLAS, G. Aad *et al.*, ATLAS Collaboration, J. High Energy Phys. 2307 (2023) 234
103. Search for high-mass $W\gamma$ and $Z\gamma$ resonances using hadronic W/Z boson decays from 139 fb^{-1} of pp collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector, G. Aad *et al.*, ATLAS Collaboration, J. High Energy Phys. 2307 (2023) 125
104. Performance of the reconstruction of large impact parameter tracks in the inner detector of ATLAS, G. Aad *et al.*, ATLAS Collaboration, Eur. Phys. J. C 83 (2023) 1081
105. Search in diphoton and dielectron final states for displaced production of Higgs or Z bosons with the ATLAS detector in $\sqrt{s} = 13$ TeV pp collisions, G. Aad *et al.*, ATLAS Collaboration, Phys. Rev. D 108 (2023) 012012
106. Search for a new pseudoscalar decaying into a pair of muons in events with a top-quark pair at $\sqrt{s} = 13$ TeV with the ATLAS detector, G. Aad *et al.*, ATLAS Collaboration, Phys. Rev. D 108 (2023) 092007
107. Search for pairs of muons with small displacements in pp collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector, G. Aad *et al.*, ATLAS Collaboration, Phys. Lett. B 846 (2023) 138172

108. Search for single production of vector-like T quarks decaying into Ht or Zt in pp collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector, G. Aad *et al.*, ATLAS Collaboration, J. High Energy Phys. 2308 (2023) 153
109. Search for direct production of winos and higgsinos in events with two same-charge leptons or three leptons in pp collision data at $\sqrt{s} = 13$ TeV with the ATLAS detector, G. Aad *et al.*, ATLAS Collaboration, J. High Energy Phys. 2311 (2023) 150
110. Search for periodic signals in the dielectron and diphoton invariant mass spectra using 139 fb^1 of pp collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector, G. Aad *et al.*, ATLAS Collaboration, J. High Energy Phys. 2310 (2023) 079
111. Search for dark matter produced in association with a Higgs boson decaying to tau leptons at $\sqrt{s} = 13$ TeV with the ATLAS detector, G. Aad *et al.*, ATLAS Collaboration, J. High Energy Phys. 2309 (2023) 189
112. Search for Majorana neutrinos in same-sign WW scattering events from pp collisions at $\sqrt{s} = 13$ TeV, G. Aad *et al.*, ATLAS Collaboration, Eur. Phys. J. C 83 (2023) 824
113. Measurements of multijet event isotropies using optimal transport with the ATLAS detector, G. Aad *et al.*, ATLAS Collaboration, J. High Energy Phys. 2310 (2023) 060
114. Search for leptoquarks decaying into the $b\tau$ final state in pp collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector, G. Aad *et al.*, ATLAS Collaboration, J. High Energy Phys. 2310 (2023) 001
115. Measurement of the cross-sections of the electroweak and total production of a $Z\gamma$ pair in association with two jets in pp collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector, G. Aad *et al.*, ATLAS Collaboration, Phys. Lett. B 846 (2023) 138222
116. Anomaly detection search for new resonances decaying into a Higgs boson and a generic new particle X in hadronic final states using $\sqrt{s} = 13$ TeV pp collisions with the ATLAS detector, G. Aad *et al.*, ATLAS Collaboration, Phys. Rev. D 108 (2023) 052009
117. Search for dark photons in rare Z boson decays with the ATLAS detector, G. Aad *et al.*, ATLAS Collaboration, Phys. Rev. Lett 131 (2023) 251801
118. Fast b -tagging at the high-level trigger of the ATLAS experiment in LHC Run 3, G. Aad *et al.*, ATLAS Collaboration, J. Instrum 18 (2023) P11006
119. Search for a new heavy scalar particle decaying into a Higgs boson and a new scalar singlet in final states with one or two light leptons and a pair of τ -leptons with the ATLAS detector, G. Aad *et al.*, ATLAS Collaboration, J. High Energy Phys. 2310 (2023) 009
120. Pursuit of paired dijet resonances in the Run 2 dataset with ATLAS, G. Aad *et al.*, ATLAS Collaboration, Phys. Rev. D 108 (2023) 112005

121. Search for heavy Higgs bosons with flavour-violating couplings in multi-lepton plus b-jets final states in pp collisions at 13 TeV with the ATLAS detector, G. Aad *et al.*, ATLAS Collaboration, J. High Energy Phys. 2312 (2023) 081
122. Search for single vector-like B quark production and decay via $B \rightarrow bH(b\bar{b})$ in pp collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector, G. Aad *et al.*, ATLAS Collaboration, J. High Energy Phys. 11 (2023) 168
123. Measurement of the $B_s^0 \rightarrow \mu\mu$ Effective Lifetime with the ATLAS Detector, G. Aad *et al.*, ATLAS Collaboration, J. High Energy Phys. 2309 (2023) 199
124. Combined measurement of the Higgs boson mass from the $H \rightarrow \gamma\gamma$ and $H \rightarrow ZZ^* \rightarrow 4\ell$ decay channels with the ATLAS detector using $\sqrt{s} = 7, 8$ and 13 TeV pp collision data, G. Aad *et al.*, ATLAS Collaboration, Phys. Rev. Lett 131 (2023) 251802
125. Search for magnetic monopoles and stable particles with high electric charges in $\sqrt{s} = 13$ TeV pp collisions with the ATLAS detector, G. Aad *et al.*, ATLAS Collaboration, J. High Energy Phys. 2311 (2023) 112
126. Measurement of the Higgs boson mass with $H \rightarrow \gamma\gamma$ decays in 140 fb^{-1} of $\sqrt{s} = 13$ TeV pp collisions with the ATLAS detector, G. Aad *et al.*, ATLAS Collaboration, Phys. Lett. B 847 (2023) 138315
127. Search for vector-boson resonances decaying into a top quark and a bottom quark using pp collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector, G. Aad *et al.*, ATLAS Collaboration, J. High Energy Phys. 2312 (2023) 073
128. Search for flavor-changing neutral tqH interactions with $H \rightarrow \gamma\gamma$ in pp collisions at $\sqrt{s} = 13$ TeV using the ATLAS detector, G. Aad *et al.*, ATLAS Collaboration, J. High Energy Phys. 2312 (2023) 195
129. Evidence of pair production of longitudinally polarised vector bosons and study of CP properties in $ZZ \rightarrow 4\ell$ events with the ATLAS detector at $\sqrt{s} = 13$ TeV, G. Aad *et al.*, ATLAS Collaboration, J. High Energy Phys. 2312 (2023) 107
130. Search for direct production of electroweakinos in final states with one lepton, jets and missing transverse momentum in pp collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector, G. Aad *et al.*, ATLAS Collaboration, J. High Energy Phys. 2312 (2023) 167

2022

1. Emulating the impact of additional proton–proton interactions in the ATLAS simulation by presampling sets of inelastic Monte Carlo events, G. Aad *et al.*, ATLAS Collaboration, Comput. Softw. Big Sci. 6 (2022) 3
2. Performance of the ATLAS Level-1 topological trigger in Run 2, G. Aad *et al.*, ATLAS Collaboration, Eur. Phys. J. C 82 (2022) 7
3. Search for lepton-flavor-violation in Z -boson decays with τ -leptons with the ATLAS detector, G. Aad *et al.*, ATLAS Collaboration, Phys. Rev. Lett 127 (2022) 271801

4. Search for new phenomena in three- or four-lepton events in pp collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector, G. Aad *et al.*, ATLAS Collaboration, Phys. Lett. B 824 (2022) 136832
5. The ATLAS Inner Detector Trigger performance in pp collisions at 13 TeV during LHC Run 2, G. Aad *et al.*, ATLAS Collaboration, Eur. Phys. J. C 82 (2022) 206
6. Search for heavy particles in the b -tagged dijet mass distribution with additional b -tagged jets in proton-proton collisions at $\sqrt{s} = 13$ TeV with the ATLAS experiment, G. Aad *et al.*, ATLAS Collaboration, Phys. Rev. D 105 (2022) 012001
7. Measurement of the energy response of the ATLAS calorimeter to charged pions from $W^\pm \rightarrow \tau^\pm(\rightarrow \pi^\pm\nu_\tau)\nu_\tau$ events in Run 2 data, G. Aad *et al.*, ATLAS Collaboration, Eur. Phys. J. C 82 (2022) 223
8. Measurement of the nuclear modification factor for muons from charm and bottom hadrons in Pb+Pb collisions at 5.02 TeV with the ATLAS detector, G. Aad *et al.*, ATLAS Collaboration, Phys. Lett. B 829 (2022) 137077
9. Search for exotic decays of the Higgs boson into $b\bar{b}$ and missing transverse momentum in pp collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector, G. Aad *et al.*, ATLAS Collaboration, J. High Energy Phys. 2201 (2022) 063
10. Operation and performance of the ATLAS semiconductor tracker in LHC Run 2, G. Aad *et al.*, ATLAS Collaboration, J. Instrum 17 (2022) P01013
11. AtlFast3: the next generation of fast simulation in ATLAS, G. Aad *et al.*, ATLAS Collaboration, Comput. Softw. Big Sci. 6 (2022) 7
12. Measurement of the c -jet mistagging efficiency in $t\bar{t}$ events using pp collision data at $\sqrt{s} = 13$ TeV collected with the ATLAS detector, G. Aad *et al.*, ATLAS Collaboration, Eur. Phys. J. C 82 (2022) 95
13. Constraints on Higgs boson properties using $WW^*(\rightarrow e\nu\mu\nu)jj$ production in 36.1 fb^{-1} of $\sqrt{s} = 13$ TeV pp collisions with the ATLAS detector, G. Aad *et al.*, ATLAS Collaboration, Eur. Phys. J. C 82 (2022) 622
14. Search for Higgs boson decays into a pair of pseudoscalar particles in the $bb\mu\mu$ final state with the ATLAS detector in pp collisions at $\sqrt{s} = 13$ TeV, G. Aad *et al.*, ATLAS Collaboration, Phys. Rev. D 105 (2022) 012006
15. Measurement of the energy asymmetry in $t\bar{t}j$ production at 13 TeV with the ATLAS experiment and interpretation in the SMEFT framework, G. Aad *et al.*, ATLAS Collaboration, Eur. Phys. J. C 82 (2022) 374
16. Search for Higgs bosons decaying into new spin-0 or spin-1 particles in four-lepton final states with the ATLAS detector with 139 fb^{-1} of pp collision data at $\sqrt{s} = 13$ TeV, G. Aad *et al.*, ATLAS Collaboration, J. High Energy Phys. 2203 (2022) 041

17. Measurement of Higgs boson decay into b -quarks in associated production with a top-quark pair in pp collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector, G. Aad *et al.*, ATLAS Collaboration, J. High Energy Phys. 2206 (2022) 097
18. Measurements of azimuthal anisotropies of jet production in Pb+Pb collisions at $\sqrt{s_{NN}} = 5.02$ TeV with the ATLAS detector, G. Aad *et al.*, ATLAS Collaboration, Phys. Rev. C 105 (2022) 064903
19. Search for associated production of a Z boson with an invisibly decaying Higgs boson or dark matter candidates at $\sqrt{s} = 13$ TeV with the ATLAS detector, G. Aad *et al.*, ATLAS Collaboration, Phys. Lett. B 829 (2022) 137066
20. Constraints on Higgs boson production with large transverse momentum using $H \rightarrow b\bar{b}$ decays in the ATLAS detector, G. Aad *et al.*, ATLAS Collaboration, Phys. Rev. D 105 (2022) 092003
21. Search for flavour-changing neutral-current interactions of a top quark and a gluon in pp collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector, G. Aad *et al.*, ATLAS Collaboration, Eur. Phys. J. C 82 (2022) 334
22. A search for an unexpected asymmetry in the production of $e^+\mu^-$ and $e^-\mu^+$ pairs in proton-proton collisions recorded by the ATLAS detector at $\sqrt{s} = 13$ TeV, G. Aad *et al.*, ATLAS Collaboration, Phys. Lett. B (2022)
23. Modelling and computational improvements to the simulation of single vector-boson plus jet processes for the ATLAS experiment, G. Aad *et al.*, ATLAS Collaboration, J. High Energy Phys. 2208 (2022) 089
24. Determination of the parton distribution functions of the proton using diverse ATLAS data from pp collisions at $\sqrt{s} = 7, 8$ and 13 TeV, G. Aad *et al.*, ATLAS Collaboration, Eur. Phys. J. C 82 (2022) 438
25. Search for Higgs boson pair production in the two bottom quarks plus two photons final state in pp collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector, G. Aad *et al.*, ATLAS Collaboration, Phys. Rev. D 106 (2022) 052001
26. Search for long-lived charginos based on a disappearing- track signature using 136 fb $^{-1}$ of pp collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector, G. Aad *et al.*, ATLAS Collaboration, Eur. Phys. J. C 82 (2022) 606
27. Search for single production of a vector-like T quark decaying into a Higgs boson and top quark with fully hadronic final states using the ATLAS detector, G. Aad *et al.*, ATLAS Collaboration, Phys. Rev. D 105 (2022) 092012
28. Measurements of Higgs boson production cross-sections in the $H \rightarrow \tau^+\tau^-$ decay channel in pp collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector, G. Aad *et al.*, ATLAS Collaboration, J. High Energy Phys. 2208 (2022) 175
29. Direct constraint on the Higgs-charm coupling from a search for Higgs boson decays into charm quarks with the ATLAS detector, G. Aad *et al.*, ATLAS Collaboration, Eur. Phys. J. C 82 (2022) 717

30. Observation of WWW production in pp collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector, G. Aad *et al.*, ATLAS Collaboration, Phys. Rev. Lett 129 (2022) 061803
31. Measurements of the Higgs boson inclusive and differential fiducial cross-sections in the diphoton decay channel with pp collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector, G. Aad *et al.*, ATLAS Collaboration, J. High Energy Phys. 2208 (2022) 027
32. Two-particle Bose–Einstein correlations in pp collisions at $\sqrt{s} = 13$ TeV measured with the ATLAS detector at the LHC, G. Aad *et al.*, ATLAS Collaboration, Eur. Phys. J. C 82 (2022) 608
33. Search for resonant pair production of Higgs bosons in the $b\bar{b}b\bar{b}$ final state using pp collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector, G. Aad *et al.*, ATLAS Collaboration, Phys. Rev. D 105 (2022) 092002
34. Search for invisible Higgs-boson decays in events with vector-boson fusion signatures using 139 fb^{-1} of proton–proton data recorded by the ATLAS experiment, G. Aad *et al.*, ATLAS Collaboration, J. High Energy Phys. 2208 (2022) 104
35. Measurements of differential cross-sections in top-quark pair events with a high transverse momentum top quark and limits on beyond the Standard Model contributions to top-quark pair production with the ATLAS detector at $\sqrt{s} = 13$ TeV, G. Aad *et al.*, ATLAS Collaboration, J. High Energy Phys. 2206 (2022) 063
36. Measurements of jet observables sensitive to b -quark fragmentation in $t\bar{t}$ events at the LHC with the ATLAS detector, G. Aad *et al.*, ATLAS Collaboration, Phys. Rev. D 106 (2022) 032008
37. Search for events with a pair of displaced vertices from long-lived neutral particles decaying into hadronic jets in the ATLAS muon spectrometer in pp collisions at $\sqrt{s}=13$ TeV, G. Aad *et al.*, ATLAS Collaboration, Phys. Rev. D 106 (2022) 032005
38. Search for neutral long-lived particles in pp collisions at $\sqrt{s} = 13$ TeV that decay into displaced hadronic jets in the ATLAS calorimeter, G. Aad *et al.*, ATLAS Collaboration, J. High Energy Phys. 2206 (2022) 005
39. Study of $B_c^+ \rightarrow J/\psi D_s^+$ and $B_c^+ \rightarrow J/\psi D_s^{*+}$ decays in pp collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector, G. Aad *et al.*, ATLAS Collaboration, J. High Energy Phys. 2208 (2022) 087

2021

1. Measurement of the jet mass in high transverse momentum $Z(\rightarrow b\bar{b})\gamma$ production at $\sqrt{s} = 13$ TeV using the ATLAS detector, G. Aad *et al.*, ATLAS Collaboration, Phys. Lett. B 812 (2021) 135991
2. Measurement of the relative B_c^\pm/B^\pm production cross section with the ATLAS detector at $\sqrt{s} = 8$ TeV, M. Aaboud *et al.*, ATLAS Collaboration, Phys. Rev. D 104 (2021) 012010

3. Longitudinal flow decorrelations in Xe+Xe collisions at $\sqrt{s_{\text{NN}}} = 5.44$ TeV with the ATLAS detector, G. Aad *et al.*, ATLAS Collaboration, Phys. Rev. Lett 126 (2021) 122301
4. Measurement of the CP -violating phase ϕ_s in $B_s^0 \rightarrow J/\psi\phi$ decays in ATLAS at 13 TeV, G. Aad *et al.*, ATLAS Collaboration, Eur. Phys. J. C 81 (2021) 342
5. Measurements of top-quark pair single- and double- differential cross-sections in the all-hadronic channel in pp collisions at $\sqrt{s} = 13$ TeV using the ATLAS detector, G. Aad *et al.*, ATLAS Collaboration, J. High Energy Phys. 2101 (2021) 033
6. Differential cross-section measurements for the electroweak production of dijets in association with a Z boson in proton–proton collisions at ATLAS, G. Aad *et al.*, ATLAS Collaboration, Eur. Phys. J. C 81 (2021) 163
7. Measurement of single top-quark production in association with a W boson in the single-lepton channel at $\sqrt{s} = 8\text{ TeV}$ with the ATLAS detector, G. Aad *et al.*, ATLAS Collaboration, Eur. Phys. J. C 81 (2021) 720
8. Jet energy scale and resolution measured in proton–proton collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector, G. Aad *et al.*, ATLAS Collaboration, Eur. Phys. J. C 81 (2021) 689
9. Measurements of WH and ZH production in the $H \rightarrow b\bar{b}$ decay channel in pp collisions at 13 TeV with the ATLAS detector, G. Aad *et al.*, ATLAS Collaboration, Eur. Phys. J. C 81 (2021) 178
10. A search for the dimuon decay of the Standard Model Higgs boson with the ATLAS detector, G. Aad *et al.*, ATLAS Collaboration, Phys. Lett. B 812 (2021) 135980
11. Measurement of hadronic event shapes in multijet final states at $\sqrt{s} = 13$ TeV with the ATLAS detector, G. Aad *et al.*, ATLAS Collaboration, J. High Energy Phys. 2101 (2021) 188
12. Test of the universality of τ and μ lepton couplings in W -boson decays with the ATLAS detector, G. Aad *et al.*, ATLAS Collaboration, Nat. Phys 17 (2021) 813-818
13. Measurement of the associated production of a Higgs boson decaying into b -quarks with a vector boson at high transverse momentum in pp collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector, G. Aad *et al.*, ATLAS Collaboration, Phys. Lett. B 816 (2021) 136204
14. Measurement of light-by-light scattering and search for axion-like particles with 2.2 nb^{-1} of Pb+Pb data with the ATLAS detector, G. Aad *et al.*, ATLAS Collaboration, J. High Energy Phys. 2103 (2021) 243
15. Search for type-III seesaw heavy leptons in dilepton final states in pp collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector, G. Aad *et al.*, ATLAS Collaboration, Eur. Phys. J. C 81 (2021) 218

16. Medium-induced modification of Z -tagged charged particle yields in Pb+Pb collisions at 5.02 TeV with the ATLAS detector, G. Aad *et al.*, ATLAS Collaboration, Phys. Rev. Lett 126 (2021) 072301
17. Optimisation of large-radius jet reconstruction for the ATLAS detector in 13 TeV proton–proton collisions, G. Aad *et al.*, ATLAS Collaboration, Eur. Phys. J. C 81 (2021) 334
18. Search for heavy resonances decaying into a pair of Z bosons in the $\ell^+\ell^-\ell'^+\ell'^-$ and $\ell^+\ell^-\nu\bar{\nu}$ final states using 139 fb^{-1} of proton–proton collisions at $\sqrt{s} = 13\text{ TeV}$ with the ATLAS detector, G. Aad *et al.*, ATLAS Collaboration, Eur. Phys. J. C 81 (2021) 332
19. Search for phenomena beyond the Standard Model in events with large b -jet multiplicity using the ATLAS detector at the LHC, G. Aad *et al.*, ATLAS Collaboration, Eur. Phys. J. C 81 (2021) 11
20. Search for pair production of scalar leptoquarks decaying into first- or second-generation leptons and top quarks in proton–proton collisions at $\sqrt{s} = 13\text{ TeV}$ with the ATLAS detector, G. Aad *et al.*, ATLAS Collaboration, Eur. Phys. J. C 81 (2021) 313
21. Observation of photon-induced W^+W^- production in pp collisions at $\sqrt{s} = 13\text{ TeV}$ using the ATLAS detector, G. Aad *et al.*, ATLAS Collaboration, Phys. Lett. B 816 (2021) 136190
22. Search for dark matter produced in association with a dark Higgs boson decaying into $W^\pm W^\mp$ or ZZ in fully hadronic final states from $\sqrt{s} = 13\text{ TeV}$ pp collisions recorded with the ATLAS detector, G. Aad *et al.*, ATLAS Collaboration, Phys. Rev. Lett 126 (2021) 121802
23. Search for Higgs boson production in association with a high-energy photon via vector-boson fusion with decay into bottom quark pairs at $\sqrt{s} = 13\text{ TeV}$ with the ATLAS detector, G. Aad *et al.*, ATLAS Collaboration, J. High Energy Phys. 2103 (2021) 268
24. Search for squarks and gluinos in final states with jets and missing transverse momentum using 139 fb^{-1} of $\sqrt{s} = 13\text{ TeV}$ pp collision data with the ATLAS detector, G. Aad *et al.*, ATLAS Collaboration, J. High Energy Phys. 2102 (2021) 143
25. Search for dark matter in association with an energetic photon in pp collisions at $\sqrt{s} = 13\text{ TeV}$ with the ATLAS detector, G. Aad *et al.*, ATLAS Collaboration, J. High Energy Phys. 2102 (2021) 226
26. Search for a heavy Higgs boson decaying into a Z boson and another heavy Higgs boson in the $\ell\ell b\bar{b}$ and $\ell\ell WW$ final states in pp collisions at $\sqrt{s} = 13\text{ TeV}$ with the ATLAS detector, G. Aad *et al.*, ATLAS Collaboration, Eur. Phys. J. C 81 (2021) 396
27. Search for displaced leptons in $\sqrt{s} = 13\text{ TeV}$ pp collisions with the ATLAS detector, G. Aad *et al.*, ATLAS Collaboration, Phys. Rev. Lett 127 (2021) 051802

28. Measurements of Higgs Bosons Decaying to Bottom Quarks from Vector Boson Fusion Production with the ATLAS Experiment at $\sqrt{s} = 13$ TeV, G. Aad *et al.*, ATLAS Collaboration, *Eur. Phys. J. C* 81 (2021) 537
29. Search for dark matter produced in association with a single top quark in $\sqrt{s} = 13$ TeV pp collisions with the ATLAS detector, G. Aad *et al.*, ATLAS Collaboration, *Eur. Phys. J. C* 81 (2021) 860
30. Search for trilepton resonances from chargino and neutralino pair production in $\sqrt{s} = 13$ TeV pp collisions with the ATLAS detector, G. Aad *et al.*, ATLAS Collaboration, *Phys. Rev. D* 103 (2021) 112003
31. Exclusive dimuon production in ultraperipheral Pb+Pb collisions at $\sqrt{s_{NN}} = 5.02$ TeV with ATLAS, G. Aad *et al.*, ATLAS Collaboration, *Phys. Rev. C* 104 (2021) 024906
32. Muon reconstruction and identification efficiency in ATLAS using the full Run 2 pp collision data set at $\sqrt{s} = 13$ TeV, G. Aad *et al.*, ATLAS Collaboration, *Eur. Phys. J. C* 81 (2021) 578
33. Search for new phenomena with top quark pairs in final states with one lepton, jets, and missing transverse momentum in pp collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector, G. Aad *et al.*, ATLAS Collaboration, *J. High Energy Phys.* 2104 (2021) 174
34. Search for squarks and gluinos in final states with one isolated lepton, jets, and missing transverse momentum at $\sqrt{s} = 13$ with the ATLAS detector, G. Aad *et al.*, ATLAS Collaboration, *Eur. Phys. J. C* 81 (2021) 600
35. The ATLAS Fast TracKer system, G. Aad *et al.*, ATLAS Collaboration, *J. Instrum* 16 (2021) P07006
36. Determination of the parton distribution functions of the proton from ATLAS measurements of differential W^\pm and Z boson production in association with jets, G. Aad *et al.*, ATLAS Collaboration, *J. High Energy Phys.* 2107 (2021) 223
37. Two-particle azimuthal correlations in photonuclear ultraperipheral Pb+Pb collisions at 5.02 TeV with ATLAS, G. Aad *et al.*, ATLAS Collaboration, *Phys. Rev. C* 104 (2021) 014903
38. Search for pair production of third-generation scalar leptoquarks decaying into a top quark and a τ -lepton in pp collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector, G. Aad *et al.*, ATLAS Collaboration, *J. High Energy Phys.* 2106 (2021) 179
39. Search for new phenomena in final states with b -jets and missing transverse momentum in $\sqrt{s} = 13$ TeV pp collisions with the ATLAS detector, G. Aad *et al.*, ATLAS Collaboration, *J. High Energy Phys.* 2105 (2021) 093
40. Search for doubly and singly charged Higgs bosons decaying into vector bosons in multi-lepton final states with the ATLAS detector using proton-proton collisions at $\sqrt{s} = 13$ TeV, G. Aad *et al.*, ATLAS Collaboration, *J. High Energy Phys.* 2106 (2021) 146

41. Search for new phenomena in events with two opposite-charge leptons, jets and missing transverse momentum in pp collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector, G. Aad *et al.*, ATLAS Collaboration, J. High Energy Phys. 2104 (2021) 165
42. Search for charged Higgs bosons decaying into a top quark and a bottom quark at $\sqrt{s} = 13$ TeV with the ATLAS detector, G. Aad *et al.*, ATLAS Collaboration, J. High Energy Phys. 2106 (2021) 145
43. Search for new phenomena in events with an energetic jet and missing transverse momentum in pp collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector, G. Aad *et al.*, ATLAS Collaboration, Phys. Rev. D 103 (2021) 112006
44. Performance of the ATLAS RPC detector and Level-1 muon barrel trigger at $\sqrt{s} = 13$ TeV, G. Aad *et al.*, ATLAS Collaboration, J. Instrum 16 (2021) P07029
45. Search for resonances decaying into photon pairs in 139 fb^{-1} of pp collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector, G. Aad *et al.*, ATLAS Collaboration, Phys. Lett. B 822 (2021) 136651
46. Measurements of differential cross-sections in four-lepton events in 13 TeV proton-proton collisions with the ATLAS detector, G. Aad *et al.*, ATLAS Collaboration, J. High Energy Phys. 2107 (2021) 005
47. Search for bottom-squark pair production in pp collision events at $\sqrt{s} = 13$ TeV with hadronically decaying τ -leptons, b -jets and missing transverse momentum using the ATLAS detector, G. Aad *et al.*, ATLAS Collaboration, Phys. Rev. D 104 (2021) 032014
48. Evidence for Higgs boson decays to a low-mass dilepton system and a photon in pp collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector, G. Aad *et al.*, ATLAS Collaboration, Phys. Lett. B 819 (2021) 136412
49. Measurements of $W^+W^- + \geq 1$ jet production cross-sections in pp collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector, G. Aad *et al.*, ATLAS Collaboration, J. High Energy Phys. 2106 (2021) 003
50. Search for supersymmetry in events with four or more charged leptons in 139 fb^{-1} of $\sqrt{s} = 13$ TeV pp collisions with the ATLAS detector, G. Aad *et al.*, ATLAS Collaboration, J. High Energy Phys. 07 (2021) 167
51. Impact of radiation on electronics and opto-electronics, M. Backhaus *et al.*, indéfini 1 (2021) 87-121
52. Measurements of radiation damage on silicon sensors, J. L. Agram *et al.*, indéfini 1 (2021) 59
53. A search for the decays of stopped long-lived particles at $\sqrt{s} = 13$ TeV with the ATLAS detector, G. Aad *et al.*, ATLAS Collaboration, J. High Energy Phys. 2107 (2021) 173

54. Search for dark matter in events with missing transverse momentum and a Higgs boson decaying into two photons in pp collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector, G. Aad *et al.*, ATLAS Collaboration, J. High Energy Phys. 2110 (2021) 013
55. Search for charged-lepton-flavour violation in Z-boson decays with the ATLAS detector, G. Aad *et al.*, ATLAS Collaboration, Nat. Phys 17 (2021) 819-825
56. Search for new phenomena in final states with two leptons and one or no b -tagged jets at $\sqrt{s} = 13$ TeV using the ATLAS detector, G. Aad *et al.*, ATLAS Collaboration, Phys. Rev. Lett 127 (2021) 141801
57. Configuration and performance of the ATLAS b -jet triggers in Run 2, G. Aad *et al.*, ATLAS Collaboration, Eur. Phys. J. C 81 (2021) 1087
58. Search for chargino-neutralino pair production in final states with three leptons and missing transverse momentum in $\sqrt{s} = 13$ TeV pp collisions with the ATLAS detector, G. Aad *et al.*, ATLAS Collaboration, Eur. Phys. J. C 81 (2021) 1118
59. Measurements of sensor radiation damage in the ATLAS inner detector using leakage currents, G. Aad *et al.*, ATLAS Collaboration, J. Instrum 16 (2021) P08025
60. Search for R-parity-violating supersymmetry in a final state containing leptons and many jets with the ATLAS experiment using $\sqrt{s} = 13$ TeV proton–proton collision data, G. Aad *et al.*, ATLAS Collaboration, Eur. Phys. J. C 81 (2021) 1023
61. Measurement of the $t\bar{t}t\bar{t}$ production cross section in pp collisions at $\sqrt{s}=13$ TeV with the ATLAS detector, G. Aad *et al.*, ATLAS Collaboration, J. High Energy Phys. 11 (2021) 118
62. Measurement of the production cross section of pairs of isolated photons in pp collisions at 13 TeV with the ATLAS detector, G. Aad *et al.*, ATLAS Collaboration, J. High Energy Phys. 2111 (2021) 169
63. Search for new phenomena in pp collisions in final states with tau leptons, b -jets, and missing transverse momentum with the ATLAS detector, G. Aad *et al.*, ATLAS Collaboration, Phys. Rev. D 104 (2021) 112005
64. Search for charginos and neutralinos in final states with two boosted hadronically decaying bosons and missing transverse momentum in pp collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector, G. Aad *et al.*, ATLAS Collaboration, Phys. Rev. D 104 (2021) 112010
65. Measurement of b -quark fragmentation properties in jets using the decay $B^\pm \rightarrow J/\psi K^\pm$ in pp collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector, G. Aad *et al.*, ATLAS Collaboration, J. High Energy Phys. 2112 (2021) 131
66. Search for dark matter produced in association with a Standard Model Higgs boson decaying into b -quarks using the full Run 2 dataset from the ATLAS detector, G. Aad *et al.*, ATLAS Collaboration, J. High Energy Phys. 2111 (2021) 209

2020

1. Measurements of top-quark pair spin correlations in the $e\mu$ channel at $\sqrt{s} = 13$ TeV using pp collisions in the ATLAS detector, M. Aaboud *et al.*, ATLAS Collaboration, Eur. Phys. J. C 80 (2020) 754
2. Fluctuations of anisotropic flow in Pb+Pb collisions at $\sqrt{s_{NN}} = 5.02$ TeV with the ATLAS detector, M. Aaboud *et al.*, ATLAS Collaboration, J. High Energy Phys. 01 (2020) 051
3. Higgs Boson Studies at Future Particle Colliders, J. de Blas *et al.*, ATLAS Collaboration, J. High Energy Phys. 01 (2020) 139
4. Search for magnetic monopoles and stable high-charge objects in 13 TeV proton-proton collisions with the ATLAS detector, G. Aad *et al.*, ATLAS Collaboration, Phys. Rev. Lett 124 (2020) 031802
5. Combination of searches for Higgs boson pairs in pp collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector, G. Aad *et al.*, ATLAS Collaboration, Phys. Lett. B 800 (2020) 135103
6. Measurement of long-range two-particle azimuthal correlations in Z -boson tagged pp collisions at $\sqrt{s} = 8$ and 13 TeV, M. Aaboud *et al.*, ATLAS Collaboration, Eur. Phys. J. C 80 (2020) 64
7. Search for heavy neutral Higgs bosons produced in association with b -quarks and decaying to b -quarks at $\sqrt{s} = 13$ TeV with the ATLAS detector, G. Aad *et al.*, ATLAS Collaboration, Phys. Rev. D 102 (2020) 032004
8. Searches for lepton-flavour-violating decays of the Higgs boson in $\sqrt{s} = 13$ TeV pp collisions with the ATLAS detector, G. Aad *et al.*, ATLAS Collaboration, Phys. Lett. B 800 (2020) 135069
9. Search for displaced vertices of oppositely charged leptons from decays of long-lived particles in pp collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector, G. Aad *et al.*, ATLAS Collaboration, Phys. Lett. B 801 (2020) 135114
10. Search for non-resonant Higgs boson pair production in the $bbl\nu\ell\nu$ final state with the ATLAS detector in pp collisions at $\sqrt{s} = 13$ TeV, G. Aad *et al.*, ATLAS Collaboration, Phys. Lett. B 801 (2020) 135145
11. Search for flavour-changing neutral currents in processes with one top quark and a photon using 81 fb^{-1} of pp collisions at $\sqrt{s} = 13$ TeV with the ATLAS experiment, G. Aad *et al.*, ATLAS Collaboration, Phys. Lett. B 800 (2020) 135082
12. Search for electroweak production of charginos and sleptons decaying into final states with two leptons and missing transverse momentum in $\sqrt{s} = 13$ TeV pp collisions using the ATLAS detector, G. Aad *et al.*, ATLAS Collaboration, Eur. Phys. J. C 80 (2020) 123
13. Performance of electron and photon triggers in ATLAS during LHC Run 2, G. Aad *et al.*, ATLAS Collaboration, Eur. Phys. J. C 80 (2020) 47

14. Search for light long-lived neutral particles produced in pp collisions at $\sqrt{s} = 13$ TeV and decaying into collimated leptons or light hadrons with the ATLAS detector, G. Aad *et al.*, ATLAS Collaboration, Eur. Phys. J. C 80 (2020) 450
15. Measurement of azimuthal anisotropy of muons from charm and bottom hadrons in pp collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector, G. Aad *et al.*, ATLAS Collaboration, Phys. Rev. Lett 124 (2020) 082301
16. Combined measurements of Higgs boson production and decay using up to 80 fb^{-1} of proton-proton collision data at $\sqrt{s} = 13$ TeV collected with the ATLAS experiment, G. Aad *et al.*, ATLAS Collaboration, Phys. Rev. D 101 (2020) 012002
17. Search for squarks and gluinos in final states with same-sign leptons and jets using 139 fb^{-1} of data collected with the ATLAS detector, G. Aad *et al.*, ATLAS Collaboration, J. High Energy Phys. 2006 (2020) 046
18. Search for direct production of electroweakinos in final states with one lepton, missing transverse momentum and a Higgs boson decaying into two b -jets in pp collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector, G. Aad *et al.*, ATLAS Collaboration, Eur. Phys. J. C 80 (2020) 691
19. Search for the Higgs boson decays $H \rightarrow ee$ and $H \rightarrow e\mu$ in pp collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector, G. Aad *et al.*, ATLAS Collaboration, Phys. Lett. B 801 (2020) 135148
20. Measurement of J/ψ production in association with a W^\pm boson with pp data at 8 TeV, M. Aaboud *et al.*, ATLAS Collaboration, J. High Energy Phys. 2001 (2020) 095
21. Determination of jet calibration and energy resolution in proton-proton collisions at $\sqrt{s} = 8$ TeV using the ATLAS detector, M. Aaboud *et al.*, ATLAS Collaboration, Eur. Phys. J. C 80 (2020) 1104
22. Search for new resonances in mass distributions of jet pairs using 139 fb^{-1} of pp collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector, G. Aad *et al.*, ATLAS Collaboration, J. High Energy Phys. 2003 (2020) 145
23. Measurement of the $t\bar{t}$ production cross-section and lepton differential distributions in $e\mu$ dilepton events from pp collisions at $\sqrt{s} = 13 \text{ TeV}$ with the ATLAS detector, G. Aad *et al.*, ATLAS Collaboration, Eur. Phys. J. C 80 (2020) 528
24. Evidence for electroweak production of two jets in association with a $Z\gamma$ pair in pp collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector, G. Aad *et al.*, ATLAS Collaboration, Phys. Lett. B 803 (2020) 135341
25. Z boson production in Pb+Pb collisions at $\sqrt{s_{\text{NN}}} = 5.02$ TeV measured by the ATLAS experiment, G. Aad *et al.*, ATLAS Collaboration, Phys. Lett. B 802 (2020) 135262
26. Transverse momentum and process dependent azimuthal anisotropies in $\sqrt{s_{\text{NN}}} = 8.16$ TeV p +Pb collisions with the ATLAS detector, G. Aad *et al.*, ATLAS Collaboration, Eur. Phys. J. C 80 (2020) 73

27. Measurement of differential cross sections for single diffractive dissociation in $\sqrt{s} = 8$ TeV pp collisions using the ATLAS ALFA spectrometer, G. Aad *et al.*, ATLAS Collaboration, J. High Energy Phys. 2002 (2020) 042
28. ATLAS data quality operations and performance for 2015-2018 data-taking, G. Aad *et al.*, ATLAS Collaboration, J. Instrum 15 (2020) P04003
29. Measurement of the $Z(\rightarrow \ell^+\ell^-)\gamma$ production cross-section in pp collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector, G. Aad *et al.*, ATLAS Collaboration, J. High Energy Phys. 2003 (2020) 054
30. Measurement of the azimuthal anisotropy of charged-particle production in Xe+Xe collisions at $\sqrt{s_{NN}} = 5.44$ TeV with the ATLAS detector, G. Aad *et al.*, ATLAS Collaboration, Phys. Rev. C 101 (2020) 024906
31. Search for direct stau production in events with two hadronic τ -leptons in $\sqrt{s} = 13$ TeV pp collisions with the ATLAS detector, G. Aad *et al.*, ATLAS Collaboration, Phys. Rev. D 101 (2020) 032009
32. Searches for electroweak production of supersymmetric particles with compressed mass spectra in $\sqrt{s} = 13$ TeV pp collisions with the ATLAS detector, G. Aad *et al.*, ATLAS Collaboration, Phys. Rev. D 101 (2020) 052005
33. Search for long-lived neutral particles produced in pp collisions at $\sqrt{s} = 13$ TeV decaying into displaced hadronic jets in the ATLAS inner detector and muon spectrometer, G. Aad *et al.*, ATLAS Collaboration, Phys. Rev. D 101 (2020) 052013
34. Measurement of the transverse momentum distribution of Drell-Yan lepton pairs in proton-proton collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector, G. Aad *et al.*, ATLAS Collaboration, Eur. Phys. J. C 80 (2020) 616
35. Search for chargino-neutralino production with mass splittings near the electroweak scale in three-lepton final states in $\sqrt{s} = 13$ TeV pp collisions with the ATLAS detector, G. Aad *et al.*, ATLAS Collaboration, Phys. Rev. D 101 (2020) 072001
36. Measurement of isolated-photon plus two-jet production in pp collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector, G. Aad *et al.*, ATLAS Collaboration, J. High Energy Phys. 2003 (2020) 179
37. A measurement of soft-drop jet observables in pp collisions with the ATLAS detector at $\sqrt{s} = 13$ TeV, G. Aad *et al.*, ATLAS Collaboration, Phys. Rev. D 101 (2020) 052007
38. Search for the $HH \rightarrow b\bar{b}b\bar{b}$ process via vector-boson fusion production using proton-proton collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector, G. Aad *et al.*, ATLAS Collaboration, J. High Energy Phys. 2007 (2020) 108
39. Test of CP invariance in vector-boson fusion production of the Higgs boson in the $H \rightarrow \tau\tau$ channel in proton-proton collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector, G. Aad *et al.*, ATLAS Collaboration, Phys. Lett. B 805 (2020) 135426

40. Observation of the associated production of a top quark and a Z boson in pp collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector, G. Aad *et al.*, ATLAS Collaboration, J. High Energy Phys. 2007 (2020) 124
41. Search for dijet resonances in events with an isolated charged lepton using $\sqrt{s} = 13$ TeV proton–proton collision data collected by the ATLAS detector, G. Aad *et al.*, ATLAS Collaboration, J. High Energy Phys. 2006 (2020) 151
42. Search for heavy Higgs bosons decaying into two tau leptons with the ATLAS detector using pp collisions at $\sqrt{s} = 13$ TeV, G. Aad *et al.*, ATLAS Collaboration, Phys. Rev. Lett 125 (2020) 051801
43. Measurement of azimuthal anisotropy of muons from charm and bottom hadrons in Pb+Pb collisions at $\sqrt{s_{NN}} = 5.02$ TeV with the ATLAS detector, G. Aad *et al.*, ATLAS Collaboration, Phys. Lett. B 807 (2020) 135595
44. Search for long-lived, massive particles in events with a displaced vertex and a muon with large impact parameter in pp collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector, G. Aad *et al.*, ATLAS Collaboration, Phys. Rev. D 102 (2020) 032006
45. Measurements of the production cross-section for a Z boson in association with b -jets in proton–proton collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector, G. Aad *et al.*, ATLAS Collaboration, J. High Energy Phys. 2007 (2020) 044
46. Search for Higgs boson decays into a Z boson and a light hadronically decaying resonance using 13 TeV pp collision data from the ATLAS detector, G. Aad *et al.*, ATLAS Collaboration, Phys. Rev. Lett 125 (2020) 221802
47. Higgs boson production cross-section measurements and their EFT interpretation in the 4ℓ decay channel at $\sqrt{s} = 13$ TeV with the ATLAS detector, G. Aad *et al.*, ATLAS Collaboration, Eur. Phys. J. C 80 (2020) 957
48. Measurement of the Lund jet plane using charged particles in 13 TeV proton–proton collisions with the ATLAS detector, G. Aad *et al.*, ATLAS Collaboration, Phys. Rev. Lett 124 (2020) 222002
49. CP Properties of Higgs Boson Interactions with Top Quarks in the $t\bar{t}H$ and tH Processes Using $H\beta$ with the ATLAS Detector, G. Aad *et al.*, ATLAS Collaboration, Phys. Rev. Lett 125 (2020) 061802
50. Measurements of the Higgs boson inclusive and differential fiducial cross sections in the 4ℓ decay channel at $\sqrt{s} = 13$ TeV, G. Aad *et al.*, ATLAS Collaboration, Eur. Phys. J. C 80 (2020) 942
51. Search for direct production of electroweakinos in final states with missing transverse momentum and a Higgs boson decaying into photons in pp collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector, G. Aad *et al.*, ATLAS Collaboration, J. High Energy Phys. 2010 (2020) 005
52. Search for a scalar partner of the top quark in the all- hadronic $t\bar{t}$ plus missing transverse momentum final state at $\sqrt{s}=13$ TeV with the ATLAS detector, G. Aad *et al.*, ATLAS Collaboration, Eur. Phys. J. C 80 (2020) 737

53. Performance of the ATLAS muon triggers in Run 2, G. Aad *et al.*, ATLAS Collaboration, J. Instrum 15 (2020) P09015
54. Search for heavy diboson resonances in semileptonic final states in pp collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector, G. Aad *et al.*, ATLAS Collaboration, Eur. Phys. J. C 80 (2020) 1165
55. Dijet resonance search with weak supervision using $\sqrt{s} = 13$ TeV pp collisions in the ATLAS detector, G. Aad *et al.*, ATLAS Collaboration, Phys. Rev. Lett 125 (2020) 131801
56. Performance of the upgraded PreProcessor of the ATLAS Level-1 Calorimeter Trigger, G. Aad *et al.*, ATLAS Collaboration, J. Instrum 15 (2020) P11016
57. A search for the $Z\gamma$ decay mode of the Higgs boson in pp collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector, G. Aad *et al.*, ATLAS Collaboration, Phys. Lett. B 809 (2020) 135754
58. Search for $t\bar{t}$ resonances in fully hadronic final states in pp collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector, G. Aad *et al.*, ATLAS Collaboration, J. High Energy Phys. 2010 (2020) 061
59. Performance of the missing transverse momentum triggers for the ATLAS detector during Run-2 data taking, G. Aad *et al.*, ATLAS Collaboration, J. High Energy Phys. 2008 (2020) 080
60. Search for Higgs boson decays into two new low-mass spin-0 particles in the $4b$ channel with the ATLAS detector using pp collisions at $\sqrt{s} = 13$ TeV, G. Aad *et al.*, ATLAS Collaboration, Phys. Rev. D 102 (2020) 112006
61. Search for top squarks in events with a Higgs or Z boson using 139 fb^{-1} of pp collision data at $\sqrt{s} = 13$ TeV with the ATLAS detector, G. Aad *et al.*, ATLAS Collaboration, Eur. Phys. J. C 80 (2020) 1080
62. Search for pairs of scalar leptoquarks decaying into quarks and electrons or muons in $\sqrt{s} = 13$ TeV pp collisions with the ATLAS detector, G. Aad *et al.*, ATLAS Collaboration, J. High Energy Phys. 2010 (2020) 112
63. Search for new non-resonant phenomena in high-mass dilepton final states with the ATLAS detector, G. Aad *et al.*, ATLAS Collaboration, J. High Energy Phys. 2011 (2020) 005
64. Measurement of the $t\bar{t}$ production cross-section in the lepton+jets channel at $\sqrt{s}=13$ TeV with the ATLAS experiment., G. Aad *et al.*, ATLAS Collaboration, Phys. Lett. B 810 (2020) 135797
65. Measurements of inclusive and differential cross-sections of combined $t\bar{t}\gamma$ and $tW\gamma$ production in the $e\mu$ channel at 13 TeV with the ATLAS detector, G. Aad *et al.*, ATLAS Collaboration, J. High Energy Phys. 2009 (2020) 049
66. Alignment of the ATLAS Inner Detector in Run-2, G. Aad *et al.*, ATLAS Collaboration, Eur. Phys. J. C 80 (2020) 1194

67. Search for resonances decaying into a weak vector boson and a Higgs boson in the fully hadronic final state produced in proton–proton collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector, G. Aad *et al.*, ATLAS Collaboration, Phys. Rev. D 102 (2020) 112008
68. Operation of the ATLAS trigger system in Run 2, G. Aad *et al.*, ATLAS Collaboration, J. Instrum 15 (2020) P10004
69. Reconstruction and identification of boosted di- τ systems in a search for Higgs boson pairs using 13 TeV proton–proton collision data in ATLAS, G. Aad *et al.*, ATLAS Collaboration, J. High Energy Phys. 2011 (2020) 163
70. Evidence for $t\bar{t}h$ production in the multilepton final state in proton-proton collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector, G. Aad *et al.*, ATLAS Collaboration, Eur. Phys. J. C 80 (2020) 1085
71. Search for heavy resonances decaying into a photon and a hadronically decaying Higgs boson in pp collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector, G. Aad *et al.*, ATLAS Collaboration, Phys. Rev. Lett 125 (2020) 251802
72. Search for new phenomena in final states with large jet multiplicities and missing transverse momentum using $\sqrt{s} = 13$ TeV proton-proton collisions recorded by ATLAS at Run-2 of the LHC, G. Aad *et al.*, ATLAS Collaboration, J. High Energy Phys. 2010 (2020) 062
73. Observation and measurement of forward proton scattering in association with lepton pairs produced via the photon fusion mechanism at ATLAS, G. Aad *et al.*, ATLAS Collaboration, Phys. Rev. Lett 125 (2020) 261801
74. Search for lepton-flavour violation in high-mass dilepton final states using 139 fb^{-1} of pp collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector, G. Aad *et al.*, ATLAS Collaboration, J. High Energy Phys. 2023 (2020) 082
75. Search for single vector-like B quark production and decay via $B \rightarrow bH(b\bar{b})$ in pp collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector, G. Aad *et al.*, ATLAS Collaboration, J. High Energy Phys. 2023 (2020) 168

2019

1. Search for light resonances decaying to boosted quark pairs and produced in association with a photon or a jet in proton- proton collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector, M. Aaboud *et al.*, ATLAS Collaboration, Phys. Lett. B 788 (2019) 316-335
2. Search for pair production of Higgs bosons in the $b\bar{b}b\bar{b}$ final state using proton-proton collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector, M. Aaboud *et al.*, ATLAS Collaboration, J. High Energy Phys. 1901 (2019) 030
3. Measurement of the nuclear modification factor for inclusive jets in Pb+Pb collisions at $\sqrt{s_{NN}} = 5.02$ TeV with the ATLAS detector, M. Aaboud *et al.*, ATLAS Collaboration, Phys. Lett. B 790 (2019) 108-128

4. Search for Higgs boson decays into a pair of light bosons in the $bb\mu\mu$ final state in pp collision at $\sqrt{s} = 13$ TeV with the ATLAS detector, M. Aaboud *et al.*, ATLAS Collaboration, Phys. Lett. B 790 (2019) 1-21
5. Correlated long-range mixed-harmonic fluctuations measured in pp , p +Pb and low-multiplicity Pb+Pb collisions with the ATLAS detector, M. Aaboud *et al.*, ATLAS Collaboration, Phys. Lett. B 789 (2019) 444
6. A strategy for a general search for new phenomena using data-derived signal regions and its application within the ATLAS experiment, M. Aaboud *et al.*, ATLAS Collaboration, Eur. Phys. J. C 79 (2019) 120
7. In situ calibration of large- R jet energy and mass in 13 TeV proton-proton collisions with the ATLAS detector, M. Aaboud *et al.*, ATLAS Collaboration, Eur. Phys. J. C 79 (2019) 135
8. Search for vector-boson resonances decaying to a top quark and bottom quark in the lepton plus jets final state in pp collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector, M. Aaboud *et al.*, ATLAS Collaboration, Phys. Lett. B 788 (2019) 347-370
9. Search for doubly charged scalar bosons decaying into same-sign W boson pairs with the ATLAS detector, M. Aaboud *et al.*, ATLAS Collaboration, Eur. Phys. J. C 79 (2019) 58
10. Search for long-lived particles in final states with displaced dimuon vertices in pp collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector, M. Aaboud *et al.*, ATLAS Collaboration, Phys. Rev. D 99 (2019) 012001
11. Search for heavy charged long-lived particles in proton-proton collisions at $\sqrt{s} = 13$ TeV using an ionisation measurement with the ATLAS detector, M. Aaboud *et al.*, ATLAS Collaboration, Phys. Lett. B 788 (2019) 96-116
12. Search for squarks and gluinos in final states with hadronically decaying τ -leptons, jets, and missing transverse momentum using pp collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector, M. Aaboud *et al.*, ATLAS Collaboration, Phys. Rev. D 99 (2019) 012009
13. Performance of top-quark and W -boson tagging with ATLAS in Run 2 of the LHC, M. Aaboud *et al.*, ATLAS Collaboration, Eur. Phys. J. C 79 (2019) 375
14. Measurements of gluon-gluon fusion and vector-boson fusion Higgs boson production cross-sections in the $H \rightarrow WW^* \rightarrow e\nu\mu\nu$ decay channel in pp collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector, M. Aaboud *et al.*, ATLAS Collaboration, Phys. Lett. B 789 (2019) 508-529
15. A search for pairs of highly collimated photon-jets in pp collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector, M. Aaboud *et al.*, ATLAS Collaboration, Phys. Rev. D 99 (2019) 012008
16. Search for invisible Higgs boson decays in vector boson fusion at $\sqrt{s} = 13$ TeV with the ATLAS detector, M. Aaboud *et al.*, ATLAS Collaboration, Phys. Lett. B 793 (2019) 499-519

17. Measurement of photon-jet transverse momentum correlations in 5.02 TeV Pb+Pb and pp collisions with ATLAS, M. Aaboud *et al.*, ATLAS Collaboration, Phys. Lett. B 789 (2019) 167-190
18. Search for heavy Majorana or Dirac neutrinos and right-handed W gauge bosons in final states with two charged leptons and two jets at $\sqrt{s} = 13$ TeV with the ATLAS detector, M. Aaboud *et al.*, ATLAS Collaboration, J. High Energy Phys. 1901 (2019) 016
19. Measurement of the top quark mass in the $t\bar{t} \rightarrow$ lepton+jets channel from $\sqrt{s} = 8$ TeV ATLAS data and combination with previous results, M. Aaboud *et al.*, ATLAS Collaboration, Eur. Phys. J. C 79 (2019) 290
20. Measurement of the photon identification efficiencies with the ATLAS detector using LHC Run 2 data collected in 2015 and 2016, M. Aaboud *et al.*, ATLAS Collaboration, Eur. Phys. J. C 79 (2019) 205
21. Measurements of W and Z boson production in pp collisions at $\sqrt{s} = 5.02$ TeV with the ATLAS detector, M. Aaboud *et al.*, ATLAS Collaboration, Eur. Phys. J. C 79 (2019) 128
22. Search for four-top-quark production in the single-lepton and opposite-sign dilepton final states in pp collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector, M. Aaboud *et al.*, ATLAS Collaboration, Phys. Rev. D 99 (2019) 052009
23. Search for the production of a long-lived neutral particle decaying within the ATLAS hadronic calorimeter in association with a Z boson from pp collisions at $\sqrt{s} = 13$ TeV, M. Aaboud *et al.*, ATLAS Collaboration, Phys. Rev. Lett 122 (2019) 151801
24. Search for Higgs boson pair production in the $b\bar{b}WW^*$ decay mode at $\sqrt{s} = 13$ TeV with the ATLAS detector, M. Aaboud *et al.*, ATLAS Collaboration, J. High Energy Phys. 04 (2019) 092
25. Search for long-lived particles produced in pp collisions at $\sqrt{s} = 13$ TeV that decay into displaced hadronic jets in the ATLAS muon spectrometer, M. Aaboud *et al.*, ATLAS Collaboration, Phys. Rev. D 99 (2019) 052005
26. Cross-section measurements of the Higgs boson decaying into a pair of τ -leptons in proton-proton collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector, M. Aaboud *et al.*, ATLAS Collaboration, Phys. Rev. D 99 (2019) 072001
27. Search for Higgs boson pair production in the $WW^{(*)}WW^{(*)}$ decay channel using ATLAS data recorded at $\sqrt{s} = 13$ TeV, M. Aaboud *et al.*, ATLAS Collaboration, J. High Energy Phys. 05 (2019) 124
28. Study of the hard double-parton scattering contribution to inclusive four-lepton production in pp collisions at $\sqrt{s} = 8$ TeV with the ATLAS detector, M. Aaboud *et al.*, ATLAS Collaboration, Phys. Lett. B 790 (2019) 595

29. Measurements of fiducial and differential cross-sections of $t\bar{t}$ production with additional heavy-flavour jets in proton-proton collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector, M. Aaboud *et al.*, ATLAS Collaboration, J. High Energy Phys. 04 (2019) 046
30. Measurements of inclusive and differential fiducial cross-sections of $t\bar{t}\gamma$ production in leptonic final states at $\sqrt{s} = 13$ TeV in ATLAS, M. Aaboud *et al.*, ATLAS Collaboration, Eur. Phys. J. C 79 (2019) 382
31. Study of the rare decays of B_s^0 and B^0 mesons into muon pairs using data collected during 2015 and 2016 with the ATLAS detector, M. Aaboud *et al.*, ATLAS Collaboration, J. High Energy Phys. 04 (2019) 098
32. Electron and photon energy calibration with the ATLAS detector using 2015-2016 LHC proton-proton collision data, M. Aaboud *et al.*, ATLAS Collaboration, J. Instrum 14 (2019) P03017
33. Search for heavy long-lived multi-charged particles in proton-proton collisions at $\sqrt{s} = 13$ TeV using the ATLAS detector, M. Aaboud *et al.*, ATLAS Collaboration, Phys. Rev. D 99 (2019) 052003
34. Search for single production of vector-like quarks decaying into Wb in pp collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector, M. Aaboud *et al.*, ATLAS Collaboration, J. High Energy Phys. 05 (2019) 164
35. Properties of $g \rightarrow b\bar{b}$ at small opening angles in pp collisions with the ATLAS detector at $\sqrt{s} = 13$ TeV, M. Aaboud *et al.*, ATLAS Collaboration, Phys. Rev. D 99 (2019) 052004
36. Search for chargino and neutralino production in final states with a Higgs boson and missing transverse momentum at $\sqrt{s} = 13$ TeV with the ATLAS detector, M. Aaboud *et al.*, ATLAS Collaboration, Phys. Rev. D 100 (2019) 012006
37. Search for large missing transverse momentum in association with one top-quark in proton-proton collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector, M. Aaboud *et al.*, ATLAS Collaboration, J. High Energy Phys. 05 (2019) 041
38. Observation of electroweak $W^\pm Z$ boson pair production in association with two jets in pp collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector, M. Aaboud *et al.*, ATLAS Collaboration, Phys. Lett. B 793 (2019) 469-492
39. Search for top-quark decays $t \rightarrow Hq$ with 36 fb^{-1} of pp collision data at $\sqrt{s} = 13$ TeV with the ATLAS detector, M. Aaboud *et al.*, ATLAS Collaboration, J. High Energy Phys. 05 (2019) 123
40. Measurement of the $t\bar{t}Z$ and $t\bar{t}W$ cross sections in proton-proton collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector, M. Aaboud *et al.*, ATLAS Collaboration, Phys. Rev. D 99 (2019) 072009
41. Search for scalar resonances decaying into $\mu^+\mu^-$ in events with and without b -tagged jets produced in proton-proton collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector, M. Aaboud *et al.*, ATLAS Collaboration, J. High Energy Phys. 1907 (2019) 117

42. Measurement of the ratio of cross sections for inclusive isolated-photon production in pp collisions at $\sqrt{s} = 13$ and 8 TeV with the ATLAS detector, M. Aaboud *et al.*, ATLAS Collaboration, J. High Energy Phys. 04 (2019) 093
43. Dijet azimuthal correlations and conditional yields in pp and p +Pb collisions at $\sqrt{s_{NN}} = 5.02$ TeV with the ATLAS detector, M. Aaboud *et al.*, ATLAS Collaboration, Phys. Rev. C 100 (2019) 034903
44. Search for low-mass resonances decaying into two jets and produced in association with a photon using pp collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector, M. Aaboud *et al.*, ATLAS Collaboration, Phys. Lett. B 795 (2019) 56-75
45. Searches for scalar leptoquarks and differential cross-section measurements in dilepton-dijet events in proton-proton collisions at a centre-of-mass energy of $\sqrt{s} = 13$ TeV with the ATLAS experiment, M. Aaboud *et al.*, ATLAS Collaboration, Eur. Phys. J. C 79 (2019) 733
46. Search for heavy charged long-lived particles in the ATLAS detector in 31.6 fb⁻¹ of proton-proton collision data at $\sqrt{s} = 13$ TeV, M. Aaboud *et al.*, ATLAS Collaboration, Phys. Rev. D 99 (2019) 092007
47. Search for long-lived neutral particles in pp collisions at $\sqrt{s} = 13$ TeV that decay into displaced hadronic jets in the ATLAS calorimeter, M. Aaboud *et al.*, ATLAS Collaboration, Eur. Phys. J. C 79 (2019) 481
48. Electron reconstruction and identification in the ATLAS experiment using the 2015 and 2016 LHC proton-proton collision data at $\sqrt{s} = 13$ TeV, M. Aaboud *et al.*, ATLAS Collaboration, Eur. Phys. J. C 79 (2019) 639
49. Measurement of the four-lepton invariant mass spectrum in 13 TeV proton-proton collisions with the ATLAS detector, M. Aaboud *et al.*, ATLAS Collaboration, J. High Energy Phys. 04 (2019) 048
50. Measurement of $W^{\pm}Z$ production cross sections and gauge boson polarisation in pp collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector, M. Aaboud *et al.*, ATLAS Collaboration, Eur. Phys. J. C 79 (2019) 535
51. Combinations of single-top-quark production cross-section measurements and $|f_{LV}V_{tb}|$ determinations at $\sqrt{s} = 7$ and 8 TeV with the ATLAS and CMS experiments, M. Aaboud *et al.*, ATLAS Collaboration, CMS Collaboration, J. High Energy Phys. 05 (2019) 088
52. Searches for third-generation scalar leptoquarks in $\sqrt{s} = 13$ TeV pp collisions with the ATLAS detector, M. Aaboud *et al.*, ATLAS Collaboration, J. High Energy Phys. 1906 (2019) 144
53. Search for heavy particles decaying into a top-quark pair in the fully hadronic final state in pp collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector, M. Aaboud *et al.*, ATLAS Collaboration, Phys. Rev. D 99 (2019) 092004
54. Comparison of fragmentation functions for light-quark- and gluon-dominated jets from pp and Pb+Pb collisions in ATLAS, M. Aaboud *et al.*, ATLAS Collaboration, Phys. Rev. Lett 123 (2019) 042001

55. Constraints on mediator-based dark matter and scalar dark energy models using $\sqrt{s} = 13$ TeV pp collision data collected by the ATLAS detector, M. Aaboud *et al.*, ATLAS Collaboration, J. High Energy Phys. 1905 (2019) 142
56. Measurement of prompt photon production in $\sqrt{s_{NN}} = 8.16$ TeV p +Pb collisions with ATLAS, M. Aaboud *et al.*, ATLAS Collaboration, Phys. Lett. B 796 (2019) 230
57. Measurement of VH , $H \rightarrow b\bar{b}$ production as a function of the vector-boson transverse momentum in 13 TeV pp collisions with the ATLAS detector, M. Aaboud *et al.*, ATLAS Collaboration, J. High Energy Phys. 1905 (2019) 141
58. Search for high-mass dilepton resonances using 139 fb^{-1} of pp collision data collected at $\sqrt{s} = 13$ TeV with the ATLAS detector, G. Aad *et al.*, ATLAS Collaboration, Phys. Lett. B 796 (2019) 68-87
59. Measurement of the production cross section for a Higgs boson in association with a vector boson in the $H \rightarrow WW^* \rightarrow \ell\nu\ell\nu$ channel in pp collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector, G. Aad *et al.*, ATLAS Collaboration, Phys. Lett. B 798 (2019) 134949
60. Evidence for the production of three massive vector bosons with the ATLAS detector, G. Aad *et al.*, ATLAS Collaboration, PoS 2019 (2019) 135
61. Observation of light-by-light scattering in ultraperipheral Pb+Pb collisions with the ATLAS detector, G. Aad *et al.*, ATLAS Collaboration, Phys. Rev. Lett 123 (2019) 052001
62. Combination of searches for invisible Higgs boson decays with the ATLAS experiment, M. Aaboud *et al.*, ATLAS Collaboration, Phys. Rev. Lett 122 (2019) 231801
63. Measurement of the cross-section and charge asymmetry of W bosons produced in proton-proton collisions at $\sqrt{s} = 8$ TeV with the ATLAS detector, G. Aad *et al.*, ATLAS Collaboration, Eur. Phys. J. C 79 (2019) 760
64. Search for a right-handed gauge boson decaying into a high-momentum heavy neutrino and a charged lepton in pp collisions with the ATLAS, M. Aaboud *et al.*, ATLAS Collaboration, Phys. Lett. B 798 (2019) 134942
65. Measurement of the top-quark mass in $t\bar{t} + 1$ -jet events collected with the ATLAS detector in pp collisions at $\sqrt{s} = 8$ TeV, G. Aad *et al.*, ATLAS Collaboration, J. High Energy Phys. 11 (2019) 150
66. Modelling radiation damage to pixel sensors in the ATLAS detector, M. Aaboud *et al.*, ATLAS Collaboration, J. Instrum 14 (2019) P06012
67. Measurement of fiducial and differential W^+W^- production cross-sections at $\sqrt{s} = 13$ TeV with the ATLAS detector, M. Aaboud *et al.*, ATLAS Collaboration, Eur. Phys. J. C 79 (2019) 884

68. Measurement of ZZ production in the $\ell\nu\nu$ final state with the ATLAS detector in pp collisions at $\sqrt{s} = 13$ TeV, M. Aaboud *et al.*, ATLAS Collaboration, J. High Energy Phys. 1910 (2019) 127
69. Search for the electroweak diboson production in association with a high-mass dijet system in semileptonic final states in pp collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector, G. Aad *et al.*, ATLAS Collaboration, Phys. Rev. D 100 (2019) 032007
70. Measurement of distributions sensitive to the underlying event in inclusive Z -boson production in pp collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector, G. Aad *et al.*, ATLAS Collaboration, Eur. Phys. J. C 79 (2019) 666
71. Search for heavy neutral leptons in decays of W bosons produced in 13 TeV pp collisions using prompt and displaced signatures with the ATLAS detector, G. Aad *et al.*, ATLAS Collaboration, J. High Energy Phys. 10 (2019) 265
72. Search for excited electrons singly produced in proton-proton collisions at $\sqrt{s} = 13$ TeV with the ATLAS experiment at the LHC, M. Aaboud *et al.*, ATLAS Collaboration, Eur. Phys. J. C 79 (2019) 803
73. Observation of electroweak production of a same-sign W boson pair in association with two jets in pp collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector, M. Aaboud *et al.*, ATLAS Collaboration, Phys. Rev. Lett 123 (2019) 161801
74. Search for a heavy charged boson in events with a charged lepton and missing transverse momentum from pp collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector, G. Aad *et al.*, ATLAS Collaboration, Phys. Rev. D 100 (2019) 052013
75. Search for diboson resonances in hadronic final states in 139 fb^{-1} of pp collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector, G. Aad *et al.*, ATLAS Collaboration, J. High Energy Phys. 1909 (2019) 091
76. Properties of jet fragmentation using charged particles measured with the ATLAS detector in pp collisions at $\sqrt{s} = 13$ TeV, G. Aad *et al.*, ATLAS Collaboration, Phys. Rev. D 100 (2019) 052011
77. Identification of boosted Higgs bosons decaying into b -quark pairs with the ATLAS detector at 13 TeV, G. Aad *et al.*, ATLAS Collaboration, Eur. Phys. J. C 79 (2019) 836
78. Resolution of the ATLAS muon spectrometer monitored drift tubes in LHC Run 2, G. Aad *et al.*, ATLAS Collaboration, J. Instrum 14 (2019) P09011
79. Measurement of W^\pm -boson and Z -boson production cross-sections in pp collisions at $\sqrt{s} = 2.76$ TeV with the ATLAS detector, G. Aad *et al.*, ATLAS Collaboration, Eur. Phys. J. C 79 (2019) 901

80. Measurement of flow harmonics correlations with mean transverse momentum in lead-lead and proton-lead collisions at $\sqrt{s_{NN}} = 5.02$ TeV with the ATLAS detector, G. Aad *et al.*, ATLAS Collaboration, Eur. Phys. J. C 79 (2019) 985
 81. ATLAS b -jet identification performance and efficiency measurement with $t\bar{t}$ events in pp collisions at $\sqrt{s} = 13$ TeV, G. Aad *et al.*, ATLAS Collaboration, Eur. Phys. J. C 79 (2019) 970
 82. Measurement of the inclusive cross-section for the production of jets in association with a Z boson in proton- proton collisions at 8 TeV using the ATLAS detector, G. Aad *et al.*, ATLAS Collaboration, Eur. Phys. J. C 79 (2019) 847
 83. Measurement of W^\pm boson production in Pb+Pb collisions at $\sqrt{s_{NN}} = 5.02$ TeV with the ATLAS detector, G. Aad *et al.*, ATLAS Collaboration, Eur. Phys. J. C 79 (2019) 935
 84. Measurement of K_S^0 and Λ^0 production in $t\bar{t}$ dileptonic events in pp collisions at $\sqrt{s} = 7$ TeV with the ATLAS detector, G. Aad *et al.*, ATLAS Collaboration, Eur. Phys. J. C 79 (2019) 1017
 85. Electron and photon performance measurements with the ATLAS detector using the 2015-2017 LHC proton-proton collision data, G. Aad *et al.*, ATLAS Collaboration, J. Instrum 14 (2019) P12006
 86. Measurement of the inclusive isolated-photon cross section in pp collisions at $\sqrt{s} = 13$ TeV using 36 fb $^{-1}$ of ATLAS data, G. Aad *et al.*, ATLAS Collaboration, J. High Energy Phys. 1910 (2019) 203
 87. , G. Aad *et al.*, ATLAS Collaboration, J. High Energy Phys. 12 (2019) 060
 88. Measurement of angular and momentum distributions of charged particles within and around jets in Pb+Pb and pp collisions at $\sqrt{s_{NN}} = 5.02$ TeV with the ATLAS detector, G. Aad *et al.*, ATLAS Collaboration, Phys. Rev. C 100 (2019) 064901
 89. Measurements of top-quark pair differential and double- differential cross-sections in the ℓ +jets channel with pp collisions at $\sqrt{s} = 13$ TeV using the ATLAS detector, G. Aad *et al.*, ATLAS Collaboration, Eur. Phys. J. C 79 (2019) 1028
- 2018
1. OpTHyLiC: an Optimised Tool for Hybrid Limits Computation, E. Busato *et al.*, Comput. Phys. Commun. 226 (2018) 136-150
 2. Measurement of the cross-section for producing a W boson in association with a single top quark in pp collisions at $\sqrt{s} = 13$ TeV with ATLAS, M. Aaboud *et al.*, ATLAS Collaboration, J. High Energy Phys. 01 (2018) 063
 3. Measurement of the W -boson mass in pp collisions at $\sqrt{s} = 7$ TeV with the ATLAS detector, M. Aaboud *et al.*, ATLAS Collaboration, Eur. Phys. J. C 78 (2018) 110

4. Measurement of jet fragmentation in 5.02 TeV proton–lead and proton–proton collisions with the ATLAS detector, M. Aaboud *et al.*, ATLAS Collaboration, Nucl. Phys. A 978 (2018) 65-106
5. Search for a new heavy gauge boson resonance decaying into a lepton and missing transverse momentum in 36 fb⁻¹ of *pp* collisions at $\sqrt{s} = 13$ TeV with the ATLAS experiment, M. Aaboud *et al.*, ATLAS Collaboration, Eur. Phys. J. C 78 (2018) 401
6. Measurement of long-range multiparticle azimuthal correlations with the subevent cumulant method in *pp* and *p + Pb* collisions with the ATLAS detector at the CERN Large Hadron Collider, M. Aaboud *et al.*, ATLAS Collaboration, Phys. Rev. C 97 (2018) 024904
7. Measurement of the exclusive $\gamma\gamma \rightarrow \mu^+\mu^-$ process in proton–proton collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector, M. Aaboud *et al.*, ATLAS Collaboration, Phys. Lett. B 777 (2018) 303-323
8. Search for diboson resonances with boson-tagged jets in *pp* collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector, M. Aaboud *et al.*, ATLAS Collaboration, Phys. Lett. B 777 (2018) 91-113
9. Search for the direct production of charginos and neutralinos in final states with tau leptons in $\sqrt{s} = 13$ TeV *pp* collisions with the ATLAS detector, M. Aaboud *et al.*, ATLAS Collaboration, Eur. Phys. J. C 78 (2018) 154
10. Search for an invisibly decaying Higgs boson or dark matter candidates produced in association with a *Z* boson in *pp* collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector, M. Aaboud *et al.*, ATLAS Collaboration, Phys. Lett. B 776 (2018) 318-337
11. Search for long-lived, massive particles in events with displaced vertices and missing transverse momentum in $\sqrt{s} = 13$ TeV *pp* collisions with the ATLAS detector, M. Aaboud *et al.*, ATLAS Collaboration, Phys. Rev. D 97 (2018) 052012
12. Searches for heavy *ZZ* and *ZW* resonances in the *llqq* and $\nu\nu qq$ final states in *pp* collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector, M. Aaboud *et al.*, ATLAS Collaboration, J. High Energy Phys. 03 (2018) 009
13. Measurement of longitudinal flow decorrelations in Pb+Pb collisions at $\sqrt{s_{NN}} = 2.76$ and 5.02 TeV with the ATLAS detector, M. Aaboud *et al.*, ATLAS Collaboration, Eur. Phys. J. C 76 (2018) 142
14. Measurement of quarkonium production in proton–lead and proton–proton collisions at 5.02 TeV with the ATLAS detector, M. Aaboud *et al.*, ATLAS Collaboration, Eur. Phys. J. C 78 (2018) 171
15. Measurement of τ polarisation in $Z/\gamma^* \rightarrow \tau\tau$ decays in proton-proton collisions at $\sqrt{s} = 8$ TeV with the ATLAS detector, M. Aaboud *et al.*, ATLAS Collaboration, Eur. Phys. J. C 78 (2018) 163
16. Direct top-quark decay width measurement in the $t\bar{t}$ lepton+jets channel at $\sqrt{s}=8$ TeV with the ATLAS experiment, M. Aaboud *et al.*, ATLAS Collaboration, Eur. Phys. J. C 78 (2018) 129

17. Combination of inclusive and differential $t\bar{t}$ charge asymmetry measurements using ATLAS and CMS data at $\sqrt{s} = 7$ and 8 TeV, M. Aaboud *et al.*, ATLAS Collaboration, CMS Collaboration, J. High Energy Phys. 04 (2018) 033
18. A search for resonances decaying into a Higgs boson and a new particle X in the $XH \rightarrow qqbb$ final state with the ATLAS detector, M. Aaboud *et al.*, ATLAS Collaboration, Phys. Lett. B 779 (2018) 24-45
19. Search for additional heavy neutral Higgs and gauge bosons in the ditau final state produced in 36 fb^{-1} of pp collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector, M. Aaboud *et al.*, ATLAS Collaboration, J. High Energy Phys. 1801 (2018) 055
20. $ZZ \rightarrow \ell^+\ell^-\ell'^+\ell'^-$ cross-section measurements and search for anomalous triple gauge couplings in 13 TeV pp collisions with the ATLAS detector, M. Aaboud *et al.*, ATLAS Collaboration, Phys. Rev. D 97 (2018) 032005
21. Search for new phenomena in high-mass final states with a photon and a jet from pp collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector, M. Aaboud *et al.*, ATLAS Collaboration, Eur. Phys. J. C 78 (2018) 102
22. Search for heavy resonances decaying into WW in the $e\nu\mu\nu$ final state in pp collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector, M. Aaboud *et al.*, ATLAS Collaboration, Eur. Phys. J. C 78 (2018) 24
23. Measurement of the production cross-section of a single top quark in association with a Z boson in proton–proton collisions at 13 TeV with the ATLAS detector, M. Aaboud *et al.*, ATLAS Collaboration, Phys. Lett. B 780 (2018) 557-577
24. Search for $B-L$ R -parity-violating top squarks in $\sqrt{s} = 13$ TeV pp collisions with the ATLAS experiment, M. Aaboud *et al.*, ATLAS Collaboration, Phys. Rev. D 97 (2018) 032003
25. Search for WW/WZ resonance production in $\ell\nu qq$ final states in pp collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector, M. Aaboud *et al.*, ATLAS Collaboration, J. High Energy Phys. 03 (2018) 042
26. A search for pair-produced resonances in four-jet final states at $\sqrt{s}=13$ TeV with the ATLAS detector, M. Aaboud *et al.*, ATLAS Collaboration, Eur. Phys. J. C 78 (2018) 250
27. Search for doubly charged Higgs boson production in multi- lepton final states with the ATLAS detector using proton–proton collisions at $\sqrt{s} = 13 \text{ TeV}$, M. Aaboud *et al.*, ATLAS Collaboration, Eur. Phys. J. C 78 (2018) 199
28. Measurement of differential cross sections of isolated- photon plus heavy-flavour jet production in pp collisions at $\sqrt{s} = 8$ TeV using the ATLAS detector, M. Aaboud *et al.*, ATLAS Collaboration, Phys. Lett. B 776 (2018) 295-317
29. Search for dark matter produced in association with bottom or top quarks in $\sqrt{s} = 13$ TeV pp collisions with the ATLAS detector, M. Aaboud *et al.*, ATLAS Collaboration, Eur. Phys. J. C 78 (2018) 18

30. Search for supersymmetry in final states with missing transverse momentum and multiple b -jets in proton–proton collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector, M. Aaboud *et al.*, ATLAS Collaboration, J. High Energy Phys. 06 (2018) 107
31. Measurement of inclusive jet and dijet cross-sections in proton-proton collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector, M. Aaboud *et al.*, ATLAS Collaboration, J. High Energy Phys. 05 (2018) 195
32. Measurement of differential cross sections and W^+/W^- cross-section ratios for W boson production in association with jets at $\sqrt{s} = 8$ TeV with the ATLAS detector, M. Aaboud *et al.*, ATLAS Collaboration, J. High Energy Phys. 05 (2018) 077
33. Search for dark matter and other new phenomena in events with an energetic jet and large missing transverse momentum using the ATLAS detector, M. Aaboud *et al.*, ATLAS Collaboration, J. High Energy Phys. 01 (2018) 126
34. A measurement of the soft-drop jet mass in pp collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector, M. Aaboud *et al.*, ATLAS Collaboration, Phys. Rev. Lett 121 (2018) 092001
35. Search for top-squark pair production in final states with one lepton, jets, and missing transverse momentum using 36 fb^{-1} of $\sqrt{s} = 13$ TeV pp collision data with the ATLAS detector, M. Aaboud *et al.*, ATLAS Collaboration, J. High Energy Phys. 06 (2018) 108
36. Measurement of differential cross-sections of a single top quark produced in association with a W boson at $\sqrt{s} = 13$ TeV with ATLAS, M. Aaboud *et al.*, ATLAS Collaboration, Eur. Phys. J. C 78 (2018) 186
37. Measurement of the Higgs boson coupling properties in the $H \rightarrow ZZ^* \rightarrow 4\ell$ decay channel at $\sqrt{s} = 13$ TeV with the ATLAS detector, M. Aaboud *et al.*, ATLAS Collaboration, J. High Energy Phys. 1803 (2018) 095
38. Search for long-lived charginos based on a disappearing- track signature in pp collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector, M. Aaboud *et al.*, ATLAS Collaboration, J. High Energy Phys. 06 (2018) 022
39. Search for exclusive Higgs and Z boson decays to $\phi\gamma$ and $\rho\gamma$ with the ATLAS detector, M. Aaboud *et al.*, ATLAS Collaboration, J. High Energy Phys. 07 (2018) 127
40. Search for squarks and gluinos in final states with jets and missing transverse momentum using 36 fb^{-1} of $\sqrt{s}=13$ TeV pp collision data with the ATLAS detector, M. Aaboud *et al.*, ATLAS Collaboration, Phys. Rev. D 97 (2018) 112001
41. Search for heavy ZZ resonances in the $\ell^+\ell^-\ell^+\ell^-$ and $\ell^+\ell^-\nu\bar{\nu}$ final states using proton proton collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector, M. Aaboud *et al.*, ATLAS Collaboration, Eur. Phys. J. C 78 (2018) 293

42. Search for heavy resonances decaying into a W or Z boson and a Higgs boson in final states with leptons and b -jets in 36 fb^{-1} of $\sqrt{s} = 13 \text{ TeV}$ pp collisions with the ATLAS detector, M. Aaboud *et al.*, ATLAS Collaboration, J. High Energy Phys. 03 (2018) 174
43. Measurement of the inclusive and fiducial $t\bar{t}$ production cross-sections in the lepton+jets channel in pp collisions at $\sqrt{s} = 8 \text{ TeV}$ with the ATLAS detector, M. Aaboud *et al.*, ATLAS Collaboration, Eur. Phys. J. C 78 (2018) 487
44. Measurement of the production cross section of three isolated photons in pp collisions at $\sqrt{s} = 8 \text{ TeV}$ using the ATLAS detector, M. Aaboud *et al.*, ATLAS Collaboration, Phys. Lett. B 781 (2018) 55-76
45. Search for electroweak production of supersymmetric states in scenarios with compressed mass spectra at $\sqrt{s} = 13 \text{ TeV}$ with the ATLAS detector, M. Aaboud *et al.*, ATLAS Collaboration, Phys. Rev. D 97 (2018) 052010
46. Evidence for the associated production of the Higgs boson and a top quark pair with the ATLAS detector, M. Aaboud *et al.*, ATLAS Collaboration, Phys. Rev. D 97 (2018) 072003
47. Search for the standard model Higgs boson produced in association with top quarks and decaying into a $b\bar{b}$ pair in pp collisions at $\sqrt{s} = 13 \text{ TeV}$ with the ATLAS detector, M. Aaboud *et al.*, ATLAS Collaboration, Phys. Rev. D 97 (2018) 072016
48. Measurement of the cross section for isolated-photon plus jet production in pp collisions at $\sqrt{s} = 13 \text{ TeV}$ using the ATLAS detector, M. Aaboud *et al.*, ATLAS Collaboration, Phys. Lett. B 780 (2018) 578-602
49. Measurements of $t\bar{t}$ differential cross-sections of highly boosted top quarks decaying to all-hadronic final states in pp collisions at $\sqrt{s} = 13 \text{ TeV}$ using the ATLAS detector, M. Aaboud *et al.*, ATLAS Collaboration, Phys. Rev. D 98 (2018) 012003
50. A search for high-mass resonances decaying to $\tau\nu$ in pp collisions at $\sqrt{s} = 13 \text{ TeV}$ with the ATLAS detector, M. Aaboud *et al.*, ATLAS Collaboration, Phys. Rev. Lett 120 (2018) 161802
51. Search for $W' \rightarrow tb$ decays in the hadronic final state using pp collisions at $\sqrt{s} = 13 \text{ TeV}$ with the ATLAS detector, M. Aaboud *et al.*, ATLAS Collaboration, Phys. Lett. B 781 (2018) 327
52. Measurements of Higgs boson properties in the diphoton decay channel with 36 fb^{-1} of pp collision data at $\sqrt{s} = 13 \text{ TeV}$ with the ATLAS detector, M. Aaboud *et al.*, ATLAS Collaboration, Phys. Rev. D 98 (2018) 052005
53. Search for a Structure in the $B_s^0\pi^\pm$ Invariant Mass Spectrum with the ATLAS Experiment, M. Aaboud *et al.*, ATLAS Collaboration, Phys. Rev. Lett 120 (2018) 202007
54. Search for photonic signatures of gauge-mediated supersymmetry in 13 TeV pp collisions with the ATLAS detector, M. Aaboud *et al.*, ATLAS Collaboration, Phys. Rev. D 97 (2018) 092006

55. Search for Higgs boson decays to beyond-the-Standard-Model light bosons in four-lepton events with the ATLAS detector at $\sqrt{s} = 13$ TeV, M. Aaboud *et al.*, ATLAS Collaboration, J. High Energy Phys. 06 (2018) 166
56. Search for the Decay of the Higgs Boson to Charm Quarks with the ATLAS Experiment, M. Aaboud *et al.*, ATLAS Collaboration, Phys. Rev. Lett 120 (2018) 211802
57. Measurements of differential cross sections of top quark pair production in association with jets in pp collisions at $\sqrt{s}=13$ TeV using the ATLAS detector, M. Aaboud *et al.*, ATLAS Collaboration, J. High Energy Phys. 10 (2018) 159
58. Performance of missing transverse momentum reconstruction with the ATLAS detector using proton-proton collisions at $\sqrt{s} = 13$ TeV, M. Aaboud *et al.*, ATLAS Collaboration, Eur. Phys. J. C 78 (2018) 903
59. Production and Integration of the ATLAS Insertable B-Layer, B. Abbott *et al.*, J. Instrum 13 (2018) T05008
60. Search for electroweak production of supersymmetric particles in final states with two or three leptons at $\sqrt{s} = 13$ TeV with the ATLAS detector, M. Aaboud *et al.*, ATLAS Collaboration, Eur. Phys. J. C 78 (2018) 995
61. Search for flavour-changing neutral current top-quark decays $t \rightarrow qZ$ in proton-proton collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector, M. Aaboud *et al.*, ATLAS Collaboration, J. High Energy Phys. 07 (2018) 176
62. Search for pair production of up-type vector-like quarks and for four-top-quark events in final states with multiple b -jets with the ATLAS detector, M. Aaboud *et al.*, ATLAS Collaboration, J. High Energy Phys. 07 (2018) 089
63. Search for top squarks decaying to tau sleptons in pp collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector, M. Aaboud *et al.*, ATLAS Collaboration, Phys. Rev. D 98 (2018) 032008
64. Search for Higgs boson decays into pairs of light (pseudo)scalar particles in the $\gamma\gamma jj$ final state in pp collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector, M. Aaboud *et al.*, ATLAS Collaboration, Phys. Lett. B 782 (2018) 750-767
65. Search for a heavy Higgs boson decaying into a Z boson and another heavy Higgs boson in the $\ell\ell bb$ final state in pp collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector, M. Aaboud *et al.*, ATLAS Collaboration, Phys. Lett. B 783 (2018) 392-414
66. Search for R-parity-violating supersymmetric particles in multi-jet final states produced in p - p collisions at $\sqrt{s} = 13$ TeV using the ATLAS detector at the LHC, M. Aaboud *et al.*, ATLAS Collaboration, Phys. Lett. B 785 (2018) 136-158
67. Search for low-mass dijet resonances using trigger-level jets with the ATLAS detector in pp collisions at $\sqrt{s} = 13$ TeV, M. Aaboud *et al.*, ATLAS Collaboration, Phys. Rev. Lett 121 (2018) 081801

68. Search for supersymmetry in events with four or more leptons in $\sqrt{s} = 13$ TeV pp collisions with ATLAS, M. Aaboud *et al.*, ATLAS Collaboration, Phys. Rev. D 98 (2018) 032009
69. Search for lepton-flavor-violating decays of the Z boson into a τ lepton and a light lepton with the ATLAS detector, M. Aaboud *et al.*, ATLAS Collaboration, Phys. Rev. D 98 (2018) 092010
70. Search for heavy particles decaying into top-quark pairs using lepton-plus-jets events in proton-proton collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector, M. Aaboud *et al.*, ATLAS Collaboration, Eur. Phys. J. C 78 (2018) 565
71. Measurements of b -jet tagging efficiency with the ATLAS detector using $t\bar{t}$ events at $\sqrt{s} = 13$ TeV, M. Aaboud *et al.*, ATLAS Collaboration, J. High Energy Phys. 08 (2018) 089
72. Search for supersymmetry in final states with charm jets and missing transverse momentum in 13 TeV pp collisions with the ATLAS detector, M. Aaboud *et al.*, ATLAS Collaboration, J. High Energy Phys. 1809 (2018) 050
73. Search for heavy resonances decaying to a photon and a hadronically decaying $Z/W/H$ boson in pp collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector, M. Aaboud *et al.*, ATLAS Collaboration, Phys. Rev. D 98 (2018) 032015
74. Measurement of colour flow using jet-pull observables in $t\bar{t}$ events with the ATLAS experiment at $\sqrt{s} = 13$ TeV, M. Aaboud *et al.*, ATLAS Collaboration, Eur. Phys. J. C 78 (2018) 847
75. Search for flavor-changing neutral currents in top quark decays $t \rightarrow Hc$ and $t \rightarrow Hu$ in multilepton final states in proton-proton collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector, M. Aaboud *et al.*, ATLAS Collaboration, Phys. Rev. D 98 (2018) 032002
76. Prompt and non-prompt J/ψ and $\psi(2S)$ suppression at high transverse momentum in 5.02 TeV Pb+Pb collisions with the ATLAS experiment, M. Aaboud *et al.*, ATLAS Collaboration, Eur. Phys. J. C 78 (2018) 762
77. Angular analysis of $B_d^0 \rightarrow K^* \mu^+ \mu^-$ decays in pp collisions at $\sqrt{s} = 8$ TeV with the ATLAS detector, M. Aaboud *et al.*, ATLAS Collaboration, J. High Energy Phys. 10 (2018) 047
78. Measurement of dijet azimuthal decorrelations in pp collisions at $\sqrt{s} = 8$ TeV with the ATLAS detector and determination of the strong coupling, M. Aaboud *et al.*, ATLAS Collaboration, Phys. Rev. D 98 (2018) 092004
79. Measurement of jet fragmentation in Pb+Pb and pp collisions at $\sqrt{s_{NN}} = 5.02$ TeV with the ATLAS detector, M. Aaboud *et al.*, ATLAS Collaboration, Phys. Rev. C 98 (2018) 024908
80. Measurement of the suppression and azimuthal anisotropy of muons from heavy-flavor decays in Pb+Pb collisions at $\sqrt{s_{NN}} = 2.76$ TeV with the ATLAS detector, M. Aaboud *et al.*, ATLAS Collaboration, Phys. Rev. C 98 (2018) 044905

81. Search for resonances in the mass distribution of jet pairs with one or two jets identified as b -jets in proton-proton collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector, M. Aaboud *et al.*, ATLAS Collaboration, Phys. Rev. D 98 (2018) 032016
82. Combined measurement of differential and total cross sections in the $H \rightarrow \gamma\gamma$ and the $H \rightarrow ZZ^* \rightarrow 4\ell$ decay channels at $\sqrt{s} = 13$ TeV with the ATLAS detector, M. Aaboud *et al.*, ATLAS Collaboration, Phys. Lett. B 786 (2018) 114-133
83. Search for new phenomena using the invariant mass distribution of same-flavour opposite-sign dilepton pairs in events with missing transverse momentum in $\sqrt{s} = 13$ TeV pp collisions with the ATLAS detector, M. Aaboud *et al.*, ATLAS Collaboration, Eur. Phys. J. C 78 (2018) 625
84. Observation of Higgs boson production in association with a top quark pair at the LHC with the ATLAS detector, M. Aaboud *et al.*, ATLAS Collaboration, Phys. Lett. B 784 (2018) 173-191
85. Measurement of the Higgs boson mass in the $H \rightarrow ZZ^* \rightarrow 4\ell$ and $H \rightarrow \gamma\gamma$ channels with $\sqrt{s} = 13$ TeV pp collisions using the ATLAS detector, M. Aaboud *et al.*, ATLAS Collaboration, Phys. Lett. B 784 (2018) 345-366
86. Search for resonant WZ production in the fully leptonic final state in proton-proton collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector, M. Aaboud *et al.*, ATLAS Collaboration, Phys. Lett. B 787 (2018) 68-88
87. Search for pair production of heavy vector-like quarks decaying into high- p_T W bosons and top quarks in the lepton-plus-jets final state in pp collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector, M. Aaboud *et al.*, ATLAS Collaboration, J. High Energy Phys. 1808 (2018) 048
88. Operation and performance of the ATLAS Tile Calorimeter in Run 1, M. Aaboud *et al.*, ATLAS Collaboration, Eur. Phys. J. C 78 (2018) 987
89. Search for chargino-neutralino production using recursive jigsaw reconstruction in final states with two or three charged leptons in proton-proton collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector, M. Aaboud *et al.*, ATLAS Collaboration, Phys. Rev. D 98 (2018) 092012
90. Search for pair production of higgsinos in final states with at least three b -tagged jets in $\sqrt{s} = 13$ TeV pp collisions using the ATLAS detector, M. Aaboud *et al.*, ATLAS Collaboration, Phys. Rev. D 98 (2018) 092002
91. Probing the quantum interference between singly and doubly resonant top-quark production in pp collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector, M. Aaboud *et al.*, ATLAS Collaboration, Phys. Rev. Lett 121 (2018) 152002
92. Search for the Higgs boson produced in association with a vector boson and decaying into two spin-zero particles in the $H \rightarrow aa \rightarrow 4b$ channel in pp collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector, M. Aaboud *et al.*, ATLAS Collaboration, J. High Energy Phys. 10 (2018) 031

93. Observation of centrality-dependent acoplanarity for muon pairs produced via two-photon scattering in Pb+Pb collisions at $\sqrt{s_{NN}} = 5.02$ TeV with the ATLAS detector, M. Aaboud *et al.*, ATLAS Collaboration, Phys. Rev. Lett 121 (2018) 212301
94. Search for pair- and single-production of vector-like quarks in final states with at least one Z boson decaying into a pair of electrons or muons in pp collision data collected with the ATLAS detector at $\sqrt{s} = 13$ TeV, M. Aaboud *et al.*, ATLAS Collaboration, Phys. Rev. D 98 (2018) 112010
95. Searches for exclusive Higgs and Z boson decays into $J/\psi\gamma$, $\psi(2S)\gamma$, and $\Upsilon(nS)\gamma$ at $\sqrt{s} = 13$ TeV with the ATLAS detector, M. Aaboud *et al.*, ATLAS Collaboration, Phys. Lett. B 786 (2018) 134-155
96. Search for Higgs boson pair production in the $\gamma\gamma b\bar{b}$ final state with 13 TeV pp collision data collected by the ATLAS experiment, M. Aaboud *et al.*, ATLAS Collaboration, J. High Energy Phys. 11 (2018) 040
97. Prompt and non-prompt J/ψ elliptic flow in Pb+Pb collisions at $\sqrt{s_{NN}} = 5.02$ TeV with the ATLAS detector, M. Aaboud *et al.*, ATLAS Collaboration, Eur. Phys. J. C 78 (2018) 784
98. Search for lepton-flavor violation in different-flavor, high-mass final states in pp collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector, M. Aaboud *et al.*, ATLAS Collaboration, Phys. Rev. D 98 (2018) 092008
99. Search for charged Higgs bosons decaying via $H^\pm \rightarrow \tau^\pm \nu_\tau$ in the τ +jets and τ +lepton final states with 36 fb^{-1} of pp collision data recorded at $\sqrt{s} = 13$ TeV with the ATLAS experiment, M. Aaboud *et al.*, ATLAS Collaboration, J. High Energy Phys. 09 (2018) 139
100. Search for Higgs bosons produced via vector-boson fusion and decaying into bottom quark pairs in $\sqrt{s} = 13$ TeV pp collisions with the ATLAS detector, M. Aaboud *et al.*, ATLAS Collaboration, Phys. Rev. D 98 (2018) 052003
101. Search for Higgs boson pair production in the $\gamma\gamma WW^*$ channel using pp collision data recorded at $\sqrt{s} = 13$ TeV with the ATLAS detector, M. Aaboud *et al.*, ATLAS Collaboration, Eur. Phys. J. C 78 (2018) 1007
102. Search for dark matter in events with a hadronically decaying vector boson and missing transverse momentum in pp collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector, M. Aaboud *et al.*, ATLAS Collaboration, J. High Energy Phys. 10 (2018) 180
103. A search for resonant and non-resonant Higgs boson pair production in the $b\bar{b}\tau^+\tau^-$ decay channel in pp collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector, M. Aaboud *et al.*, ATLAS Collaboration, Phys. Rev. Lett 121 (2018) 191801
104. Search for new phenomena in events with same-charge leptons and b -jets in pp collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector, M. Aaboud *et al.*, ATLAS Collaboration, J. High Energy Phys. 12 (2018) 039

105. Constraints on off-shell Higgs boson production and the Higgs boson total width in $ZZ \rightarrow 4\ell$ and $ZZ \rightarrow 2\ell 2\nu$ final states with the ATLAS detector, M. Aaboud *et al.*, ATLAS Collaboration, Phys. Lett. B 786 (2018) 223-244
106. Combination of searches for heavy resonances decaying into bosonic and leptonic final states using 36 fb^{-1} of proton-proton collision data at $\sqrt{s} = 13$ TeV with the ATLAS detector, M. Aaboud *et al.*, ATLAS Collaboration, Phys. Rev. D 98 (2018) 052008
107. Combination of the searches for pair-produced vector-like partners of the third-generation quarks at $\sqrt{s} = 13$ TeV with the ATLAS detector, M. Aaboud *et al.*, ATLAS Collaboration, Phys. Rev. Lett 121 (2018) 211801
108. Search for pair production of heavy vector-like quarks decaying into hadronic final states in pp collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector, M. Aaboud *et al.*, ATLAS Collaboration, Phys. Rev. D 98 (2018) 092005
109. Measurement of the azimuthal anisotropy of charged particles produced in $\sqrt{s_{\text{NN}}} = 5.02$ TeV Pb+Pb collisions with the ATLAS detector, M. Aaboud *et al.*, ATLAS Collaboration, Eur. Phys. J. C 78 (2018) 997
110. Search for charged Higgs bosons decaying into top and bottom quarks at $\sqrt{s} = 13$ TeV with the ATLAS detector, M. Aaboud *et al.*, ATLAS Collaboration, J. High Energy Phys. 11 (2018) 085
111. Observation of $H \rightarrow b\bar{b}$ decays and VH production with the ATLAS detector, M. Aaboud *et al.*, ATLAS Collaboration, Phys. Lett. B 786 (2018) 59-86
112. Comparison between simulated and observed LHC beam backgrounds in the ATLAS experiment at $E_{\text{beam}} = 4$ TeV, M. Aaboud *et al.*, ATLAS Collaboration, J. Instrum 13 (2018) P12006
113. Measurement of the $Z\gamma \rightarrow \nu\bar{\nu}\gamma$ production cross section in pp collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector and limits on anomalous triple gauge-boson couplings, M. Aaboud *et al.*, ATLAS Collaboration, J. High Energy Phys. 1812 (2018) 010

2017

1. Topological cell clustering in the ATLAS calorimeters and its performance in LHC Run 1, G. Aad *et al.*, ATLAS Collaboration, Eur. Phys. J. C 77 (2017) 490
2. Search for lepton-flavour-violating decays of the Higgs and Z bosons with the ATLAS detector, G. Aad *et al.*, ATLAS Collaboration, Eur. Phys. J. C 77 (2017) 70
3. Measurement of forward-backward multiplicity correlations in lead-lead, proton-lead and proton-proton collisions with the ATLAS detector, M. Aaboud *et al.*, ATLAS Collaboration, Phys. Rev. C 95 (2017) 064914
4. Search for new resonances decaying to a W or Z boson and a Higgs boson in the $\ell^+\ell^-\bar{b}b$, $\ell\nu\bar{b}b$, and $\nu\bar{\nu}\bar{b}b$ channels with pp collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector, M. Aaboud *et al.*, ATLAS Collaboration, Phys. Lett. B 765 (2017) 32-52

5. Search for heavy resonances decaying to a Z boson and a photon in pp collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector, M. Aaboud *et al.*, ATLAS Collaboration, Phys. Lett. B 764 (2017) 11
6. A measurement of the calorimeter response to single hadrons and determination of the jet energy scale uncertainty using LHC Run-1 pp -collision data with the ATLAS detector, M. Aaboud *et al.*, ATLAS Collaboration, Eur. Phys. J. C 77 (2017) 26
7. Measurement of the $t\bar{t}Z$ and $t\bar{t}W$ production cross sections in multilepton final states using 3.2 fb^{-1} of pp collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector, M. Aaboud *et al.*, ATLAS Collaboration, Eur. Phys. J. C 77 (2017) 40
8. Measurement of the inclusive cross-sections of single top- quark and top-antiquark t -channel production in pp collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector, M. Aaboud *et al.*, ATLAS Collaboration, J. High Energy Phys. 04 (2017) 086
9. Search for anomalous electroweak production of WW/WZ in association with a high-mass dijet system in pp collisions at $\sqrt{s} = 8$ TeV with the ATLAS detector, M. Aaboud *et al.*, ATLAS Collaboration, Phys. Rev. D 95 (2017) 032001
10. Measurements of long-range azimuthal anisotropies and associated Fourier coefficients for pp collisions at $\sqrt{s} = 5.02$ and 13 TeV and p +Pb collisions at $\sqrt{s_{NN}} = 5.02$ TeV with the ATLAS detector, M. Aaboud *et al.*, ATLAS Collaboration, Phys. Rev. C 96 (2017) 024908
11. Performance of algorithms that reconstruct missing transverse momentum in $\sqrt{s} = 8$ TeV proton–proton collisions in the ATLAS detector, G. Aad *et al.*, ATLAS Collaboration, Eur. Phys. J. C 77 (2017) 241
12. Search for triboson $W^{\pm}W^{\pm}W^{\mp}$ production in pp collisions at $\sqrt{s} = 8$ TeV with the ATLAS detector, M. Aaboud *et al.*, ATLAS Collaboration, Eur. Phys. J. C 77 (2017) 141
13. Measurement of the ZZ production cross section in proton–proton collisions at $\sqrt{s} = 8 \text{ TeV}$ using the $ZZ \rightarrow \ell^{-}\ell^{+}\ell'^{-}\ell'^{+}$ and $ZZ \rightarrow \ell^{-}\ell^{+}\nu\bar{\nu}$ decay channels with the ATLAS detector, M. Aaboud *et al.*, ATLAS Collaboration, J. High Energy Phys. 1701 (2017) 099
14. Measurements of charge and CP asymmetries in b -hadron decays using top-quark events collected by the ATLAS detector in pp collisions at $\sqrt{s} = 8$ TeV, M. Aaboud *et al.*, ATLAS Collaboration, J. High Energy Phys. 1702 (2017) 071
15. Measurements of $\psi(2S)$ and $X(3872) \rightarrow J/\psi\pi^{+}\pi^{-}$ production in pp collisions at $\sqrt{s} = 8$ TeV with the ATLAS detector, M. Aaboud *et al.*, ATLAS Collaboration, J. High Energy Phys. 1701 (2017) 117
16. Measurement of jet activity produced in top-quark events with an electron, a muon and two b -tagged jets in the final state in pp collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector, M. Aaboud *et al.*, ATLAS Collaboration, Eur. Phys. J. C 77 (2017) 220

17. Measurement of $W^\pm W^\pm$ vector-boson scattering and limits on anomalous quartic gauge couplings with the ATLAS detector, M. Aaboud *et al.*, ATLAS Collaboration, Phys. Rev. D 96 (2017) 012007
18. Search for new phenomena in events containing a same-flavour opposite-sign dilepton pair, jets, and large missing transverse momentum in $\sqrt{s} = 13$ TeV pp collisions with the ATLAS detector, M. Aaboud *et al.*, ATLAS Collaboration, Eur. Phys. J. C 77 (2017) 144
19. Stashing the stops in multijet events at the LHC, S. Diglio *et al.*, Phys. Rev. D 96 (2017) 055032
20. High- E_T isolated-photon plus jets production in pp collisions at $\sqrt{s} = 8$ TeV with the ATLAS detector, M. Aaboud *et al.*, ATLAS Collaboration, Nucl. Phys. B 918 (2017) 257-316
21. Performance of the ATLAS Trigger System in 2015, M. Aaboud *et al.*, ATLAS Collaboration, Eur. Phys. J. C 77 (2017) 317
22. Reconstruction of primary vertices at the ATLAS experiment in Run 1 proton-proton collisions at the LHC, M. Aaboud *et al.*, ATLAS Collaboration, Eur. Phys. J. C 77 (2017) 332
23. Electron efficiency measurements with the ATLAS detector using 2012 LHC proton-proton collision data, M. Aaboud *et al.*, ATLAS Collaboration, Eur. Phys. J. C 77 (2017) 195
24. Measurement of the W boson polarisation in $t\bar{t}$ events from pp collisions at $\sqrt{s} = 8$ TeV in the lepton+jets channel with ATLAS, M. Aaboud *et al.*, ATLAS Collaboration, Eur. Phys. J. C 77 (2017) 264
25. Measurement of the prompt J/ψ pair production cross-section in pp collisions at $\sqrt{s} = 8$ TeV with the ATLAS detector, M. Aaboud *et al.*, ATLAS Collaboration, Eur. Phys. J. C 77 (2017) 76
26. Precision measurement and interpretation of inclusive W^+ , W^- and Z/γ^* production cross sections with the ATLAS detector, M. Aaboud *et al.*, ATLAS Collaboration, Eur. Phys. J. C 77 (2017) 367
27. Measurements of top-quark pair to Z -boson cross-section ratios at $\sqrt{s} = 13, 8, 7$ TeV with the ATLAS detector, M. Aaboud *et al.*, ATLAS Collaboration, J. High Energy Phys. 1702 (2017) 117
28. Measurements of top-quark pair differential cross-sections in the $e\mu$ channel in pp collisions at $\sqrt{s} = 13$ TeV using the ATLAS detector, M. Aaboud *et al.*, ATLAS Collaboration, Eur. Phys. J. C 77 (2017) 292
29. Measurements of top quark spin observables in $t\bar{t}$ events using dilepton final states in $\sqrt{s} = 8$ TeV pp collisions with the ATLAS detector, M. Aaboud *et al.*, ATLAS Collaboration, J. High Energy Phys. 03 (2017) 113
30. Measurement of charged-particle distributions sensitive to the underlying event in $\sqrt{s} = 13$ TeV proton-proton collisions with the ATLAS detector at the LHC, M. Aaboud *et al.*, ATLAS Collaboration, J. High Energy Phys. 1703 (2017) 157

31. Measurement of the cross section for inclusive isolated- photon production in pp collisions at $\sqrt{s} = 13$ TeV using the ATLAS detector, M. Aaboud *et al.*, ATLAS Collaboration, Phys. Lett. B 770 (2017) 473-793
32. Measurement of internal structure of jets in Pb+Pb collisions at $\sqrt{s_{NN}} = 2.76$ TeV with the ATLAS detector at the LHC, M. Aaboud *et al.*, ATLAS Collaboration, Eur. Phys. J. C 77 (2017) 379
33. Evidence for light-by-light scattering in heavy-ion collisions with the ATLAS detector at the LHC, M. Aaboud *et al.*, ATLAS Collaboration, Nat. Phys 13 (2017) 852-858
34. Fiducial, total and differential cross-section measurements of t -channel single top-quark production in pp collisions at 8 TeV using data collected by the ATLAS detector, M. Aaboud *et al.*, ATLAS Collaboration, Eur. Phys. J. C 77 (2017) 531
35. Measurement of the W^+W^- production cross section in pp collisions at a centre-of-mass energy of $\sqrt{s} = 13$ TeV with the ATLAS experiment, M. Aaboud *et al.*, ATLAS Collaboration, Phys. Lett. B 773 (2017) 354-374
36. Performance of the ATLAS Transition Radiation Tracker in Run 1 of the LHC: tracker properties, M. Aaboud *et al.*, ATLAS Collaboration, J. Instrum 12 (2017) P05002
37. Measurements of the production cross section of a Z boson in association with jets in pp collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector, M. Aaboud *et al.*, ATLAS Collaboration, Eur. Phys. J. C 77 (2017) 361
38. Probing the Wtb vertex structure in t -channel single- top-quark production and decay in pp collisions at $\sqrt{s} = 8$ TeV with the ATLAS detector, M. Aaboud *et al.*, ATLAS Collaboration, J. High Energy Phys. 04 (2017) 124
39. Top-quark mass measurement in the all-hadronic $t\bar{t}$ decay channel at $\sqrt{s} = 8$ TeV with the ATLAS detector, M. Aaboud *et al.*, ATLAS Collaboration, J. High Energy Phys. 09 (2017) 118
40. Measurement of the $t\bar{t}$ production cross section in the $\tau +$ jets final state in pp collisions at $\sqrt{s} = 8$ TeV using the ATLAS detector, M. Aaboud *et al.*, ATLAS Collaboration, Phys. Rev. D 95 (2017) 072003
41. Measurements of electroweak Wjj production and constraints on anomalous gauge couplings with the ATLAS detector, M. Aaboud *et al.*, ATLAS Collaboration, Eur. Phys. J. C 77 (2017) 474
42. Search for new phenomena in dijet events using 37 fb^{-1} of pp collision data collected at $\sqrt{s} = 13$ TeV with the ATLAS detector, M. Aaboud *et al.*, ATLAS Collaboration, Phys. Rev. D 96 (2017) 052004
43. Jet energy scale measurements and their systematic uncertainties in proton-proton collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector, M. Aaboud *et al.*, ATLAS Collaboration, Phys. Rev. D 96 (2017) 072002

44. Jet reconstruction and performance using particle flow with the ATLAS Detector, M. Aaboud *et al.*, ATLAS Collaboration, Eur. Phys. J. C 77 (2017) 466
45. Measurement of the k_t splitting scales in $Z \rightarrow \ell\ell$ events in pp collisions at $\sqrt{s} = 8$ TeV with the ATLAS detector, M. Aaboud *et al.*, ATLAS Collaboration, J. High Energy Phys. 08 (2017) 026
46. Femtoscopy with identified charged pions in proton-lead collisions at $\sqrt{s_{NN}} = 5.02$ TeV with ATLAS, M. Aaboud *et al.*, ATLAS Collaboration, Phys. Rev. C 96 (2017) 064908
47. Measurements of integrated and differential cross sections for isolated photon pair production in pp collisions at $\sqrt{s} = 8$ TeV with the ATLAS detector, M. Aaboud *et al.*, ATLAS Collaboration, Phys. Rev. D 95 (2017) 112005
48. Search for dark matter at $\sqrt{s} = 13$ TeV in final states containing an energetic photon and large missing transverse momentum with the ATLAS detector, M. Aaboud *et al.*, ATLAS Collaboration, Eur. Phys. J. C 77 (2017) 393
49. Performance of the ATLAS Track Reconstruction Algorithms in Dense Environments in LHC run 2, M. Aaboud *et al.*, ATLAS Collaboration, Eur. Phys. J. C 77 (2017) 673
50. Search for new phenomena in a lepton plus high jet multiplicity final state with the ATLAS experiment using $\sqrt{s} = 13$ TeV proton-proton collision data, M. Aaboud *et al.*, ATLAS Collaboration, J. High Energy Phys. 1709 (2017) 088
51. Studies of $Z\gamma$ production in association with a high-mass dijet system in pp collisions at $\sqrt{s} = 8$ TeV with the ATLAS detector, M. Aaboud *et al.*, ATLAS Collaboration, J. High Energy Phys. 07 (2017) 107
52. Identification and rejection of pile-up jets at high pseudorapidity with the ATLAS detector, M. Aaboud *et al.*, ATLAS Collaboration, Eur. Phys. J. C 77 (2017) 580
53. Measurement of b -hadron pair production with the ATLAS detector in proton-proton collisions at $\sqrt{s} = 8$ TeV, M. Aaboud *et al.*, ATLAS Collaboration, J. High Energy Phys. 11 (2017) 062
54. Measurement of multi-particle azimuthal correlations in pp , p +Pb and low-multiplicity Pb+Pb collisions with the ATLAS detector, M. Aaboud *et al.*, ATLAS Collaboration, Eur. Phys. J. C 77 (2017) 428
55. Search for the dimuon decay of the Higgs boson in pp collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector, M. Aaboud *et al.*, ATLAS Collaboration, Phys. Rev. Lett 119 (2017) 051802
56. Measurement of heat transfer coefficient in two phase flows of radiation-resistant zeotropic C_2F_6/C_3F_8 blends, M. Doubek *et al.*, I. J. Heat & Mass Transfer 113 (2017) 246-256

57. Search for pair production of vector-like top quarks in events with one lepton, jets, and missing transverse momentum in $\sqrt{s} = 13$ TeV pp collisions with the ATLAS detector, M. Aaboud *et al.*, ATLAS Collaboration, J. High Energy Phys. 08 (2017) 052
58. Measurement of $WW/WZ \rightarrow \ell\nu qq'$ production with the hadronically decaying boson reconstructed as one or two jets in pp collisions at $\sqrt{s} = 8$ TeV with ATLAS, and constraints on anomalous gauge couplings, M. Aaboud *et al.*, ATLAS Collaboration, Eur. Phys. J. C 77 (2017) 563
59. Measurement of the $t\bar{t}\gamma$ production cross section in proton-proton collisions at $\sqrt{s} = 8$ TeV with the ATLAS detector, M. Aaboud *et al.*, ATLAS Collaboration, J. High Energy Phys. 11 (2017) 086
60. Measurement of the inclusive jet cross-sections in proton-proton collisions at $\sqrt{s} = 8$ TeV with the ATLAS detector, M. Aaboud *et al.*, ATLAS Collaboration, J. High Energy Phys. 09 (2017) 020
61. Search for direct top squark pair production in events with a Higgs or Z boson, and missing transverse momentum in $\sqrt{s} = 13$ TeV pp collisions with the ATLAS detector, M. Aaboud *et al.*, ATLAS Collaboration, J. High Energy Phys. 08 (2017) 006
62. Search for supersymmetry in final states with two same-sign or three leptons and jets using 36 fb^{-1} of $\sqrt{s} = 13$ TeV pp collision data with the ATLAS detector, M. Aaboud *et al.*, ATLAS Collaboration, J. High Energy Phys. 1709 (2017) 084
63. Search for dark matter in association with a Higgs boson decaying to two photons at $\sqrt{s} = 13$ TeV with the ATLAS detector, M. Aaboud *et al.*, ATLAS Collaboration, Phys. Rev. D 96 (2017) 112004
64. Measurement of jet p_T correlations in Pb+Pb and pp collisions at $\sqrt{s_{NN}} = 2.76$ TeV with the ATLAS detector, M. Aaboud *et al.*, ATLAS Collaboration, Phys. Lett. B 774 (2017) 379-402
65. Search for Dark Matter Produced in Association with a Higgs Boson Decaying to $b\bar{b}$ using 36 fb^{-1} of pp collisions at $\sqrt{s} = 13$ TeV with the ATLAS Detector, M. Aaboud *et al.*, ATLAS Collaboration, Phys. Rev. Lett 119 (2017) 181804
66. Search for top quark decays $t \rightarrow qH$, with $H \rightarrow \gamma\gamma$, in $\sqrt{s} = 13$ TeV pp collisions using the ATLAS detector, M. Aaboud *et al.*, ATLAS Collaboration, J. High Energy Phys. 10 (2017) 129
67. Search for new high-mass phenomena in the dilepton final state using 36 fb^{-1} of proton-proton collision data at $\sqrt{s} = 13$ TeV with the ATLAS detector, M. Aaboud *et al.*, ATLAS Collaboration, J. High Energy Phys. 10 (2017) 182
68. Determination of the strong coupling constant α_s from transverse energy-energy correlations in multijet events at $\sqrt{s} = 8$ TeV using the ATLAS detector, M. Aaboud *et al.*, ATLAS Collaboration, Eur. Phys. J. C 77 (2017) 872

69. Study of the material of the ATLAS inner detector for Run 2 of the LHC, M. Aaboud *et al.*, ATLAS Collaboration, J. Instrum 12 (2017) P12009
70. Measurement of detector-corrected observables sensitive to the anomalous production of events with jets and large missing transverse momentum in pp collisions at $\sqrt{s} = 13$ TeV using the ATLAS detector, M. Aaboud *et al.*, ATLAS Collaboration, Eur. Phys. J. C 77 (2017) 765
71. Search for pair production of heavy vector-like quarks decaying to high- $p_{\text{transverse}}$ W bosons and b quarks in the lepton-plus-jets final state in pp collisions at $\sqrt{s}=13$ TeV with the ATLAS detector, M. Aaboud *et al.*, ATLAS Collaboration, J. High Energy Phys. 10 (2017) 141
72. Search for new phenomena in high-mass diphoton final states using 37 fb^{-1} of proton–proton collisions collected at $\sqrt{s} = 13$ TeV with the ATLAS detector, M. Aaboud *et al.*, ATLAS Collaboration, Phys. Lett. B 775 (2017) 105-125
73. Study of $WW\gamma$ and $WZ\gamma$ production in pp collisions at $\sqrt{s} = 8$ TeV and search for anomalous quartic gauge couplings with the ATLAS experiment, M. Aaboud *et al.*, ATLAS Collaboration, Eur. Phys. J. C 77 (2017) 646
74. Analysis of the Wtb vertex from the measurement of triple- differential angular decay rates of single top quarks produced in the t -channel at $\sqrt{s} = 8$ TeV with the ATLAS detector, M. Aaboud *et al.*, ATLAS Collaboration, J. High Energy Phys. 12 (2017) 017
75. Search for heavy Higgs bosons A/H decaying to a top quark pair in pp collisions at $\sqrt{s} = 8$ TeV with the ATLAS detector, M. Aaboud *et al.*, ATLAS Collaboration, Phys. Rev. Lett 119 (2017) 191803
76. Search for heavy resonances decaying to a W or Z boson and a Higgs boson in the $q\bar{q}^{(\prime)}b\bar{b}$ final state in pp collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector, M. Aaboud *et al.*, ATLAS Collaboration, Phys. Lett. B 774 (2017) 494-515
77. Searches for the $Z\gamma$ decay mode of the Higgs boson and for new high-mass resonances in pp collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector, M. Aaboud *et al.*, ATLAS Collaboration, J. High Energy Phys. 10 (2017) 112
78. Measurements of top-quark pair differential cross-sections in the lepton+jets channel in pp collisions at $\sqrt{s} = 13$ TeV using the ATLAS detector, M. Aaboud *et al.*, ATLAS Collaboration, J. High Energy Phys. 11 (2017) 191
79. Search for new phenomena with large jet multiplicities and missing transverse momentum using large-radius jets and flavour- tagging at ATLAS in 13 TeV pp collisions, M. Aaboud *et al.*, ATLAS Collaboration, J. High Energy Phys. 12 (2017) 034
80. Measurement of inclusive and differential cross sections in the $H \rightarrow ZZ^* \rightarrow 4\ell$ decay channel in pp collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector, M. Aaboud *et al.*, ATLAS Collaboration, J. High Energy Phys. 10 (2017) 132

81. Search for direct top squark pair production in final states with two leptons in $\sqrt{s} = 13$ TeV pp collisions with the ATLAS detector, M. Aaboud *et al.*, ATLAS Collaboration, Eur. Phys. J. C 77 (2017) 898
82. Evidence for the $H \rightarrow b\bar{b}$ decay with the ATLAS detector, M. Aaboud *et al.*, ATLAS Collaboration, J. High Energy Phys. 12 (2017) 024
83. Search for squarks and gluinos in events with an isolated lepton, jets and missing transverse momentum at $\sqrt{s} = 13$ TeV with the ATLAS detector, M. Aaboud *et al.*, ATLAS Collaboration, Phys. Rev. D 96 (2017) 112010
84. Search for supersymmetry in events with b -tagged jets and missing transverse momentum in pp collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector, M. Aaboud *et al.*, ATLAS Collaboration, J. High Energy Phys. 11 (2017) 195
85. Search for a scalar partner of the top quark in the jets plus missing transverse momentum final state at $\sqrt{s}=13$ TeV with the ATLAS detector, M. Aaboud *et al.*, ATLAS Collaboration, J. High Energy Phys. 1712 (2017) 085
86. Study of ordered hadron chains with the ATLAS detector, M. Aaboud *et al.*, ATLAS Collaboration, Phys. Rev. D 96 (2017) 092008
87. Measurement of lepton differential distributions and the top quark mass in $t\bar{t}$ production in pp collisions at $\sqrt{s} = 8$ TeV with the ATLAS detector, M. Aaboud *et al.*, ATLAS Collaboration, Eur. Phys. J. C 77 (2017) 804
88. Measurement of the cross-section for electroweak production of dijets in association with a Z boson in pp collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector, M. Aaboud *et al.*, ATLAS Collaboration, Phys. Lett. B 775 (2017) 206-228
89. Measurement of the Drell–Yan triple-differential cross section in pp collisions at $\sqrt{s} = 8$ TeV, M. Aaboud *et al.*, ATLAS Collaboration, J. High Energy Phys. 1712 (2017) 059

2016

1. A new method for indirect mass measurements using the integral charge asymmetry at the LHC, S. Muanza *et al.*, J. High Energy Phys. 1604 (2016) 179
2. Centrality, rapidity and transverse momentum dependence of isolated prompt photon production in lead-lead collisions at $\sqrt{s_{NN}} = 2.76$ TeV measured with the ATLAS detector, G. Aad *et al.*, ATLAS Collaboration, Phys. Rev. C 93 (2016) 034914
3. Measurements of the Higgs boson production and decay rates and coupling strengths using pp collision data at $\sqrt{s} = 7$ and 8 TeV in the ATLAS experiment, G. Aad *et al.*, ATLAS Collaboration, Eur. Phys. J. C 76 (2016) 6
4. Search for an additional, heavy Higgs boson in the $H \rightarrow ZZ$ decay channel at $\sqrt{s} = 8$ TeV in pp collision data with the ATLAS detector, G. Aad *et al.*, ATLAS Collaboration, Eur. Phys. J. C 76 (2016) 45

5. Study of the $B_c^+ \rightarrow J/\psi D_s^+$ and $B_c^+ \rightarrow J/\psi D_s^{*+}$ decays with the ATLAS detector, G. Aad *et al.*, ATLAS Collaboration, Eur. Phys. J. C 76 (2016) 1-24
6. Measurement of the centrality dependence of the charged- particle pseudorapidity distribution in proton–lead collisions at $\sqrt{s_{NN}} = 5.02$ TeV with the ATLAS detector, G. Aad *et al.*, ATLAS Collaboration, Eur. Phys. J. C 76 (2016) 199
7. Constraints on non-Standard Model Higgs boson interactions in an effective Lagrangian using differential cross sections measured in the $H \rightarrow \gamma\gamma$ decay channel at $\sqrt{s} = 8$ TeV with the ATLAS detector, G. Aad *et al.*, ATLAS Collaboration, Phys. Lett. B 753 (2016) 69-85
8. Searches for scalar leptoquarks in pp collisions at $\sqrt{s} = 8$ TeV with the ATLAS detector, G. Aad *et al.*, ATLAS Collaboration, Eur. Phys. J. C 76 (2016) 1-28
9. Search for flavour-changing neutral current top-quark decays to qZ in pp collision data collected with the ATLAS detector at $\sqrt{s} = 8$ TeV, G. Aad *et al.*, ATLAS Collaboration, Eur. Phys. J. C 76 (2016) 12
10. Measurements of fiducial cross-sections for $t\bar{t}$ production with one or two additional b -jets in pp collisions at $\sqrt{s}=8$ TeV using the ATLAS detector, G. Aad *et al.*, ATLAS Collaboration, Eur. Phys. J. C 76 (2016) 11
11. Search for invisible decays of a Higgs boson using vector- boson fusion in pp collisions at $\sqrt{s} = 8$ TeV with the ATLAS detector, G. Aad *et al.*, ATLAS Collaboration, J. High Energy Phys. 01 (2016) 172
12. Search for a high-mass Higgs boson decaying to a W boson pair in pp collisions at $\sqrt{s} = 8$ TeV with the ATLAS detector, G. Aad *et al.*, ATLAS Collaboration, J. High Energy Phys. 01 (2016) 032
13. Search for single top-quark production via flavour changing neutral currents at 8 TeV with the ATLAS detector, G. Aad *et al.*, ATLAS Collaboration, Eur. Phys. J. C 76 (2016) 55
14. Measurement of the charge asymmetry in top-quark pair production in the lepton-plus-jets final state in pp collision data at $\sqrt{s} = 8$ TeV with the ATLAS detector, G. Aad *et al.*, ATLAS Collaboration, Eur. Phys. J. C 76 (2016) 87
15. Search for direct top squark pair production in final states with two tau leptons in pp collisions at $\sqrt{s} = 8$ TeV with the ATLAS detector, G. Aad *et al.*, ATLAS Collaboration, Eur. Phys. J. C 76 (2016) 81
16. Observation of long-range elliptic anisotropies in $\sqrt{s} = 13$ and 2.76 TeV pp collisions with the ATLAS detector, G. Aad *et al.*, ATLAS Collaboration, Phys. Rev. Lett 116 (2016) 172301
17. Search for new phenomena in events with at least three photons collected in pp collisions at $\sqrt{s} = 8$ TeV with the ATLAS detector, G. Aad *et al.*, ATLAS Collaboration, Eur. Phys. J. C 76 (2016) 210

18. A new method to distinguish hadronically decaying boosted Z bosons from W bosons using the ATLAS detector, G. Aad *et al.*, ATLAS Collaboration, Eur. Phys. J. C 76 (2016) 238
19. Measurement of jet charge in dijet events from $\sqrt{s} = 8$ TeV pp collisions with the ATLAS detector, G. Aad *et al.*, ATLAS Collaboration, Phys. Rev. D 93 (2016) 052003
20. Search for the electroweak production of supersymmetric particles in $\sqrt{s}=8$ TeV pp collisions with the ATLAS detector, G. Aad *et al.*, ATLAS Collaboration, Phys. Rev. D 93 (2016) 052002
21. Measurements of four-lepton production in pp collisions at $\sqrt{s}=8$ TeV with the ATLAS detector, G. Aad *et al.*, ATLAS Collaboration, Phys. Lett. B 753 (2016) 552-572
22. Search for magnetic monopoles and stable particles with high electric charges in 8 TeV pp collisions with the ATLAS detector, G. Aad *et al.*, ATLAS Collaboration, Phys. Rev. D 93 (2016) 052009
23. Search for the production of single vector-like and excited quarks in the Wt final state in pp collisions at $\sqrt{s} = 8$ TeV with the ATLAS detector, G. Aad *et al.*, ATLAS Collaboration, J. High Energy Phys. 02 (2016) 110
24. Performance of pile-up mitigation techniques for jets in pp collisions at $\sqrt{s} = 8$ TeV using the ATLAS detector, G. Aad *et al.*, ATLAS Collaboration, Eur. Phys. J. C 76 (2016) 581
25. Search for anomalous couplings in the Wtb vertex from the measurement of double differential angular decay rates of single top quarks produced in the t -channel with the ATLAS detector, G. Aad *et al.*, ATLAS Collaboration, J. High Energy Phys. 04 (2016) 023
26. Measurement of the production cross-section of a single top quark in association with a W boson at 8 TeV with the ATLAS experiment, G. Aad *et al.*, ATLAS Collaboration, J. High Energy Phys. 01 (2016) 064
27. Measurement of the differential cross-section of highly boosted top quarks as a function of their transverse momentum in $\sqrt{s} = 8$ TeV proton–proton collisions using the ATLAS detector, G. Aad *et al.*, ATLAS Collaboration, Phys. Rev. D 93 (2016) 032009
28. Identification of boosted, hadronically decaying W bosons and comparisons with ATLAS data taken at $\sqrt{s} = 8$ TeV, G. Aad *et al.*, ATLAS Collaboration, Eur. Phys. J. C 76 (2016) 1-47
29. Measurement of the correlations between the polar angles of leptons from top quark decays in the helicity basis at $\sqrt{s} = 7$ TeV using the ATLAS detector, G. Aad *et al.*, ATLAS Collaboration, Phys. Rev. D 93 (2016) 012002
30. Search for dark matter produced in association with a Higgs boson decaying to two bottom quarks in pp collisions at $\sqrt{s} = 8$ TeV with the ATLAS detector, G. Aad *et al.*, ATLAS Collaboration, Phys. Rev. D 93 (2016) 072007

31. Dijet production in $\sqrt{s} = 7$ TeV pp collisions with large rapidity gaps at the ATLAS experiment, G. Aad *et al.*, ATLAS Collaboration, Phys. Lett. B 754 (2016) 214
32. Measurements of top-quark pair differential cross-sections in the lepton+jets channel in pp collisions at $\sqrt{s} = 8$ TeV using the ATLAS detector, G. Aad *et al.*, ATLAS Collaboration, Eur. Phys. J. C 76 (2016) 538
33. Evidence for single top-quark production in the s -channel in proton–proton collisions at $\sqrt{s} = 8$ TeV with the ATLAS detector using the Matrix Element Method, G. Aad *et al.*, ATLAS Collaboration, Phys. Lett. B 756 (2016) 228-246
34. A search for prompt lepton-jets in pp collisions at $\sqrt{s} = 8$ TeV with the ATLAS detector, G. Aad *et al.*, ATLAS Collaboration, J. High Energy Phys. 02 (2016) 062
35. Search for the Standard Model Higgs boson produced in association with a vector boson and decaying into a tau pair in pp collisions at $\sqrt{s} = 8$ TeV with the ATLAS detector, G. Aad *et al.*, ATLAS Collaboration, Phys. Rev. D 93 (2016) 092005
36. Measurement of the dependence of transverse energy production at large pseudorapidity on the hard-scattering kinematics of proton–proton collisions at $\sqrt{s} = 2.76$ TeV with ATLAS, G. Aad *et al.*, ATLAS Collaboration, Phys. Lett. B 756 (2016) 10-28
37. Performance of b -Jet Identification in the ATLAS Experiment, G. Aad *et al.*, ATLAS Collaboration, J. Instrum 11 (2016) P04008
38. Search for New Phenomena in Dijet Mass and Angular Distributions from pp collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector, G. Aad *et al.*, ATLAS Collaboration, Phys. Lett. B 754 (2016) 302-322
39. Search for strong gravity in multijet final states produced in pp collisions at $\sqrt{s} = 13$ TeV using the ATLAS detector at the LHC, G. Aad *et al.*, ATLAS Collaboration, J. High Energy Phys. 03 (2016) 026
40. Measurement of the transverse momentum and ϕ_{η}^* distributions of Drell–Yan lepton pairs in proton–proton collisions at $\sqrt{s} = 8$ TeV with the ATLAS detector, G. Aad *et al.*, ATLAS Collaboration, Eur. Phys. J. C 76 (2016) 291
41. Measurement of $D^{*\pm}$, D^{\pm} and D_s^{\pm} meson production cross sections in pp collisions at $\sqrt{s} = 7$ TeV with the ATLAS detector, G. Aad *et al.*, ATLAS Collaboration, Nucl. Phys. B 907 (2016) 717
42. Measurement of the differential cross-sections of prompt and non-prompt production of J/ψ and $\psi(2S)$ in pp collisions at $\sqrt{s} = 7$ and 8 TeV with the ATLAS detector, G. Aad *et al.*, ATLAS Collaboration, Eur. Phys. J. C 76 (2016) 283
43. Search for charged Higgs bosons in the $H^{\pm} \rightarrow tb$ decay channel in pp collisions at $\sqrt{s} = 8$ TeV using the ATLAS detector, G. Aad *et al.*, ATLAS Collaboration, J. High Energy Phys. 03 (2016) 127

44. Measurement of the ZZ Production Cross Section in pp Collisions at $\sqrt{s} = 13$ TeV with the ATLAS Detector, G. Aad *et al.*, ATLAS Collaboration, Phys. Rev. Lett 116 (2016) 101801
45. Combination of searches for WW , WZ , and ZZ resonances in pp collisions at $\sqrt{s} = 8$ TeV with the ATLAS detector, G. Aad *et al.*, ATLAS Collaboration, Phys. Lett. B 755 (2016) 285-305
46. Measurement of the charge asymmetry in highly boosted top- quark pair production in $\sqrt{s} = 8$ TeV pp collision data collected by the ATLAS experiment, G. Aad *et al.*, ATLAS Collaboration, Phys. Lett. B 756 (2016) 52-71
47. Search for new phenomena with photon+jet events in proton–proton collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector, G. Aad *et al.*, ATLAS Collaboration, J. High Energy Phys. 03 (2016) 041
48. Reconstruction of hadronic decay products of tau leptons with the ATLAS experiment, G. Aad *et al.*, ATLAS Collaboration, Eur. Phys. J. C 76 (2016) 295
49. Probing lepton flavour violation via neutrinoless $\tau \rightarrow 3\mu$ decays with the ATLAS detector, G. Aad *et al.*, ATLAS Collaboration, Eur. Phys. J. C 76 (2016) 232
50. Measurement of the CP-violating phase ϕ_s and the B_s^0 meson decay width difference with $B_s^0 \rightarrow J/\psi\phi$ decays in ATLAS, G. Aad *et al.*, ATLAS Collaboration, J. High Energy Phys. 08 (2016) 147
51. A search for an excited muon decaying to a muon and two jets in pp collisions at $\sqrt{s} = 8$ TeV with the ATLAS detector, G. Aad *et al.*, ATLAS Collaboration, New J. Phys 1 (2016) 8
52. A search for top squarks with R-parity-violating decays to all-hadronic final states with the ATLAS detector in $\sqrt{s} = 8$ TeV proton–proton collisions, G. Aad *et al.*, ATLAS Collaboration, J. High Energy Phys. 06 (2016) 067
53. Measurement of the charged-particle multiplicity inside jets from $\sqrt{s} = 8$ TeV pp collisions with the ATLAS detector, G. Aad *et al.*, ATLAS Collaboration, Eur. Phys. J. C 76 (2016) 322
54. Charged-particle distributions in $\sqrt{s} = 13$ TeV pp interactions measured with the ATLAS detector at the LHC, G. Aad *et al.*, ATLAS Collaboration, Phys. Lett. B 758 (2016) 67-88
55. Test of CP Invariance in vector-boson fusion production of the Higgs boson using the Optimal Observable method in the ditau decay channel with the ATLAS detector, G. Aad *et al.*, ATLAS Collaboration, Eur. Phys. J. C 76 (2016) 658
56. Search for single production of vector-like quarks decaying into Wb in pp collisions at $\sqrt{s} = 8$ TeV with the ATLAS detector, G. Aad *et al.*, ATLAS Collaboration, J. High Energy Phys. 06 (2016) 005

57. Search for single production of a vector-like quark via a heavy gluon in the $4b$ final state with the ATLAS detector in pp collisions at $\sqrt{s} = 8$ TeV, G. Aad *et al.*, ATLAS Collaboration, Phys. Lett. B 758 (2016) 249
58. Search for new phenomena in final states with large jet multiplicities and missing transverse momentum with ATLAS using $\sqrt{s} = 13$ TeV proton–proton collisions, G. Aad *et al.*, ATLAS Collaboration, Phys. Lett. B 757 (2016) 334-355
59. Custom real-time ultrasonic instrumentation for simultaneous mixture and flow analysis of binary gases in the CERN ATLAS experiment, M. Alhroob *et al.*, ATLAS Collaboration, Nucl. Instrum. Meth. A 845 (2016) 273-277
60. Search for supersymmetry at $\sqrt{s} = 13$ TeV in final states with jets and two same-sign leptons or three leptons with the ATLAS detector, G. Aad *et al.*, ATLAS Collaboration, Eur. Phys. J. C 76 (2016) 259
61. Measurement of event-shape observables in $Z \rightarrow \ell^+\ell^-$ events in pp collisions at $\sqrt{s} = 7$ TeV with the ATLAS detector at the LHC, G. Aad *et al.*, ATLAS Collaboration, Eur. Phys. J. C 76 (2016) 375
62. Measurement of total and differential W^+W^- production cross sections in proton-proton collisions at $\sqrt{s} = 8$ TeV with the ATLAS detector and limits on anomalous triple-gauge-boson couplings, G. Aad *et al.*, ATLAS Collaboration, J. High Energy Phys. 09 (2016) 029
63. Identification of high transverse momentum top quarks in pp collisions at $\sqrt{s} = 8$ TeV with the ATLAS detector, G. Aad *et al.*, ATLAS Collaboration, J. High Energy Phys. 06 (2016) 093
64. Measurements of $W^\pm Z$ production cross sections in pp collisions at $\sqrt{s} = 8$ TeV with the ATLAS detector and limits on anomalous gauge boson self-couplings, G. Aad *et al.*, ATLAS Collaboration, Phys. Rev. D 93 (2016) 092004
65. Charged-particle distributions in pp interactions at $\sqrt{s} = 8$ TeV measured with the ATLAS detector at the LHC, G. Aad *et al.*, ATLAS Collaboration, Eur. Phys. J. C 76 (2016) 403
66. Muon reconstruction performance of the ATLAS detector in proton–proton collision data at $\sqrt{s}=13$ TeV, G. Aad *et al.*, ATLAS Collaboration, Eur. Phys. J. C 76 (2016) 292
67. Beam-induced and cosmic-ray backgrounds observed in the ATLAS detector during the LHC 2012 proton-proton running period, G. Aad *et al.*, ATLAS Collaboration, J. Instrum 11 (2016) P05013
68. Search for resonances in the mass distribution of jet pairs with one or two jets identified as b -jets in proton–proton collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector, M. Aaboud *et al.*, ATLAS Collaboration, Phys. Lett. B 759 (2016) 229-246
69. Measurement of W^\pm and Z -boson production cross sections in pp collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector, G. Aad *et al.*, ATLAS Collaboration, Phys. Lett. B 759 (2016) 601

70. Search for charged Higgs bosons produced in association with a top quark and decaying via $H^\pm \rightarrow \tau\nu$ using pp collision data recorded at $\sqrt{s} = 13$ TeV by the ATLAS detector, M. Aaboud *et al.*, ATLAS Collaboration, Phys. Lett. B 759 (2016) 555-574
71. Search for new phenomena in events with a photon and missing transverse momentum in pp collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector, M. Aaboud *et al.*, ATLAS Collaboration, J. High Energy Phys. 06 (2016) 059
72. Measurement of fiducial differential cross sections of gluon-fusion production of Higgs bosons decaying to $WW^* \rightarrow e\nu\mu\nu$ with the ATLAS detector at $\sqrt{s} = 8$ TeV, G. Aad *et al.*, ATLAS Collaboration, J. High Energy Phys. 08 (2016) 104
73. Search for the Standard Model Higgs boson decaying into $b\bar{b}$ produced in association with top quarks decaying hadronically in pp collisions at $\sqrt{s}=8$ TeV with the ATLAS detector, G. Aad *et al.*, ATLAS Collaboration, J. High Energy Phys. 05 (2016) 160
74. Search for the Standard Model Higgs boson decaying into $b\bar{b}$ produced in association with top quarks decaying hadronically in pp collisions at $\sqrt{s} = 8$ TeV with the ATLAS detector, G. Aad *et al.*, ATLAS Collaboration, J. High Energy Phys. 1605 (2016) 160
75. Study of the rare decays of B_s^0 and B^0 into muon pairs from data collected during the LHC Run 1 with the ATLAS detector, M. Aaboud *et al.*, ATLAS Collaboration, Eur. Phys. J. C 76 (2016) 513
76. Search for metastable heavy charged particles with large ionization energy loss in pp collisions at $\sqrt{s} = 13$ TeV using the ATLAS experiment, M. Aaboud *et al.*, ATLAS Collaboration, Phys. Rev. D 93 (2016) 112015
77. Measurements of $Z\gamma$ and $Z\gamma\gamma$ production in pp collisions at $\sqrt{s} = 8$ TeV with the ATLAS detector, G. Aad *et al.*, ATLAS Collaboration, Phys. Rev. D 93 (2016) 112002
78. Measurements of the charge asymmetry in top-quark pair production in the dilepton final state at $\sqrt{s} = 8$ TeV with the ATLAS detector, G. Aad *et al.*, ATLAS Collaboration, Phys. Rev. D 94 (2016) 032006
79. Search for new phenomena in final states with an energetic jet and large missing transverse momentum in pp collisions at $\sqrt{s} = 13$ TeV using the ATLAS detector, M. Aaboud *et al.*, ATLAS Collaboration, Phys. Rev. D 94 (2016) 032005
80. Implementations of Custom Sonar Instruments for Binary Gas Mixture and Flow Analysis in the ATLAS Experiment at the CERN LHC, M. Alhroob *et al.*, ATLAS Collaboration, IEEE T. Nucl. Sci 63 (2016) 1659-1667
81. Search for squarks and gluinos in final states with jets and missing transverse momentum at $\sqrt{s} = 13$ TeV with the ATLAS detector, M. Aaboud *et al.*, ATLAS Collaboration, Eur. Phys. J. C 76 (2016) 392

82. Search for gluinos in events with an isolated lepton, jets and missing transverse momentum at $\sqrt{s} = 13$ TeV with the ATLAS detector, G. Aad *et al.*, ATLAS Collaboration, Eur. Phys. J. C 76 (2016) 565
83. Search for scalar leptoquarks in pp collisions at $\sqrt{s} = 13$ TeV with the ATLAS experiment, M. Aaboud *et al.*, ATLAS Collaboration, New J. Phys 18 (2016) 093016
84. Transverse momentum, rapidity, and centrality dependence of inclusive charged-particle production in $\sqrt{s_{NN}} = 5.02$ TeV p+Pb collisions measured by the ATLAS experiment, G. Aad *et al.*, ATLAS Collaboration, Phys. Lett. B 763 (2016) 313
85. Measurement of the relative width difference of the $B^0-\bar{B}^0$ system with the ATLAS detector, M. Aaboud *et al.*, ATLAS Collaboration, J. High Energy Phys. 06 (2016) 081
86. Search for pair production of gluinos decaying via stop and sbottom in events with b -jets and large missing transverse momentum in pp collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector, G. Aad *et al.*, ATLAS Collaboration, Phys. Rev. D 94 (2016) 032003
87. Measurement of the angular coefficients in Z -boson events using electron and muon pairs from data taken at $\sqrt{s} = 8$ TeV with the ATLAS detector, G. Aad *et al.*, ATLAS Collaboration, J. High Energy Phys. 08 (2016) 159
88. Charged-particle distributions at low transverse momentum in $\sqrt{s} = 13$ TeV pp interactions measured with the ATLAS detector at the LHC, M. Aaboud *et al.*, ATLAS Collaboration, Eur. Phys. J. C 76 (2016) 502
89. Measurement of the double-differential high-mass Drell–Yan cross section in pp collisions at $\sqrt{s} = 8$ TeV with the ATLAS detector, G. Aad *et al.*, ATLAS Collaboration, J. High Energy Phys. 08 (2016) 009
90. Measurement of the photon identification efficiencies with the ATLAS detector using LHC Run-1 data, M. Aaboud *et al.*, ATLAS Collaboration, Eur. Phys. J. C 76 (2016) 666
91. Measurements of the Higgs boson production and decay rates and constraints on its couplings from a combined ATLAS and CMS analysis of the LHC pp collision data at $\sqrt{s} = 7$ and 8 TeV, G. Aad *et al.*, ATLAS Collaboration, CMS Collaboration, J. High Energy Phys. 08 (2016) 045
92. Measurement of the top quark mass in the $t\bar{t} \rightarrow$ dilepton channel from $\sqrt{s} = 8$ TeV ATLAS data, M. Aaboud *et al.*, ATLAS Collaboration, Phys. Lett. B 761 (2016) 350
93. Search for TeV-scale gravity signatures in high-mass final states with leptons and jets with the ATLAS detector at $\sqrt{s} = 13$ TeV, M. Aaboud *et al.*, ATLAS Collaboration, Phys. Lett. B 760 (2016) 520-537
94. Search for the Standard Model Higgs boson produced by vector-boson fusion in 8 TeV pp collisions and decaying to bottom quarks with the ATLAS detector, M. Aaboud *et al.*, ATLAS Collaboration, J. High Energy Phys. 11 (2016) 112

95. Measurement of the $t\bar{t}$ production cross-section using $e\mu$ events with b-tagged jets in pp collisions at $\sqrt{s}=13$ TeV with the ATLAS detector, M. Aaboud *et al.*, ATLAS Collaboration, Phys. Lett. B 761 (2016) 136
96. Measurement of the Inelastic Proton-Proton Cross Section at $\sqrt{s} = 13$ TeV with the ATLAS Detector at the LHC, M. Aaboud *et al.*, ATLAS Collaboration, Phys. Rev. Lett 117 (2016) 182002
97. Search for resonances in diphoton events at $\sqrt{s}=13$ TeV with the ATLAS detector, M. Aaboud *et al.*, ATLAS Collaboration, J. High Energy Phys. 09 (2016) 001
98. Measurement of the $W^\pm Z$ boson pair-production cross section in pp collisions at $\sqrt{s} = 13$ TeV with the ATLAS Detector, M. Aaboud *et al.*, ATLAS Collaboration, Phys. Lett. B 762 (2016) 1
99. Search for top squarks in final states with one isolated lepton, jets, and missing transverse momentum in $\sqrt{s} = 13$ TeV pp collisions with the ATLAS detector, M. Aaboud *et al.*, ATLAS Collaboration, Phys. Rev. D 94 (2016) 052009
100. Search for new resonances in events with one lepton and missing transverse momentum in pp collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector, M. Aaboud *et al.*, ATLAS Collaboration, Phys. Lett. B xx (2016) xx
101. Search for pair production of Higgs bosons in the $b\bar{b}b\bar{b}$ final state using proton-proton collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector, M. Aaboud *et al.*, ATLAS Collaboration, Phys. Rev. D 94 (2016) 052002
102. Search for heavy long-lived charged R -hadrons with the ATLAS detector in 3.2 fb^{-1} of proton-proton collision data at $\sqrt{s} = 13$ TeV, M. Aaboud *et al.*, ATLAS Collaboration, Phys. Lett. B 760 (2016) 647-665
103. Searches for heavy diboson resonances in pp collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector, M. Aaboud *et al.*, ATLAS Collaboration, J. High Energy Phys. 09 (2016) 173
104. The ATLAS Data Acquisition and High Level Trigger system, M. Abolins *et al.*, J. Instrum 11 (2016) P06008
105. The performance of the jet trigger for the ATLAS detector during 2011 data taking, G. Aad *et al.*, ATLAS Collaboration, Eur. Phys. J. C 76 (2016) 526
106. Search for the Higgs boson produced in association with a W boson and decaying to four b -quarks via two spin-zero particles in pp collisions at 13 TeV with the ATLAS detector, M. Aaboud *et al.*, ATLAS Collaboration, Eur. Phys. J. C 76 (2016) 605
107. Search for bottom squark pair production in proton-proton collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector, M. Aaboud *et al.*, ATLAS Collaboration, Eur. Phys. J. C 76 (2016) 547

108. Search for supersymmetry in a final state containing two photons and missing transverse momentum in $\sqrt{s} = 13$ TeV pp collisions at the LHC using the ATLAS detector, M. Aaboud *et al.*, ATLAS Collaboration, Eur. Phys. J. C 76 (2016) 517
109. Measurement of jet activity in top quark events using the $e\mu$ final state with two b -tagged jets in pp collisions at $\sqrt{s} = 8$ TeV with the ATLAS detector, M. Aaboud *et al.*, ATLAS Collaboration, J. High Energy Phys. 09 (2016) 074
110. Search for Higgs and Z Boson Decays to $\phi\gamma$ with the ATLAS Detector, M. Aaboud *et al.*, ATLAS Collaboration, Phys. Rev. Lett 117 (2016) 111802
111. Measurement of exclusive $\gamma\gamma \rightarrow W^+W^-$ production and search for exclusive Higgs boson production in pp collisions at $\sqrt{s} = 8$ TeV using the ATLAS detector, M. Aaboud *et al.*, ATLAS Collaboration, Phys. Rev. D 94 (2016) 032011
112. Search for high-mass new phenomena in the dilepton final state using proton-proton collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector, M. Aaboud *et al.*, ATLAS Collaboration, Phys. Lett. B 761 (2016) 372-392
113. Measurement of top quark pair differential cross-sections in the dilepton channel in pp collisions at $\sqrt{s} = 7$ and 8 TeV with ATLAS, M. Aaboud *et al.*, ATLAS Collaboration, Phys. Rev. D 94 (2016) 092003
114. Search for squarks and gluinos in events with hadronically decaying tau leptons, jets and missing transverse momentum in proton-proton collisions at $\sqrt{s} = 13$ TeV recorded with the ATLAS detector, M. Aaboud *et al.*, ATLAS Collaboration, Eur. Phys. J. C 76 (2016) 683
115. Measurement of the total cross section from elastic scattering in pp collisions at $\sqrt{s} = 8$ TeV with the ATLAS detector, M. Aaboud *et al.*, ATLAS Collaboration, Phys. Lett. B 761 (2016) 158-178
116. Search for new phenomena in different-flavour high-mass dilepton final states in pp collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector, M. Aaboud *et al.*, ATLAS Collaboration, Eur. Phys. J. C 76 (2016) 541
117. Measurement of the $b\bar{b}$ dijet cross section in pp collisions at $\sqrt{s} = 7$ TeV with the ATLAS detector., M. Aaboud *et al.*, ATLAS Collaboration, Eur. Phys. J. C 76 (2016) 670
118. Dark matter interpretations of ATLAS searches for the electroweak production of supersymmetric particles in $\sqrt{s} = 8$ TeV proton-proton collisions, M. Aaboud *et al.*, ATLAS Collaboration, J. High Energy Phys. 09 (2016) 175
119. Search for Minimal Supersymmetric Standard Model Higgs bosons H/A and for a Z' boson in the $\tau\tau$ final state produced in pp collisions at $\sqrt{s} = 13$ TeV with the ATLAS Detector, M. Aaboud *et al.*, ATLAS Collaboration, Eur. Phys. J. C 76 (2016) 585
120. Study of hard double-parton scattering in four-jet events in pp collisions at $\sqrt{s} = 7$ TeV with the ATLAS experiment, M. Aaboud *et al.*, ATLAS Collaboration, J. High Energy Phys. 11 (2016) 110

121. Search for dark matter produced in association with a hadronically decaying vector boson in pp collisions at $\sqrt{s}=13$ TeV with the ATLAS detector, M. Aaboud *et al.*, ATLAS Collaboration, Phys. Lett. B 763 (2016) 251
122. Measurement of W^+W^- production in association with one jet in proton–proton collisions at $\sqrt{s} = 8$ TeV with the ATLAS detector, M. Aaboud *et al.*, ATLAS Collaboration, Phys. Lett. B 763 (2016) 114-133
123. Luminosity determination in pp collisions at $\sqrt{s} = 8$ TeV using the ATLAS detector at the LHC, M. Aaboud *et al.*, ATLAS Collaboration, Eur. Phys. J. C 76 (2016) 653
124. A measurement of material in the ATLAS tracker using secondary hadronic interactions in 7 TeV pp collisions, M. Aaboud *et al.*, ATLAS Collaboration, J. Instrum 11 (2016) P11020
125. Search for dark matter in association with a Higgs boson decaying to b -quarks in pp collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector, M. Aaboud *et al.*, ATLAS Collaboration, Phys. Lett. B 765 (2016) 11
126. Measurement of W boson angular distributions in events with high transverse momentum jets at $\sqrt{s} = 8$ TeV using the ATLAS detector, M. Aaboud *et al.*, ATLAS Collaboration, Phys. Lett. B 765 (2016) 132-153
127. Novel Ultrasonic Instrumentation Developments for Real-time Monitoring of Binary Gas Mixtures and Flow: Description and Applications, M. Battistin *et al.*, ATLAS Collaboration, Sensors and Transducers 207 (2016) 4-14

2015

1. Jet energy measurement and its systematic uncertainty in proton-proton collisions at $\sqrt{s}=7$ TeV with the ATLAS detector, G. Aad *et al.*, ATLAS Collaboration, Eur. Phys. J. C 75 (2015) 17
2. Search for Higgs Boson Pair Production in the $\gamma\gamma b\bar{b}$ Final State using pp Collision Data at $\sqrt{s} = 8$ TeV from the ATLAS Detector, G. Aad *et al.*, ATLAS Collaboration, Phys. Rev. Lett 114 (2015) 081802
3. Simultaneous measurements of the $t\bar{t}$, W^+W^- , and $Z/\gamma^* \rightarrow \tau\tau$ production cross-sections in pp collisions at $\sqrt{s} = 7$ TeV with the ATLAS detector, G. Aad *et al.*, ATLAS Collaboration, Phys. Rev. D 91 (2015) 052005
4. Measurement of the $t\bar{t}$ production cross-section as a function of jet multiplicity and jet transverse momentum in 7 TeV proton–proton collisions with the ATLAS detector, G. Aad *et al.*, ATLAS Collaboration, J. High Energy Phys. 01 (2015) 020
5. Search for new phenomena in the dijet mass distribution using pp collision data at $\sqrt{s} = 8$ TeV with the ATLAS detector, G. Aad *et al.*, ATLAS Collaboration, Phys. Rev. D 91 (2015) 052007
6. Search for $W' \rightarrow tb \rightarrow qqbb$ Decays in pp Collisions at $\sqrt{s} = 8$ TeV with the ATLAS Detector, G. Aad *et al.*, ATLAS Collaboration, Eur. Phys. J. C 75 (2015) 165

7. Measurement of the production and lepton charge asymmetry of W bosons in Pb+Pb collisions at $\sqrt{s_{\text{NN}}} = 2.76$ TeV with the ATLAS detector, G. Aad *et al.*, ATLAS Collaboration, Eur. Phys. J. C 75 (2015) 23
8. Measurements of Higgs boson production and couplings in the four-lepton channel in pp collisions at center-of-mass energies of 7 and 8 TeV with the ATLAS detector, G. Aad *et al.*, ATLAS Collaboration, Phys. Rev. D 91 (2015) 012006
9. Measurement of the top-quark mass in the fully hadronic decay channel from ATLAS data at $\sqrt{s} = 7$ TeV, G. Aad *et al.*, ATLAS Collaboration, Eur. Phys. J. C 75 (2015) 158
10. Search for $H \rightarrow \gamma\gamma$ produced in association with top quarks and constraints on the Yukawa coupling between the top quark and the Higgs boson using data taken at 7 TeV and 8 TeV with the ATLAS detector, G. Aad *et al.*, ATLAS Collaboration, Phys. Lett. B 740 (2015) 222-242
11. Search for the $b\bar{b}$ decay of the Standard Model Higgs boson in associated $(W/Z)H$ production with the ATLAS detector, G. Aad *et al.*, ATLAS Collaboration, J. High Energy Phys. 01 (2015) 069
12. Search for resonant diboson production in the $\ell\ell q\bar{q}$ final state in pp collisions at $\sqrt{s} = 8$ TeV with the ATLAS detector, G. Aad *et al.*, ATLAS Collaboration, Eur. Phys. J. C 75 (2015) 69
13. Measurements of the W production cross sections in association with jets with the ATLAS detector, G. Aad *et al.*, ATLAS Collaboration, Eur. Phys. J. C 75 (2015) 82
14. Search for s-channel single top-quark production in proton-proton collisions at $\sqrt{s} = 8$ TeV with the ATLAS detector, G. Aad *et al.*, ATLAS Collaboration, Phys. Lett. B 740 (2015) 118
15. Search for $W' \rightarrow t\bar{b}$ in the lepton plus jets final state in proton-proton collisions at a centre-of-mass energy of $\sqrt{s} = 8$ TeV with the ATLAS detector, G. Aad *et al.*, ATLAS Collaboration, Phys. Lett. B 743 (2015) 235-255
16. Search for dark matter in events with heavy quarks and missing transverse momentum in pp collisions with the ATLAS detector, G. Aad *et al.*, ATLAS Collaboration, Eur. Phys. J. C 75 (2015) 92
17. Search for the X_b and other hidden-beauty states in the $\pi^+\pi^-\Upsilon(1S)$ channel at ATLAS, G. Aad *et al.*, ATLAS Collaboration, Phys. Lett. B 74 (2015) 199-217
18. Search for invisible particles produced in association with single-top-quarks in proton-proton collisions at $\sqrt{s} = 8$ TeV with the ATLAS detector, G. Aad *et al.*, ATLAS Collaboration, Eur. Phys. J. C 75 (2015) 79
19. Measurement of the $WW + WZ$ cross section and limits on anomalous triple gauge couplings using final states with one lepton, missing transverse momentum, and two jets with the ATLAS detector at $\sqrt{s} = 7$ TeV, G. Aad *et al.*, ATLAS Collaboration, J. High Energy Phys. 01 (2015) 049

20. Measurement of the inclusive jet cross-section in proton–proton collisions at $\sqrt{s} = 7$ TeV using 4.5 fb^{-1} of data with the ATLAS detector, G. Aad *et al.*, ATLAS Collaboration, J. High Energy Phys. 02 (2015) 153
21. Search for new phenomena in events with a photon and missing transverse momentum in pp collisions at $\sqrt{s} = 8$ TeV with the ATLAS detector, G. Aad *et al.*, ATLAS Collaboration, Phys. Rev. D 91 (2015) 012008
22. Measurement of three-jet production cross-sections in pp collisions at 7 TeV centre-of-mass energy using the ATLAS detector, G. Aad *et al.*, ATLAS Collaboration, Eur. Phys. J. C (2015) 75
23. Measurements of the Nuclear Modification Factor for Jets in Pb+Pb Collisions at $\sqrt{s_{\text{NN}}} = 2.76$ TeV with the ATLAS Detector, G. Aad *et al.*, ATLAS Collaboration, Phys. Rev. Lett 114 (2015) 072302
24. Search for new phenomena in events with three or more charged leptons in pp collisions at $\sqrt{s} = 8$ TeV with the ATLAS detector, G. Aad *et al.*, ATLAS Collaboration, J. High Energy Phys. 08 (2015) 138
25. Searches for heavy long-lived charged particles with the ATLAS detector in proton–proton collisions at $\sqrt{s} = 8$ TeV, G. Aad *et al.*, ATLAS Collaboration, J. High Energy Phys. 01 (2015) 068
26. Search for anomalous production of prompt same-sign lepton pairs and pair-produced doubly charged Higgs bosons with $\sqrt{s} = 8$ TeV pp collisions using the ATLAS detector, G. Aad *et al.*, ATLAS Collaboration, J. High Energy Phys. 03 (2015) 041
27. Measurement of the transverse polarization of Λ and $\bar{\Lambda}$ hyperons produced in proton–proton collisions at $\sqrt{s}=7$ TeV using the ATLAS detector, G. Aad *et al.*, ATLAS Collaboration, Phys. Rev. D 91 (2015) 032004
28. Observation and measurement of Higgs boson decays to WW^* with the ATLAS detector, G. Aad *et al.*, ATLAS Collaboration, Phys. Rev. D 92 (2015) 012006
29. Centrality and rapidity dependence of inclusive jet production in $\sqrt{s_{\text{NN}}} = 5.02$ TeV proton–lead collisions with the ATLAS detector, G. Aad *et al.*, ATLAS Collaboration, Phys. Lett. B 748 (2015) 392-413
30. Measurement of Spin Correlation in Top-Antitop Quark Events and Search for Top Squark Pair Production in pp Collisions at $\sqrt{s} = 8$ TeV Using the ATLAS Detector, G. Aad *et al.*, ATLAS Collaboration, Phys. Rev. Lett 114 (2015) 142001
31. Observation and measurements of the production of prompt and non-prompt J/ψ mesons in association with a Z boson in pp collisions at $\sqrt{s} = 8$ TeV with the ATLAS detector, G. Aad *et al.*, ATLAS Collaboration, Eur. Phys. J. C 75 (2015) 229
32. Search for charged Higgs bosons decaying via $H^\pm \rightarrow \tau^\pm \nu$ in fully hadronic final states using pp collision data at $\sqrt{s} = 8$ TeV with the ATLAS detector, G. Aad *et al.*, ATLAS Collaboration, J. High Energy Phys. 03 (2015) 088

33. Identification and energy calibration of hadronically decaying tau leptons with the ATLAS experiment in pp collisions at $\sqrt{s}=8$ TeV, G. Aad *et al.*, ATLAS Collaboration, Eur. Phys. J. C 75 (2015) 303
34. Search for Scalar-Charm Pair Production in pp Collisions at $\sqrt{s} = 8$ TeV with the ATLAS Detector, G. Aad *et al.*, ATLAS Collaboration, Phys. Rev. Lett 114 (2015) 161801
35. Search for Higgs and Z Boson Decays to $J/\psi\gamma$ and $\Upsilon(nS)\gamma$ with the ATLAS Detector, G. Aad *et al.*, ATLAS Collaboration, Phys. Rev. Lett 114 (2015) 121801
36. Search for squarks and gluinos in events with isolated leptons, jets and missing transverse momentum at $\sqrt{s} = 8$ TeV with the ATLAS detector, G. Aad *et al.*, ATLAS Collaboration, J. High Energy Phys. 04 (2015) 116
37. Search for pair-produced long-lived neutral particles decaying in the ATLAS hadronic calorimeter in pp collisions at $\sqrt{s} = 8$ TeV, G. Aad *et al.*, ATLAS Collaboration, Phys. Lett. B 743 (2015) 15-34
38. Evidence for the Higgs-boson Yukawa coupling to tau leptons with the ATLAS detector, G. Aad *et al.*, ATLAS Collaboration, J. High Energy Phys. 04 (2015) 117
39. Search for direct pair production of a chargino and a neutralino decaying to the 125 GeV Higgs boson in $\sqrt{s} = 8$ TeV pp collisions with the ATLAS detector, G. Aad *et al.*, ATLAS Collaboration, Eur. Phys. J. C 75 (2015) 208
40. Measurement of the charge asymmetry in dileptonic decays of top quark pairs in pp collisions at $\sqrt{s} = 7$ TeV using the ATLAS detector, G. Aad *et al.*, ATLAS Collaboration, J. High Energy Phys. 05 (2015) 061
41. Observation of top-quark pair production in association with a photon and measurement of the $t\bar{t}\gamma$ production cross section in pp collisions at $\sqrt{s} = 7$ TeV using the ATLAS detector, G. Aad *et al.*, ATLAS Collaboration, Phys. Rev. D 91 (2015) 072007
42. Search for new phenomena in final states with an energetic jet and large missing transverse momentum in pp collisions at $\sqrt{s} = 8$ TeV with the ATLAS detector, G. Aad *et al.*, ATLAS Collaboration, Eur. Phys. J. C 75 (2015) 299
43. Search for a CP-odd Higgs boson decaying to Zh in pp collisions at $\sqrt{s} = 8$ TeV with the ATLAS detector, G. Aad *et al.*, ATLAS Collaboration, Phys. Lett. B 744 (2015) 163-183
44. Search for massive supersymmetric particles decaying to many jets using the ATLAS detector in pp collisions at $\sqrt{s} = 8$ TeV, G. Aad *et al.*, ATLAS Collaboration, Phys. Rev. D 91 (2015) 112016
45. Differential top-antitop cross-section measurements as a function of observables constructed from final-state particles using pp collisions at $\sqrt{s} = 7$ TeV in the ATLAS detector, G. Aad *et al.*, ATLAS Collaboration, J. High Energy Phys. 06 (2015) 100

46. A search for high-mass resonances decaying to $\tau^+\tau^-$ in pp collisions at $\sqrt{s} = 8$ TeV with the ATLAS detector, G. Aad *et al.*, ATLAS Collaboration, J. High Energy Phys. 07 (2015) 157
47. Two-particle Bose–Einstein correlations in pp collisions at $\sqrt{s} = 0.9$ and 7 TeV measured with the ATLAS detector, G. Aad *et al.*, ATLAS Collaboration, Eur. Phys. J. C 75 (2015) 466
48. Determination of the off-shell Higgs boson signal strength in the high-mass ZZ and WW final states with the ATLAS detector, G. Aad *et al.*, ATLAS Collaboration, Eur. Phys. J. C 75 (2015) 335
49. The cooling capabilities of C_2F_6/C_3F_8 saturated fluorocarbon blends for the ATLAS silicon tracker, R. Bates *et al.*, J. Instrum 10 (2015) P03027
50. Evidence of $W\gamma\gamma$ production in pp collisions at $\sqrt{s} = 8$ TeV and limits on anomalous quartic gauge couplings with the ATLAS detector, G. Aad *et al.*, ATLAS Collaboration, Phys. Rev. Lett 115 (2015) 031802
51. Search for supersymmetry in events containing a same-flavour opposite-sign dilepton pair, jets, and large missing transverse momentum in $\sqrt{s} = 8$ TeV pp collisions with the ATLAS detector, G. Aad *et al.*, ATLAS Collaboration, Eur. Phys. J. C 75 (2015) 318
52. Measurement of the forward-backward asymmetry of electron and muon pair-production in pp collisions at $\sqrt{s} = 7$ TeV with the ATLAS detector, G. Aad *et al.*, ATLAS Collaboration, J. High Energy Phys. 09 (2015) 049
53. Determination of spin and parity of the Higgs boson in the $WW^* \rightarrow e\nu\mu\nu$ decay channel with the ATLAS detector, G. Aad *et al.*, ATLAS Collaboration, Eur. Phys. J. C 75 (2015) 231
54. Search for a Charged Higgs Boson Produced in the Vector- boson Fusion Mode with Decay $H^\pm \rightarrow W^\pm Z$ using pp Collisions at $\sqrt{s} = 8$ TeV with the ATLAS Experiment, G. Aad *et al.*, ATLAS Collaboration, Phys. Rev. Lett 114 (2015) 231801
55. Search for a Heavy Neutral Particle Decaying to $e\mu$, $e\tau$, or $\mu\tau$ in pp Collisions at $\sqrt{s} = 8$ TeV with the ATLAS Detector, G. Aad *et al.*, ATLAS Collaboration, Phys. Rev. Lett 115 (2015) 031801
56. Search for production of WW/WZ resonances decaying to a lepton, neutrino and jets in pp collisions at $\sqrt{s} = 8$ TeV with the ATLAS detector, G. Aad *et al.*, ATLAS Collaboration, Eur. Phys. J. C 75 (2015) 209
57. Search for the Standard Model Higgs boson produced in association with top quarks and decaying into $b\bar{b}$ in pp collisions at $\sqrt{s} = 8$ TeV with the ATLAS detector, G. Aad *et al.*, ATLAS Collaboration, Eur. Phys. J. C 75 (2015) 349
58. Measurement of the top quark mass in the $t\bar{t} \rightarrow$ lepton + jets and $t\bar{t} \rightarrow$ dilepton channels using $\sqrt{s} = 7$ TeV ATLAS data, G. Aad *et al.*, ATLAS Collaboration, Eur. Phys. J. C 75 (2015) 330

59. Search for vector-like B quarks in events with one isolated lepton, missing transverse momentum and jets at $\sqrt{s} = 8$ TeV with the ATLAS detector, G. Aad *et al.*, ATLAS Collaboration, Phys. Rev. D 91 (2015) 112011
60. Search for a new resonance decaying to a W or Z boson and a Higgs boson in the $\ell\ell/\ell\nu/\nu\nu + b\bar{b}$ final states with the ATLAS Detector, G. Aad *et al.*, ATLAS Collaboration, Eur. Phys. J. C 75 (2015) 263
61. Combined Measurement of the Higgs Boson Mass in pp Collisions at $\sqrt{s} = 7$ and 8 TeV with the ATLAS and CMS Experiments, G. Aad *et al.*, ATLAS Collaboration, CMS Collaboration, Phys. Rev. Lett 114 (2015) 191803
62. Search for low-scale gravity signatures in multi-jet final states with the ATLAS detector at $\sqrt{s} = 8$ TeV, G. Aad *et al.*, ATLAS Collaboration, J. High Energy Phys. 07 (2015) 032
63. Search for New Phenomena in Dijet Angular Distributions in Proton-Proton Collisions at $\sqrt{s} = 8$ TeV Measured with the ATLAS Detector, G. Aad *et al.*, ATLAS Collaboration, Phys. Rev. Lett 114 (2015) 221802
64. Measurement of the correlation between flow harmonics of different order in lead-lead collisions at $\sqrt{s_{NN}}=2.76$ TeV with the ATLAS detector, G. Aad *et al.*, ATLAS Collaboration, Phys. Rev. C 92 (2015) 034903
65. Search for long-lived, weakly interacting particles that decay to displaced hadronic jets in proton–proton collisions at $\sqrt{s} = 8$ TeV with the ATLAS detector, G. Aad *et al.*, ATLAS Collaboration, Phys. Rev. D 92 (2015) 012010
66. Search for heavy long-lived multi-charged particles in pp collisions at $\sqrt{s}=8$ TeV using the ATLAS detector, G. Aad *et al.*, ATLAS Collaboration, Eur. Phys. J. C 75 (2015) 362
67. Measurement of charged-particle spectra in Pb+Pb collisions at $\sqrt{s_{NN}} = 2.76$ TeV with the ATLAS detector at the LHC, G. Aad *et al.*, ATLAS Collaboration, J. High Energy Phys. 09 (2015) 050
68. Measurement of the top pair production cross-section in 8 TeV proton–proton collisions using kinematic information in the lepton+jets final state with ATLAS, G. Aad *et al.*, ATLAS Collaboration, Phys. Rev. D 91 (2015) 112013
69. Search for invisible decays of the Higgs boson produced in association with a hadronically decaying vector boson in pp collisions at $\sqrt{s} = 8$ TeV with the ATLAS detector, G. Aad *et al.*, ATLAS Collaboration, Eur. Phys. J. C 75 (2015) 337
70. Analysis of events with b -jets and a pair of leptons of the same charge in pp collisions at $\sqrt{s} = 8$ TeV with the ATLAS detector, G. Aad *et al.*, ATLAS Collaboration, J. High Energy Phys. 10 (2015) 150
71. Search for massive, long-lived particles using multitrack displaced vertices or displaced lepton pairs in pp collisions at $\sqrt{s} = 8$ TeV with the ATLAS detector, G. Aad *et al.*, ATLAS Collaboration, Phys. Rev. D 92 (2015) 072004

72. Measurements of the Total and Differential Higgs Boson Production Cross Sections Combining the $H \rightarrow \gamma\gamma$ and $H \rightarrow ZZ^* \rightarrow 4\ell$ Decay Channels at $\sqrt{s} = 8$ TeV with the ATLAS Detector, G. Aad *et al.*, ATLAS Collaboration, Phys. Rev. Lett 115 (2015) 091801
73. Search for high-mass diphoton resonances in pp collisions at $\sqrt{s} = 8$ TeV with the ATLAS detector, G. Aad *et al.*, ATLAS Collaboration, Phys. Rev. D 92 (2015) 032004
74. Search for Higgs bosons decaying to aa in the $\mu\mu\tau\tau$ final state in pp collisions at $\sqrt{s} = 8$ TeV with the ATLAS experiment, G. Aad *et al.*, ATLAS Collaboration, Phys. Rev. D 92 (2015) 052002
75. Search for production of vector-like quark pairs and of four top quarks in the lepton-plus-jets final state in pp collisions at $\sqrt{s} = 8$ TeV with the ATLAS detector, G. Aad *et al.*, ATLAS Collaboration, J. High Energy Phys. 08 (2015) 105
76. A search for $t\bar{t}$ resonances using lepton-plus-jets events in proton–proton collisions at $\sqrt{s} = 8$ TeV with the ATLAS detector, G. Aad *et al.*, ATLAS Collaboration, J. High Energy Phys. 08 (2015) 148
77. Search for new light gauge bosons in Higgs boson decays to four-lepton final states in pp collisions at $\sqrt{s} = 8$ TeV with the ATLAS detector at the LHC, G. Aad *et al.*, ATLAS Collaboration, Phys. Rev. D 92 (2015) 092001
78. Measurement of differential J/ψ production cross-sections and forward–backward ratio in p+Pb collisions with the ATLAS detector, G. Aad *et al.*, ATLAS Collaboration, Phys. Rev. C 92 (2015) 034904
79. Search for Higgs boson pair production in the $b\bar{b}b\bar{b}$ final state from pp collisions at $\sqrt{s} = 8$ TeV with the ATLAS detector, G. Aad *et al.*, ATLAS Collaboration, Eur. Phys. J. C 75 (2015) 412
80. Search for Dark Matter in Events with Missing Transverse Momentum and a Higgs Boson Decaying to Two Photons in pp Collisions at $\sqrt{s} = 8$ TeV with the ATLAS Detector, G. Aad *et al.*, ATLAS Collaboration, Phys. Rev. Lett 115 (2015) 131801
81. Search for high-mass diboson resonances with boson-tagged jets in proton–proton collisions at $\sqrt{s} = 8$ TeV with the ATLAS detector, G. Aad *et al.*, ATLAS Collaboration, J. High Energy Phys. 12 (2015) 55
82. Search for heavy lepton resonances decaying to a Z boson and a lepton in pp collisions at $\sqrt{s} = 8$ TeV with the ATLAS detector, G. Aad *et al.*, ATLAS Collaboration, J. High Energy Phys. 09 (2015) 108
83. Search for type-III Seesaw heavy leptons in pp collisions at $\sqrt{s} = 8$ TeV with the ATLAS Detector, G. Aad *et al.*, ATLAS Collaboration, Phys. Rev. D 92 (2015) 032001
84. Measurement of the top quark pair production cross section in pp collisions at $\sqrt{s} = 7$ TeV in the $\ell + \tau$ channel and of the top quark branching ratios into channels with leptons and quarks with the ATLAS detector, G. Aad *et al.*, ATLAS Collaboration, Phys. Rev. D 92 (2015) 072005

85. Search for metastable heavy charged particles with large ionisation energy loss in pp collisions at $\sqrt{s} = 8$ TeV using the ATLAS experiment, G. Aad *et al.*, ATLAS Collaboration, Eur. Phys. J. C 75 (2015) 407
86. Modelling $Z \rightarrow \tau\tau$ processes in ATLAS with τ -embedded $Z \rightarrow \mu\mu$ data, G. Aad *et al.*, ATLAS Collaboration, J. Instrum 10 (2015) P09018
87. Study of the spin and parity of the Higgs boson in diboson decays with the ATLAS detector, G. Aad *et al.*, ATLAS Collaboration, Eur. Phys. J. C 75 (2015) 476
88. Measurement of colour flow with the jet pull angle in $t\bar{t}$ events using the ATLAS detector at $\sqrt{s} = 8$ TeV, G. Aad *et al.*, ATLAS Collaboration, Phys. Lett. B 750 (2015) 475-493
89. Search for heavy Majorana neutrinos with the ATLAS detector in pp collisions at $\sqrt{s} = 8$ TeV, G. Aad *et al.*, ATLAS Collaboration, J. High Energy Phys. 07 (2015) 162
90. Search for the associated production of the Higgs boson with a top quark pair in multilepton final states with the ATLAS detector, G. Aad *et al.*, ATLAS Collaboration, Phys. Lett. B 749 (2015) 519-541
91. Study of $(W/Z)H$ production and Higgs boson couplings using $H \rightarrow WW^*$ decays with the ATLAS detector, G. Aad *et al.*, ATLAS Collaboration, J. High Energy Phys. 08 (2015) 137
92. Measurement of exclusive $\gamma\gamma \rightarrow \ell^+\ell^-$ production in proton–proton collisions at $\sqrt{s} = 7$ TeV with the ATLAS detector, G. Aad *et al.*, ATLAS Collaboration, Phys. Lett. B 749 (2015) 242-261
93. Measurement of the production of neighbouring jets in lead- lead collisions at $\sqrt{s_{NN}} = 2.76$ TeV with the ATLAS detector, G. Aad *et al.*, ATLAS Collaboration, Phys. Lett. B 751 (2015) 376-395
94. ATLAS Run 1 searches for direct pair production of third- generation squarks at the Large Hadron Collider, G. Aad *et al.*, ATLAS Collaboration, Eur. Phys. J. C 75 (2015) 510
95. Determination of the top-quark pole mass using $t\bar{t} + 1$ -jet events collected with the ATLAS experiment in 7 TeV pp collisions, G. Aad *et al.*, ATLAS Collaboration, J. High Energy Phys. 10 (2015) 121
96. Search for photonic signatures of gauge-mediated supersymmetry in 8 TeV pp collisions with the ATLAS detector, G. Aad *et al.*, ATLAS Collaboration, Phys. Rev. D 92 (2015) 072001
97. Summary of the searches for squarks and gluinos using $\sqrt{s} = 8$ TeV pp collisions with the ATLAS experiment at the LHC, G. Aad *et al.*, ATLAS Collaboration, J. High Energy Phys. 10 (2015) 054
98. Z boson production in p +Pb collisions at $\sqrt{s_{NN}} = 5.02$ TeV measured with the ATLAS detector, G. Aad *et al.*, ATLAS Collaboration, Phys. Rev. C 92 (2015) 044915

99. Measurement of the branching ratio $\Gamma(\Lambda_b^0 \rightarrow \psi(2S)\Lambda^0)/\Gamma(\Lambda_b^0 \rightarrow J/\psi\Lambda^0)$ with the ATLAS detector, G. Aad *et al.*, ATLAS Collaboration, Phys. Lett. B 751 (2015) 63-80
100. Determination of the ratio of b -quark fragmentation fractions f_s/f_d in pp collisions at $\sqrt{s} = 7$ TeV with the ATLAS detector, G. Aad *et al.*, ATLAS Collaboration, Phys. Rev. Lett 115 (2015) 262001
101. Measurement of transverse energy-energy correlations in multi-jet events in pp collisions at $\sqrt{s} = 7$ TeV using the ATLAS detector and determination of the strong coupling constant $\alpha_s(m_Z)$, G. Aad *et al.*, ATLAS Collaboration, Phys. Lett. B 750 (2015) 427-447
102. Search for lepton-flavour-violating $H \rightarrow \mu\tau$ decays of the Higgs boson with the ATLAS detector, G. Aad *et al.*, ATLAS Collaboration, J. High Energy Phys. 11 (2015) 211
103. Summary of the ATLAS experiment's sensitivity to supersymmetry after LHC Run 1 - interpreted in the phenomenological MSSM, G. Aad *et al.*, ATLAS Collaboration, J. High Energy Phys. 10 (2015) 134
104. Constraints on new phenomena via Higgs boson couplings and invisible decays with the ATLAS detector, G. Aad *et al.*, ATLAS Collaboration, J. High Energy Phys. 11 (2015) 206
105. Search for pair production of a new heavy quark that decays into a W boson and a light quark in pp collisions at $\sqrt{s} = 8$ TeV with the ATLAS detector, G. Aad *et al.*, ATLAS Collaboration, Phys. Rev. D 92 (2015) 112007
106. Searches for Higgs boson pair production in the $hh \rightarrow bb\tau\tau, \gamma\gamma WW^*, \gamma\gamma bb, bbbb$ channels with the ATLAS detector, G. Aad *et al.*, ATLAS Collaboration, Phys. Rev. D 92 (2015) 092004
107. Measurement of the $t\bar{t}W$ and $t\bar{t}Z$ production cross sections in pp collisions at $\sqrt{s} = 8$ TeV with the ATLAS detector, G. Aad *et al.*, ATLAS Collaboration, J. High Energy Phys. 11 (2015) 172
108. Search for flavour-changing neutral current top quark decays $t \rightarrow Hq$ in pp collisions at $\sqrt{s} = 8$ TeV with the ATLAS detector, G. Aad *et al.*, ATLAS Collaboration, J. High Energy Phys. 12 (2015) 061
109. Measurements of four-jet differential cross sections in $\sqrt{s} = 8$ TeV proton-proton collisions using the ATLAS detector, G. Aad *et al.*, ATLAS Collaboration, J. High Energy Phys. 12 (2015) 105

2014

1. Study of heavy-flavor quarks produced in association with top-quark pairs at $\sqrt{s} = 7$ TeV using the ATLAS detector, G. Aad *et al.*, ATLAS Collaboration, Phys. Rev. D 89 (2014) 072012
2. Search for new phenomena in photon+jet events collected in proton-proton collisions at $\sqrt{s} = 8$ TeV with the ATLAS detector, G. Aad *et al.*, ATLAS Collaboration, Phys. Lett. B 728 (2014) 562-578

3. Search for dark matter in events with a hadronically decaying W or Z boson and missing transverse momentum in pp collisions at $\sqrt{s} = 8$ TeV with the ATLAS detector, G. Aad *et al.*, ATLAS Collaboration, Phys. Rev. Lett 112 (2014) 041802
4. Measurement of the mass difference between top and anti-top quarks in pp collisions at $\sqrt{s} = 7$ TeV using the ATLAS detector, G. Aad *et al.*, ATLAS Collaboration, Phys. Lett. B 728 (2014) 363-379
5. Measurement of the inclusive isolated prompt photon cross section in pp collisions at $\sqrt{s} = 7$ TeV with the ATLAS detector using 4.6 fb^{-1} , G. Aad *et al.*, ATLAS Collaboration, Phys. Rev. D 89 (2014) 052004
6. Search for Quantum Black-Hole Production in High-Invariant- Mass Lepton+Jet Final States Using Proton-Proton Collisions at $\sqrt{s} = 8\text{TeV}$ and the ATLAS Detector, G. Aad *et al.*, ATLAS Collaboration, Phys. Rev. Lett 112 (2014) 091804
7. Measurement of the top quark pair production charge asymmetry in proton-proton collisions at $\sqrt{s} = 7$ TeV using the ATLAS detector, G. Aad *et al.*, ATLAS Collaboration, J. High Energy Phys. 02 (2014) 107
8. Standalone Vertex Finding in the ATLAS Muon Spectrometer, G. Aad *et al.*, ATLAS Collaboration, J. Instrum 9 (2014) P02001
9. Search for a Multi-Higgs Boson Cascade in $W^+W^-b\bar{b}$ events with the ATLAS detector in pp collisions at $\sqrt{s} = 8$ TeV, G. Aad *et al.*, ATLAS Collaboration, Phys. Rev. D 89 (2014) 032002
10. Measurement of dijet cross sections in pp collisions at 7 TeV centre-of-mass energy using the ATLAS detector, G. Aad *et al.*, ATLAS Collaboration, J. High Energy Phys. 05 (2014) 059
11. Measurement of the production cross-section of prompt J/ ψ mesons in association with a W^\pm boson in pp collisions at $\sqrt{s} = 7$ TeV with the ATLAS detector, G. Aad *et al.*, ATLAS Collaboration, J. High Energy Phys. 04 (2014) 172
12. Measurement of the electroweak production of dijets in association with a Z-boson and distributions sensitive to vector boson fusion in proton-proton collisions at $\sqrt{s} = 8$ TeV using the ATLAS detector, G. Aad *et al.*, ATLAS Collaboration, J. High Energy Phys. 04 (2014) 031
13. Search for Higgs boson decays to a photon and a Z boson in pp collisions at $\sqrt{s} = 7$ and 8 TeV with the ATLAS detector, G. Aad *et al.*, ATLAS Collaboration, Phys. Lett. B 732 (2014) 8-27
14. Search for invisible decays of a Higgs boson produced in association with a Z boson in ATLAS, G. Aad *et al.*, ATLAS Collaboration, Phys. Rev. Lett 112 (2014) 201802
15. Measurement of the production of a W boson in association with a charm quark in pp collisions at $\sqrt{s} = 7$ TeV with the ATLAS detector, G. Aad *et al.*, ATLAS Collaboration, J. High Energy Phys. 05 (2014) 068

16. The differential production cross section of the $\phi(1020)$ meson in $\sqrt{s} = 7$ TeV pp collisions measured with the ATLAS Detector, G. Aad *et al.*, ATLAS Collaboration, Eur. Phys. J. C 74 (2014) 2895
17. Search for direct production of charginos and neutralinos in events with three leptons and missing transverse momentum in $\sqrt{s} = 8$ TeV pp collisions with the ATLAS detector, G. Aad *et al.*, ATLAS Collaboration, J. High Energy Phys. 04 (2014) 169
18. Measurement of event-plane correlations in $\sqrt{s_{NN}} = 2.76$ TeV lead–lead collisions with the ATLAS detector, G. Aad *et al.*, ATLAS Collaboration, Phys. Rev. C 90 (2014) 024905
19. Search for direct top-squark pair production in final states with two leptons in pp collisions at $\sqrt{s}=8$ TeV with the ATLAS detector, G. Aad *et al.*, ATLAS Collaboration, J. High Energy Phys. 06 (2014) 124
20. Search for direct top squark pair production in events with a Z boson, b -jets and missing transverse momentum in $\sqrt{s} = 8$ TeV pp collisions with the ATLAS detector, G. Aad *et al.*, ATLAS Collaboration, Eur. Phys. J. C 74 (2014) 2883
21. Search for direct production of charginos, neutralinos and sleptons in final states with two leptons and missing transverse momentum in pp collisions at $\sqrt{s}=8$ TeV with the ATLAS detector, G. Aad *et al.*, ATLAS Collaboration, J. High Energy Phys. 05 (2014) 071
22. Measurement of the 4ℓ Cross Section at the Z Resonance and Determination of the Branching Fraction of $Z \rightarrow 4\ell$ in pp Collisions at $\sqrt{s} = 7$ and 8 TeV with ATLAS, G. Aad *et al.*, ATLAS Collaboration, Phys. Rev. Lett 112 (2014) 231806
23. Search for top quark decays $t \rightarrow qH$ with $H \rightarrow \gamma\gamma$ using the ATLAS detector, G. Aad *et al.*, ATLAS Collaboration, J. High Energy Phys. 06 (2014) 008
24. Search for dark matter in events with a Z boson and missing transverse momentum in pp collisions at $\sqrt{s} = 8$ TeV with the ATLAS detector, G. Aad *et al.*, ATLAS Collaboration, Phys. Rev. D 90 (2014) 012004
25. Measurement of the parity-violating asymmetry parameter α_b and the helicity amplitudes for the decay $\Lambda_b^0 \rightarrow J/\psi\Lambda^0$ with the ATLAS detector, G. Aad *et al.*, ATLAS Collaboration, Phys. Rev. D 89 (2014) 092009
26. Measurement of the low-mass Drell–Yan differential cross section at $\sqrt{s} = 7$ TeV using the ATLAS detector, G. Aad *et al.*, ATLAS Collaboration, J. High Energy Phys. 06 (2014) 112
27. Electron reconstruction and identification efficiency measurements with the ATLAS detector using the 2011 LHC proton–proton collision data, G. Aad *et al.*, ATLAS Collaboration, Eur. Phys. J. C 74 (2014) 2941
28. Search for supersymmetry at $\sqrt{s} = 8$ TeV in final states with jets and two same-sign leptons or three leptons with the ATLAS detector, G. Aad *et al.*, ATLAS Collaboration, J. High Energy Phys. 06 (2014) 035

29. Muon reconstruction efficiency and momentum resolution of the ATLAS experiment in proton–proton collisions at $\sqrt{s} = 7$ TeV in 2010, G. Aad *et al.*, ATLAS Collaboration, *Eur. Phys. J. C* 74 (2014) 3034
30. Measurement of χ_{c1} and χ_{c2} production with $\sqrt{s} = 7$ TeV pp collisions at ATLAS, G. Aad *et al.*, ATLAS Collaboration, *J. High Energy Phys.* 07 (2014) 154
31. Measurement of the cross section of high transverse momentum $Z \rightarrow b\bar{b}$ production in proton–proton collisions at $\sqrt{s} = 8$ TeV with the ATLAS Detector, G. Aad *et al.*, ATLAS Collaboration, *Phys. Lett. B* 738 (2014) 25-43
32. Operation and performance of the ATLAS semiconductor tracker, G. Aad *et al.*, ATLAS Collaboration, *J. Instrum* 9 (2014) P08009
33. Monitoring and data quality assessment of the ATLAS liquid argon calorimeter, G. Aad *et al.*, ATLAS Collaboration, *J. Instrum* 9 (2014) P07024
34. Measurement of the centrality and pseudorapidity dependence of the integrated elliptic flow in lead-lead collisions at $\sqrt{s_{NN}} = 2.76$ TeV with the ATLAS detector., G. Aad *et al.*, ATLAS Collaboration, *Eur. Phys. J. C* 74 (2014) 2982
35. Search for high-mass dilepton resonances in pp collisions at $\sqrt{s} = 8$ TeV with the ATLAS detector, G. Aad *et al.*, ATLAS Collaboration, *Phys. Rev. D* 90 (2014) 052005
36. Search for microscopic black holes and string balls in final states with leptons and jets with the ATLAS detector at $\sqrt{s}=8$ TeV, G. Aad *et al.*, ATLAS Collaboration, *J. High Energy Phys.* 08 (2014) 103
37. Search for supersymmetry in events with four or more leptons in $\sqrt{s} = 8$ TeV pp collisions with the ATLAS detector, G. Aad *et al.*, ATLAS Collaboration, *Phys. Rev. D* 90 (2014) 052001
38. Evidence of electroweak production of $W^{\pm}W^{\pm}jj$ in pp collisions at $\sqrt{s} = 8$ TeV with the ATLAS detector, G. Aad *et al.*, ATLAS Collaboration, *Phys. Rev. Lett* 113 (2014) 141803
39. Light-quark and gluon jet discrimination in pp collisions at $\sqrt{s} = 7$ TeV with the ATLAS detector, G. Aad *et al.*, ATLAS Collaboration, *Eur. Phys. J. C* 74 (2014) 3023
40. Search for squarks and gluinos with the ATLAS detector in final states with jets and missing transverse momentum using $\sqrt{s} = 8$ TeV proton-proton collision data, G. Aad *et al.*, ATLAS Collaboration, *J. High Energy Phys.* 09 (2014) 176
41. Measurement of the underlying event in jet events from 7 TeV proton-proton collisions with the ATLAS detector, G. Aad *et al.*, ATLAS Collaboration, *Eur. Phys. J. C* 74 (2014) 2965

42. Search for direct pair production of the top squark in all- hadronic final states in proton-proton collisions at $\sqrt{s} = 8$ TeV with the ATLAS detector, G. Aad *et al.*, ATLAS Collaboration, J. High Energy Phys. 09 (2014) 015
43. Measurement of inclusive jet charged-particle fragmentation functions in Pb+Pb collisions at $\sqrt{s_{NN}} = 2.76$ TeV with the ATLAS detector, G. Aad *et al.*, ATLAS Collaboration, Phys. Lett. B 739 (2014) 320-342
44. Measurement of the Z/γ^* boson transverse momentum distribution in pp collisions at $\sqrt{s} = 7$ TeV with the ATLAS detector, G. Aad *et al.*, ATLAS Collaboration, J. High Energy Phys. 09 (2014) 145
45. Measurement of the Higgs boson mass from the $H \rightarrow \gamma\gamma$ and $H \rightarrow ZZ^* \rightarrow 4\ell$ channels with the ATLAS detector using 25 fb⁻¹ of pp collision data, G. Aad *et al.*, ATLAS Collaboration, Phys. Rev. D 90 (2014) 052004
46. Search for WZ resonances in the fully leptonic channel using pp collisions at $\sqrt{s} = 8$ TeV with the ATLAS detector, G. Aad *et al.*, ATLAS Collaboration, Phys. Lett. B 737 (2014) 223-243
47. Measurement of the $t\bar{t}$ production cross-section using $e\mu$ events with b -tagged jets in pp collisions at $\sqrt{s} = 7$ and 8 TeV with the ATLAS detector, G. Aad *et al.*, ATLAS Collaboration, Eur. Phys. J. C 74 (2014) 3109
48. Implementation of Ultrasonic Sensing for High Resolution Measurement of Binary Gas Mixture Fractions, R. Bates *et al.*, Sensors 14 (2014) 11260-11276
49. Search for the Standard Model Higgs boson decay to $\mu^+\mu^-$ with the ATLAS detector, G. Aad *et al.*, ATLAS Collaboration, Phys. Lett. B 738 (2014) 68-86
50. A neural network clustering algorithm for the ATLAS silicon pixel detector, G. Aad *et al.*, ATLAS Collaboration, J. Instrum 9 (2014) P09009
51. Comprehensive measurements of t -channel single top-quark production cross sections at $\sqrt{s} = 7$ TeV with the ATLAS detector, G. Aad *et al.*, ATLAS Collaboration, Phys. Rev. D 90 (2014) 112006
52. Search for pair-produced third-generation squarks decaying via charm quarks or in compressed supersymmetric scenarios in pp collisions at $\sqrt{s} = 8$ TeV with the ATLAS detector, G. Aad *et al.*, ATLAS Collaboration, Phys. Rev. D 90 (2014) 052008
53. Search for the direct production of charginos, neutralinos and staus in final states with at least two hadronically decaying taus and missing transverse momentum in pp collisions at $\sqrt{s} = 8$ TeV with the ATLAS detector, G. Aad *et al.*, ATLAS Collaboration, J. High Energy Phys. 10 (2014) 096
54. Measurements of normalized differential cross-sections for $t\bar{t}$ production in pp collisions at $\sqrt{s}=7$ TeV using the ATLAS detector, G. Aad *et al.*, ATLAS Collaboration, Phys. Rev. D 90 (2014) 072004

55. Measurement of the cross-section of high transverse momentum vector bosons reconstructed as single jets and studies of jet substructure in pp collisions at $\sqrt{s} = 7$ TeV with the ATLAS detector, G. Aad *et al.*, ATLAS Collaboration, *New J. Phys* 16 (2014) 113013
56. Search for strong production of supersymmetric particles in final states with missing transverse momentum and at least three b-jets at $\sqrt{s} = 8$ TeV proton-proton collisions with the ATLAS detector., G. Aad *et al.*, ATLAS Collaboration, *J. High Energy Phys.* 10 (2014) 024
57. Search for top squark pair production in final states with one isolated lepton, jets, and missing transverse momentum in $\sqrt{s} = 8$ TeV pp collisions with the ATLAS detector, G. Aad *et al.*, ATLAS Collaboration, *J. High Energy Phys.* 11 (2014) 118
58. Search for supersymmetry in events with large missing transverse momentum, jets, and at least one tau lepton in 20 fb^{-1} of $\sqrt{s}=8$ TeV proton-proton collision data with the ATLAS detector, G. Aad *et al.*, ATLAS Collaboration, *J. High Energy Phys.* 09 (2014) 103
59. Observation of an Excited B_c^\pm Meson State with the ATLAS Detector, G. Aad *et al.*, ATLAS Collaboration, *Phys. Rev. Lett* 113 (2014) 212004
60. Flavour tagged time dependent angular analysis of the $B_s \rightarrow J/\psi\phi$ decay and extraction of $\Delta\Gamma$ and the weak phase ϕ_s in ATLAS, G. Aad *et al.*, ATLAS Collaboration, *Phys. Rev. D* 90 (2014) 052007
61. Search for contact interactions and large extra dimensions in the dilepton channel using proton-proton collisions at $\sqrt{s} = 8$ TeV with the ATLAS detector, G. Aad *et al.*, ATLAS Collaboration, *Eur. Phys. J. C* 74 (2014) 3134
62. Measurement of differential production cross-sections for a Z boson in association with b -jets in 7 TeV proton-proton collisions with the ATLAS detector, G. Aad *et al.*, ATLAS Collaboration, *J. High Energy Phys.* 10 (2014) 141
63. Measurement of the muon reconstruction performance of the ATLAS detector using 2011 and 2012 LHC proton-proton collision data, G. Aad *et al.*, ATLAS Collaboration, *Eur. Phys. J. C* 74 (2014) 3130
64. Measurements of spin correlation in top-antitop quark events from proton-proton collisions at $\sqrt{s} = 7$ TeV using the ATLAS detector, G. Aad *et al.*, ATLAS Collaboration, *Phys. Rev. D* 90 (2014) 112016
65. Measurements of fiducial and differential cross sections for Higgs boson production in the diphoton decay channel at $\sqrt{s} = 8$ TeV with ATLAS, G. Aad *et al.*, ATLAS Collaboration, *J. High Energy Phys.* 09 (2014) 112
66. Electron and photon energy calibration with the ATLAS detector using LHC Run 1 data, G. Aad *et al.*, ATLAS Collaboration, *Eur. Phys. J. C* 74 (2014) 3071
67. Measurement of the production cross-section of $\psi(2S) \rightarrow J/\psi(\rightarrow \mu^+\mu^-)\pi^+\pi^-$ in pp collisions at $\sqrt{s} = 7$ TeV at ATLAS, G. Aad *et al.*, ATLAS Collaboration, *J. High Energy Phys.* 09 (2014) 079

68. Measurements of jet vetoes and azimuthal decorrelations in dijet events produced in pp collisions at $\sqrt{s} = 7$ TeV using the ATLAS detector, G. Aad *et al.*, ATLAS Collaboration, Eur. Phys. J. C 74 (2014) 3117
69. Search for Scalar Diphoton Resonances in the Mass Range 65 – 600 GeV with the ATLAS Detector in pp Collision Data at $\sqrt{s} = 8$ TeV, G. Aad *et al.*, ATLAS Collaboration, Phys. Rev. Lett 113 (2014) 171801
70. Search for new particles in events with one lepton and missing transverse momentum in pp collisions at $\sqrt{s} = 8$ TeV with the ATLAS detector, G. Aad *et al.*, ATLAS Collaboration, J. High Energy Phys. 09 (2014) 037
71. Search for new resonances in $W\gamma$ and $Z\gamma$ Final States in pp Collisions at $\sqrt{s} = 8$ TeV with the ATLAS Detector, G. Aad *et al.*, ATLAS Collaboration, Phys. Lett. B 738 (2014) 428-447
72. Fiducial and differential cross sections of Higgs boson production measured in the four-lepton decay channel in pp collisions at $\sqrt{s} = 8$ TeV with the ATLAS detector, G. Aad *et al.*, ATLAS Collaboration, Phys. Lett. B 738 (2014) 234-253
73. Performance of the ATLAS muon trigger in pp collisions at $\sqrt{s} = 8$ TeV, G. Aad *et al.*, ATLAS Collaboration, Eur. Phys. J. C 75 (2014) 120
74. Measurement of flow harmonics with multi-particle cumulants in Pb+Pb collisions at $\sqrt{s_{NN}} = 2.76$ TeV with the ATLAS detector, G. Aad *et al.*, ATLAS Collaboration, Eur. Phys. J. C 74 (2014) 3157
75. Search for the lepton flavor violating decay $Z \rightarrow e\mu$ in pp collisions at $\sqrt{s} = 8$ TeV with the ATLAS detector, G. Aad *et al.*, ATLAS Collaboration, Phys. Rev. D 90 (2014) 072010
76. Measurement of the total cross section from elastic scattering in pp collisions at $\sqrt{s} = 7$ TeV with the ATLAS detector, G. Aad *et al.*, ATLAS Collaboration, Nucl. Phys. B 889 (2014) 486-548
77. A measurement of the ratio of the production cross sections for W and Z bosons in association with jets with the ATLAS detector, G. Aad *et al.*, ATLAS Collaboration, Eur. Phys. J. C 74 (2014) 3168
78. Measurement of Higgs boson production in the diphoton decay channel in pp collisions at center-of-mass energies of 7 and 8 TeV with the ATLAS detector, G. Aad *et al.*, ATLAS Collaboration, Phys. Rev. D 90 (2014) 112015
79. Search for long-lived neutral particles decaying into lepton jets in proton–proton collisions at $\sqrt{s} = 8$ TeV with the ATLAS detector, G. Aad *et al.*, ATLAS Collaboration, J. High Energy Phys. 11 (2014) 088
80. Measurement of long-range pseudorapidity correlations and azimuthal harmonics in $\sqrt{s_{NN}} = 5.02$ TeV proton–lead collisions with the ATLAS detector, G. Aad *et al.*, ATLAS Collaboration, Phys. Rev. C 90 (2014) 044906

81. Measurement of distributions sensitive to the underlying event in inclusive Z-boson production in pp collisions at $\sqrt{s} = 7$ TeV with the ATLAS detector, G. Aad *et al.*, ATLAS Collaboration, Eur. Phys. J. C 74 (2014) 3195
82. Search for pair and single production of new heavy quarks that decay to a Z boson and a third-generation quark in pp collisions at $\sqrt{s} = 8$ TeV with the ATLAS detector, G. Aad *et al.*, ATLAS Collaboration, J. High Energy Phys. 11 (2014) 104
83. Search for non-pointing and delayed photons in the diphoton and missing transverse momentum final state in 8 TeV pp collisions at the LHC using the ATLAS detector, G. Aad *et al.*, ATLAS Collaboration, Phys. Rev. D 90 (2014) 112005
84. Search for neutral Higgs bosons of the minimal supersymmetric standard model in pp collisions at $\sqrt{s} = 8$ TeV with the ATLAS detector, G. Aad *et al.*, ATLAS Collaboration, J. High Energy Phys. 11 (2014) 056

2013

1. Jet energy measurement with the ATLAS detector in proton- proton collisions at $\sqrt{s} = 7$ TeV, G. Aad *et al.*, ATLAS Collaboration, Eur. Phys. J. C 73 (2013) 2304
2. Single hadron response measurement and calorimeter jet energy scale uncertainty with the ATLAS detector at the LHC, G. Aad *et al.*, ATLAS Collaboration, Eur. Phys. J. C 73 (2013) 2305
3. Measurement of the Λ_b^0 lifetime and mass in the ATLAS experiment, G. Aad *et al.*, ATLAS Collaboration, Phys. Rev. D 87 (2013) 032002
4. Measurements of top quark pair relative differential cross- sections with ATLAS in pp collisions at $\sqrt{s} = 7$ TeV, G. Aad *et al.*, ATLAS Collaboration, Eur. Phys. J. C 73 (2013) 2261
5. Measurement of charged-particle event shape variables in $\sqrt{s} = 7$ TeV proton-proton interactions with the ATLAS detector, G. Aad *et al.*, ATLAS Collaboration, Phys. Rev. D 88 (2013) 032004
6. Search for squarks and gluinos with the ATLAS detector in final states with jets and missing transverse momentum using 4.7 fb^{-1} of $\sqrt{s} = 7$ TeV proton-proton collision data, G. Aad *et al.*, ATLAS Collaboration, Phys. Rev. D 87 (2013) 012008
7. Measurement of the jet radius and transverse momentum dependence of inclusive jet suppression in lead-lead collisions at $\sqrt{s_{NN}} = 2.76$ TeV with the ATLAS detector, G. Aad *et al.*, ATLAS Collaboration, Phys. Lett. B 719 (2013) 220-241
8. Search for displaced muonic lepton jets from light Higgs boson decay in proton-proton collisions at $\sqrt{s} = 7$ TeV with the ATLAS detector, G. Aad *et al.*, ATLAS Collaboration, Phys. Lett. B 721 (2013) 32-50

9. Search for new phenomena in the $WW \rightarrow l\nu l'\nu'$ final state in pp collisions at $\sqrt{s} = 7$ TeV with the ATLAS detector, G. Aad *et al.*, ATLAS Collaboration, Phys. Lett. B 718 (2013) 860-878
10. Search for direct slepton and gaugino production in final states with two leptons and missing transverse momentum with the ATLAS detector in pp collisions at $\sqrt{s} = 7$ TeV, G. Aad *et al.*, ATLAS Collaboration, Phys. Lett. B 718 (2013) 879-901
11. Search for direct production of charginos and neutralinos in events with three leptons and missing transverse momentum in $\sqrt{s} = 7$ TeV pp collisions with the ATLAS detector, G. Aad *et al.*, ATLAS Collaboration, Phys. Lett. B 718 (2013) 841-859
12. Measurement of the flavour composition of dijet events in pp collisions at $\sqrt{s}=7$ TeV with the ATLAS detector, G. Aad *et al.*, ATLAS Collaboration, Eur. Phys. J. C 73 (2013) 2301
13. Search for light top squark pair production in final states with leptons and b-jets with the ATLAS detector in $\sqrt{s} = 7$ TeV proton-proton collisions, G. Aad *et al.*, ATLAS Collaboration, Phys. Lett. B 720 (2013) 13-31
14. Search for dark matter candidates and large extra dimensions in events with a photon and missing transverse momentum in pp collision data at $\sqrt{s} = 7$ TeV with the ATLAS detector, G. Aad *et al.*, ATLAS Collaboration, Phys. Rev. Lett 110 (2013) 011802
15. A combined ultrasonic flow meter and binary vapour mixture analyzer for the ATLAS silicon tracker, R. Bates *et al.*, J. Instrum 8 (2013) P02006
16. ATLAS search for new phenomena in dijet mass and angular distributions using pp collisions at $\sqrt{s}=7$ TeV, G. Aad *et al.*, ATLAS Collaboration, J. High Energy Phys. 01 (2013) 029
17. Search for direct chargino production in anomaly-mediated supersymmetry breaking models based on a disappearing-track signature in pp collisions at $\sqrt{s}=7$ TeV with the ATLAS detector, G. Aad *et al.*, ATLAS Collaboration, J. High Energy Phys. 01 (2013) 131
18. Measurement of W^+W^- production in pp collisions at $\sqrt{s}=7$ TeV with the ATLAS detector and limits on anomalous WWZ and WW $_{\gamma}$ couplings, G. Aad *et al.*, ATLAS Collaboration, Phys. Rev. D 87 (2013) 112001
19. Search for dark matter candidates and large extra dimensions in events with a jet and missing transverse momentum with the ATLAS detector, G. Aad *et al.*, ATLAS Collaboration, J. High Energy Phys. 04 (2013) 075
20. Search for pair-produced massive coloured scalars in four- jet final states with the ATLAS detector in proton-proton collisions at $\sqrt{s} = 7$ TeV, G. Aad *et al.*, ATLAS Collaboration, Eur. Phys. J. C 73 (2013) 2263
21. Search for the neutral Higgs bosons of the Minimal Supersymmetric Standard Model in pp collisions at $\sqrt{s}=7$ TeV with the ATLAS detector, G. Aad *et al.*, ATLAS Collaboration, J. High Energy Phys. 02 (2013) 095

22. Search for pair production of heavy top-like quarks decaying to a high- p_T W boson and a b quark in the lepton plus jets final state at $\sqrt{s}=7$ TeV with the ATLAS detector, G. Aad *et al.*, ATLAS Collaboration, Phys. Lett. B 718 (2013) 1284-1302
23. Measurement of angular correlations in Drell-Yan lepton pairs to probe Z/γ^* boson transverse momentum at $\sqrt{s}=7$ TeV with the ATLAS detector, G. Aad *et al.*, ATLAS Collaboration, Phys. Lett. B 720 (2013) 32-51
24. Jet energy resolution in proton-proton collisions at $\sqrt{s} = 7$ TeV recorded in 2010 with the ATLAS detector, G. Aad *et al.*, ATLAS Collaboration, Eur. Phys. J. C 73 (2013) 2306
25. Measurement of Z boson Production in Pb+Pb Collisions at $\sqrt{s_{NN}}=2.76$ TeV with the ATLAS Detector, G. Aad *et al.*, ATLAS Collaboration, Phys. Rev. Lett 110 (2013) 022301
26. A search for high-mass resonances decaying to $\tau^+\tau^-$ in pp collisions at $\sqrt{s} = 7$ TeV with the ATLAS detector, G. Aad *et al.*, ATLAS Collaboration, Phys. Lett. B 719 (2013) 242-260
27. Search for long-lived, heavy particles in final states with a muon and multi-track displaced vertex in proton-proton collisions at $\sqrt{s}=7$ TeV with the ATLAS detector, G. Aad *et al.*, ATLAS Collaboration, Phys. Lett. B 719 (2013) 280-298
28. Search for Extra Dimensions in diphoton events using proton- proton collisions recorded at $\sqrt{s} = 7$ TeV with the ATLAS detector at the LHC, G. Aad *et al.*, ATLAS Collaboration, New J. Phys 15 (2013) 043007
29. Search for contact interactions and large extra dimensions in dilepton events from pp collisions at $\sqrt{s} = 7$ TeV with the ATLAS detector, G. Aad *et al.*, ATLAS Collaboration, Phys. Rev. D 87 (2013) 015010
30. Search for supersymmetry in events with photons, bottom quarks, and missing transverse momentum in proton-proton collisions at a centre-of-mass energy of 7 TeV with the ATLAS detector, G. Aad *et al.*, ATLAS Collaboration, Phys. Lett. B 719 (2013) 261-279
31. Searches for heavy long-lived sleptons and R-Hadrons with the ATLAS detector in pp collisions at $\sqrt{s} = 7$ TeV, G. Aad *et al.*, ATLAS Collaboration, Phys. Lett. B 720 (2013) 277-308
32. Measurement of isolated-photon pair production in pp collisions at $\sqrt{s} = 7$ TeV with the ATLAS detector, G. Aad *et al.*, ATLAS Collaboration, J. High Energy Phys. 01 (2013) 086
33. Search for resonances decaying into top-quark pairs using fully hadronic decays in pp collisions with ATLAS at $\sqrt{s} = 7$ TeV, G. Aad *et al.*, ATLAS Collaboration, J. High Energy Phys. 01 (2013) 116
34. Measurement of ZZ production in pp collisions at $\sqrt{s}=7$ TeV and limits on anomalous ZZZ and ZZ γ couplings with the ATLAS detector, G. Aad *et al.*, ATLAS Collaboration, J. High Energy Phys. 03 (2013) 128

35. Search for new phenomena in events with three charged leptons at $\sqrt{s} = 7$ TeV with the ATLAS detector, G. Aad *et al.*, ATLAS Collaboration, Phys. Rev. D 87 (2013) 052002
36. Measurement of the $t\bar{t}$ production cross section in the tau+jets channel using the ATLAS detector, G. Aad *et al.*, ATLAS Collaboration, Eur. Phys. J. C 73 (2013) 2328
37. Measurement of Upsilon production in 7 TeV pp collisions at ATLAS, G. Aad *et al.*, ATLAS Collaboration, Phys. Rev. D 87 (2013) 052004
38. Search for a heavy narrow resonance decaying to $e\mu, e\tau$, or $\mu\tau$ with the ATLAS detector in $\sqrt{s} = 7$ TeV pp collisions at the LHC, G. Aad *et al.*, ATLAS Collaboration, Phys. Lett. B 723 (2013) 15-32
39. Search for charged Higgs bosons through the violation of lepton universality in $t\bar{t}$ events using pp collision data at $\sqrt{s} = 7$ TeV with the ATLAS experiment, G. Aad *et al.*, ATLAS Collaboration, J. High Energy Phys. 03 (2013) 076
40. Observation of Associated Near-side and Away-side Long-range Correlations in $\sqrt{s_{NN}}=5.02$ TeV Proton-lead Collisions with the ATLAS Detector, G. Aad *et al.*, ATLAS Collaboration, Phys. Rev. Lett 110 (2013) 182302
41. A search for prompt lepton-jets in pp collisions at $\sqrt{s} = 7$ TeV with the ATLAS detector, G. Aad *et al.*, ATLAS Collaboration, Phys. Lett. B 719 (2013) 299-317
42. Multi-channel search for squarks and gluinos in $\sqrt{s}=7$ TeV pp collisions with the ATLAS detector, G. Aad *et al.*, ATLAS Collaboration, Eur. Phys. J. C 73 (2013) 2362
43. Search for single b^* -quark production with the ATLAS detector at $\sqrt{s}=7$ TeV, G. Aad *et al.*, ATLAS Collaboration, Phys. Lett. B 721 (2013) 171-189
44. Search for long-lived, multi-charged particles in pp collisions at $\sqrt{s}=7$ TeV using the ATLAS detector, G. Aad *et al.*, ATLAS Collaboration, Phys. Lett. B 722 (2013) 305-323
45. Measurement of hard double-parton interactions in $W(\rightarrow l\nu)+ 2$ jet events at $\sqrt{s}=7$ TeV with the ATLAS detector, G. Aad *et al.*, ATLAS Collaboration, New J. Phys 15 (2013) 033038
46. Measurement of k_T splitting scales in $W \rightarrow l\nu$ events at $\sqrt{s}=7$ TeV with the ATLAS detector, G. Aad *et al.*, ATLAS Collaboration, Eur. Phys. J. C 73 (2013) 2432
47. Measurements of $W\gamma$ and $Z\gamma$ production in pp collisions at $\sqrt{s}= 7$ TeV with the ATLAS detector at the LHC, G. Aad *et al.*, ATLAS Collaboration, Phys. Rev. D 87 (2013) 112003
48. Measurement of the cross-section for W boson production in association with b-jets in pp collisions at $\sqrt{s} = 7$ TeV with the ATLAS detector, G. Aad *et al.*, ATLAS Collaboration, J. High Energy Phys. 06 (2013) 084

49. Search for a light charged Higgs boson in the decay channel $H^+ \rightarrow c\bar{s}$ in $t\bar{t}$ events using pp collisions at $\sqrt{s} = 7$ TeV with the ATLAS detector, G. Aad *et al.*, ATLAS Collaboration, Eur. Phys. J. C 73 (2013) 2465
50. Search for WH production with a light Higgs boson decaying to prompt electron-jets in proton-proton collisions at $\sqrt{s}=7$ TeV with the ATLAS detector, G. Aad *et al.*, ATLAS Collaboration, New J. Phys 15 (2013) 043009
51. Improved luminosity determination in pp collisions at $\sqrt{s} = 7$ TeV using the ATLAS detector at the LHC, G. Aad *et al.*, ATLAS Collaboration, Eur. Phys. J. C 73 (2013) 2518
52. Characterisation and mitigation of beam-induced backgrounds observed in the ATLAS detector during the 2011 proton-proton run, G. Aad *et al.*, ATLAS Collaboration, J. Instrum 8 (2013) P07004
53. Search for third generation scalar leptoquarks in pp collisions at $\sqrt{s} = 7$ TeV with the ATLAS detector, G. Aad *et al.*, ATLAS Collaboration, J. High Energy Phys. 06 (2013) 033
54. Measurement with the ATLAS detector of multi-particle azimuthal correlations in p+Pb collisions at $\sqrt{s_{NN}}=5.02$ TeV, G. Aad *et al.*, ATLAS Collaboration, Phys. Lett. B 725 (2013) 60-78
55. Search for non-pointing photons in the diphoton and E_T^{miss} final state in $\sqrt{s} = 7$ TeV proton-proton collisions using the ATLAS detector, G. Aad *et al.*, ATLAS Collaboration, Phys. Rev. D 88 (2013) 012001
56. Measurement of the inclusive jet cross-section in pp collisions at $\sqrt{s}=2.76$ TeV and comparison to the inclusive jet cross-section at $\sqrt{s}=7$ TeV using the ATLAS detector, G. Aad *et al.*, ATLAS Collaboration, Eur. Phys. J. C 73 (2013) 2509
57. Measurement of the production cross section of jets in association with a Z boson in pp collisions at $\sqrt{s} = 7$ TeV with the ATLAS detector, G. Aad *et al.*, ATLAS Collaboration, J. High Energy Phys. 07 (2013) 032
58. Search for resonant diboson production in the $WW/WZ \rightarrow lvjj$ decay channels with the ATLAS detector at $\sqrt{s} = 7$ TeV, G. Aad *et al.*, ATLAS Collaboration, Phys. Rev. D 87 (2013) 112006
59. Triggers for displaced decays of long-lived neutral particles in the ATLAS detector, G. Aad *et al.*, ATLAS Collaboration, J. Instrum 8 (2013) P07015
60. A search for $t\bar{t}$ resonances in the lepton plus jets final state with ATLAS using 4.7 fb^{-1} of pp collisions at $\sqrt{s} = 7$ TeV, G. Aad *et al.*, ATLAS Collaboration, Phys. Rev. D 88 (2013) 012004
61. Measurement of the distributions of event-by-event flow harmonics in lead-lead collisions at $\sqrt{s_{NN}}=2.76$ TeV with the ATLAS detector at the LHC, G. Aad *et al.*, ATLAS Collaboration, J. High Energy Phys. 11 (2013) 183
62. Measurement of the high-mass Drell-Yan differential cross-section in pp collisions at $\sqrt{s}=7$ TeV with the ATLAS detector, G. Aad *et al.*, ATLAS Collaboration, Phys. Lett. B 725 (2013) 223-242

63. Performance of jet substructure techniques for large-R jets in proton-proton collisions at $\sqrt{s} = 7$ TeV using the ATLAS detector, G. Aad *et al.*, ATLAS Collaboration, J. High Energy Phys. 09 (2013) 076
64. Measurement of the Azimuthal Angle Dependence of Inclusive Jet Yields in Pb+Pb Collisions at $\sqrt{s_{NN}} = 2.76$ TeV with the ATLAS detector, G. Aad *et al.*, ATLAS Collaboration, Phys. Rev. Lett 111 (2013) 152301
65. Measurement of the differential cross section of B^+ meson production in pp collisions at $\sqrt{s} = 7$ TeV at ATLAS, G. Aad *et al.*, ATLAS Collaboration, J. High Energy Phys. 10 (2013) 042
66. Measurements of Higgs boson production and couplings in diboson final states with the ATLAS detector at the LHC, G. Aad *et al.*, ATLAS Collaboration, Phys. Lett. B 726 (2013) 88-119
67. Evidence for the spin-0 nature of the Higgs boson using ATLAS data, G. Aad *et al.*, ATLAS Collaboration, Phys. Lett. B 726 (2013) 120-144
68. Measurement of the top quark charge in pp collisions at $\sqrt{s} = 7$ TeV with the ATLAS detector, G. Aad *et al.*, ATLAS Collaboration, J. High Energy Phys. 11 (2013) 031
69. Measurement of jet shapes in top-quark pair events at $\sqrt{s} = 7$ TeV using the ATLAS detector, G. Aad *et al.*, ATLAS Collaboration, Eur. Phys. J. C 73 (2013) 2676
70. Measurement of top quark polarization in top-antitop events from proton-proton collisions at $\sqrt{s} = 7$ TeV using the ATLAS detector, G. Aad *et al.*, ATLAS Collaboration, Phys. Rev. Lett 111 (2013) 232002
71. Dynamics of isolated-photon plus jet production in pp collisions at $\sqrt{s} = 7$ TeV with the ATLAS detector, G. Aad *et al.*, ATLAS Collaboration, Nucl. Phys. B 875 (2013) 483-535
72. Search for excited electrons and muons in $\sqrt{s}=8$ TeV proton-proton collisions with the ATLAS detector, G. Aad *et al.*, ATLAS Collaboration, New J. Phys 15 (2013) 093011
73. Search for new phenomena in final states with large jet multiplicities and missing transverse momentum at $\sqrt{s} = 8$ TeV proton-proton collisions using the ATLAS experiment, G. Aad *et al.*, ATLAS Collaboration, J. High Energy Phys. 10 (2013) 130
74. Search for direct third-generation squark pair production in final states with missing transverse momentum and two b-jets in $\sqrt{s} = 8$ TeV pp collisions with the ATLAS detector, G. Aad *et al.*, ATLAS Collaboration, J. High Energy Phys. 10 (2013) 189
75. Search for Microscopic Black Holes in a Like-sign Dimuon Final State using large Track Multiplicity with the ATLAS detector, G. Aad *et al.*, ATLAS Collaboration, Phys. Rev. D 88 (2013) 072001

76. Search for charginos nearly mass-degenerate with the lightest neutralino based on a disappearing-track signature in pp collisions at $\sqrt{s} = 8$ TeV with the ATLAS detector, G. Aad *et al.*, ATLAS Collaboration, Phys. Rev. D 88 (2013) 112006
77. Search for long-lived stopped R-hadrons decaying out-of-time with pp collisions using the ATLAS detector, G. Aad *et al.*, ATLAS Collaboration, Phys. Rev. D 88 (2013) 112003

2012

1. Measurement of the isolated diphoton cross section in pp collisions at $\sqrt{s}=7$ TeV with the ATLAS detector, G. Aad *et al.*, ATLAS Collaboration, Phys. Rev. D 85 (2012) 012003
2. Measurement of the top quark pair production cross section in pp collisions at $\sqrt{s} = 7$ TeV in dilepton final states with ATLAS, G. Aad *et al.*, ATLAS Collaboration, Phys. Lett. B 707 (2012) 459-477
3. Measurement of the Transverse Momentum Distribution of W Bosons in pp Collisions at $\sqrt{s} = 7$ TeV with the ATLAS Detector, G. Aad *et al.*, ATLAS Collaboration, Phys. Rev. D 85 (2012) 012005
4. Measurements of the electron and muon inclusive cross- sections in proton-proton collisions at $\sqrt{s} = 7$ TeV with the ATLAS detector, G. Aad *et al.*, ATLAS Collaboration, Phys. Lett. B 707 (2012) 438-458
5. A measurement of the ratio of the W and Z cross sections with exactly one associated jet in pp collisions at $\sqrt{s} = 7$ TeV with ATLAS, G. Aad *et al.*, ATLAS Collaboration, Phys. Lett. B 708 (2012) 221-240
6. Search for a heavy Standard Model Higgs boson in the channel $H \rightarrow ZZ \rightarrow l^+l^-q\bar{q}$ using the ATLAS detector, G. Aad *et al.*, ATLAS Collaboration, Phys. Lett. B 707 (2012) 27-45
7. Performance of Missing Transverse Momentum Reconstruction in Proton-Proton Collisions at $\sqrt{s} = 7$ TeV with ATLAS, G. Aad *et al.*, ATLAS Collaboration, Eur. Phys. J. C 72 (2012) 1844
8. Measurement of the pseudorapidity and transverse momentum dependence of the elliptic flow of charged particles in lead-lead collisions at $\sqrt{s_{NN}} = 2.76$ TeV with the ATLAS detector, G. Aad *et al.*, ATLAS Collaboration, Phys. Lett. B 707 (2012) 330-348
9. Measurement of the centrality dependence of the charged particle pseudorapidity distribution in lead-lead collisions at $\sqrt{s_{NN}} = 2.76$ TeV with the ATLAS detector, G. Aad *et al.*, ATLAS Collaboration, Phys. Lett. B 710 (2012) 363-382
10. Search for New Physics in the Dijet Mass Distribution using 1 fb^{-1} of pp Collision Data at $\sqrt{s} = 7$ TeV collected by the ATLAS Detector, G. Aad *et al.*, ATLAS Collaboration, Phys. Lett. B 708 (2012) 37-54

11. Measurement of the cross-section for b-jets produced in association with a Z boson at $\sqrt{s}=7$ TeV with the ATLAS detector, G. Aad *et al.*, ATLAS Collaboration, Phys. Lett. B 706 (2012) 295-313
12. Measurement of the cross section for the production of a W boson in association with b-jets in pp collisions at $\sqrt{s} = 7$ TeV with the ATLAS detector, G. Aad *et al.*, ATLAS Collaboration, Phys. Lett. B 707 (2012) 418-437
13. Search for displaced vertices arising from decays of new heavy particles in 7 TeV pp collisions at ATLAS, G. Aad *et al.*, ATLAS Collaboration, Phys. Lett. B 707 (2012) 478-496
14. Measurement of the $W \rightarrow \tau\nu_\tau$ Cross Section in pp Collisions at $\sqrt{s} = 7$ TeV with the ATLAS experiment, G. Aad *et al.*, ATLAS Collaboration, Phys. Lett. B 706 (2012) 276-294
15. Search for New Phenomena in $t\bar{t}$ Events With Large Missing Transverse Momentum in Proton-Proton Collisions at $\sqrt{s} = 7$ TeV with the ATLAS Detector, G. Aad *et al.*, ATLAS Collaboration, Phys. Rev. Lett 108 (2012) 041805
16. Measurement of the inclusive W^\pm and Z/γ cross sections in the electron and muon decay channels in pp collisions at $\sqrt{s} = 7$ TeV with the ATLAS detector, G. Aad *et al.*, ATLAS Collaboration, Phys. Rev. D 85 (2012) 072004
17. Search for squarks and gluinos using final states with jets and missing transverse momentum with the ATLAS detector in $\sqrt{s} = 7$ TeV proton-proton collisions, G. Aad *et al.*, ATLAS Collaboration, Phys. Lett. B 710 (2012) 67-85
18. Search for supersymmetry in final states with jets, missing transverse momentum and one isolated lepton in $\sqrt{s} = 7$ TeV pp collisions using 1 fb⁻¹ of ATLAS data, G. Aad *et al.*, ATLAS Collaboration, Phys. Rev. D 85 (2012) 012006
19. Performance of the ATLAS Trigger System in 2010, G. Aad *et al.*, ATLAS Collaboration, Eur. Phys. J. C 72 (2012) 1849
20. Electron performance measurements with the ATLAS detector using the 2010 LHC proton-proton collision data, G. Aad *et al.*, ATLAS Collaboration, Eur. Phys. J. C 72 (2012) 1909
21. Measurement of the ZZ production cross section and limits on anomalous neutral triple gauge couplings in proton-proton collisions at $\sqrt{s} = 7$ TeV with the ATLAS detector, G. Aad *et al.*, ATLAS Collaboration, Phys. Rev. Lett 108 (2012) 041804
22. Searches for supersymmetry with the ATLAS detector using final states with two leptons and missing transverse momentum in $\sqrt{s} = 7$ TeV proton-proton collisions, G. Aad *et al.*, ATLAS Collaboration, Phys. Lett. B 709 (2012) 137-157
23. A study of the material in the ATLAS inner detector using secondary hadronic interactions, G. Aad *et al.*, ATLAS Collaboration, J. Instrum 7 (2012) P01013

24. Search for strong gravity signatures in same-sign dimuon final states using the ATLAS detector at the LHC, G. Aad *et al.*, ATLAS Collaboration, Phys. Lett. B 709 (2012) 322-340
25. K_s^0 and Λ production in pp interactions at $\sqrt{s} = 0.9$ and 7 TeV measured with the ATLAS detector at the LHC, G. Aad *et al.*, ATLAS Collaboration, Phys. Rev. D 85 (2012) 012001
26. Measurement of the production cross section for Z/γ^* in association with jets in pp collisions at $\sqrt{s} = 7$ TeV with the ATLAS detector, G. Aad *et al.*, ATLAS Collaboration, Phys. Rev. D 85 (2012) 032009
27. Search for Diphoton Events with Large Missing Transverse Momentum in 1 fb^{-1} of 7 TeV Proton-Proton Collision Data with the ATLAS Detector, G. Aad *et al.*, ATLAS Collaboration, Phys. Lett. B 710 (2012) 519-537
28. Measurement of the $W^\pm Z$ production cross section and limits on anomalous triple gauge couplings in proton-proton collisions at $\sqrt{s} = 7$ TeV with the ATLAS detector, G. Aad *et al.*, ATLAS Collaboration, Phys. Lett. B 709 (2012) 341-357
29. Search for Extra Dimensions using diphoton events in 7 TeV proton-proton collisions with the ATLAS detector, G. Aad *et al.*, ATLAS Collaboration, Phys. Lett. B 710 (2012) 538-556
30. Search for the Higgs boson in the $H \rightarrow WW^{(*)} \rightarrow l^+ \nu l^- \bar{\nu}$ decay channel in pp collisions at $\sqrt{s} = 7$ TeV with the ATLAS detector, G. Aad *et al.*, ATLAS Collaboration, Phys. Rev. Lett 108 (2012) 111802
31. Search for production of resonant states in the photon-jet mass distribution using pp collisions at $\sqrt{s} = 7$ TeV collected by the ATLAS detector, G. Aad *et al.*, ATLAS Collaboration, Phys. Rev. Lett 108 (2012) 211802
32. Search for scalar bottom pair production with the ATLAS detector in pp Collisions at $\sqrt{s} = 7$ TeV, G. Aad *et al.*, ATLAS Collaboration, Phys. Rev. Lett 108 (2012) 181802
33. Measurement of $D^{*\pm}$ meson production in jets from pp collisions at $\sqrt{s} = 7$ TeV with the ATLAS detector, G. Aad *et al.*, ATLAS Collaboration, Phys. Rev. D 85 (2012) 052005
34. Search for contact interactions in dilepton events from pp collisions at $\sqrt{s} = 7$ TeV with the ATLAS detector, G. Aad *et al.*, ATLAS Collaboration, Phys. Lett. B 712 (2012) 40-58
35. Search for first generation scalar leptoquarks in pp collisions at $\sqrt{s}=7$ TeV with the ATLAS detector, G. Aad *et al.*, ATLAS Collaboration, Phys. Lett. B 709 (2012) 158-176
36. Observation of a new χ_b state in radiative transitions to $\Upsilon(1S)$ and $\Upsilon(2S)$ at ATLAS, G. Aad *et al.*, ATLAS Collaboration, Phys. Rev. Lett 108 (2012) 152001

37. Search for heavy vector-like quarks coupling to light quarks in proton-proton collisions at $\sqrt{s} = 7$ TeV with the ATLAS detector, G. Aad *et al.*, ATLAS Collaboration, Phys. Lett. B 712 (2012) 22-39
38. Measurement of inclusive jet and dijet production in pp collisions at $\sqrt{s} = 7$ TeV using the ATLAS detector, G. Aad *et al.*, ATLAS Collaboration, Phys. Rev. D 86 (2012) 014022
39. Search for anomalous production of prompt like-sign muon pairs and constraints on physics beyond the Standard Model with the ATLAS detector, G. Aad *et al.*, ATLAS Collaboration, Phys. Rev. D 85 (2012) 032004
40. Study of jets produced in association with a W boson in pp collisions at $\sqrt{s} = 7$ TeV with the ATLAS detector, G. Aad *et al.*, ATLAS Collaboration, Phys. Rev. D 85 (2012) 092002
41. Measurement of the top quark pair production cross-section with ATLAS in the single lepton channel, G. Aad *et al.*, ATLAS Collaboration, Phys. Lett. B 711 (2012) 244-263
42. Rapidity gap cross sections measured with the ATLAS detector in pp collisions at $\sqrt{s} = 7$ TeV, G. Aad *et al.*, ATLAS Collaboration, Eur. Phys. J. C 72 (2012) 1926
43. Search for excited leptons in proton-proton collisions at $\sqrt{s} = 7$ TeV with the ATLAS detector, G. Aad *et al.*, ATLAS Collaboration, Phys. Rev. D 85 (2012) 072003
44. Measurement of inclusive two-particle angular correlations in pp collisions with the ATLAS detector at the LHC, G. Aad *et al.*, ATLAS Collaboration, J. High Energy Phys. 05 (2012) 157
45. Search for decays of stopped, long-lived particles from 7 TeV pp collisions with the ATLAS detector, G. Aad *et al.*, ATLAS Collaboration, Eur. Phys. J. C 72 (2012) 1965
46. Search for the Standard Model Higgs boson in the diphoton decay channel with 4.9 fb^{-1} of pp collisions at $\sqrt{s}=7$ TeV with ATLAS, G. Aad *et al.*, ATLAS Collaboration, Phys. Rev. Lett 108 (2012) 111803
47. Combined search for the Standard Model Higgs boson using up to 4.9 fb^{-1} of pp collision data at $\sqrt{s} = 7$ TeV with the ATLAS detector at the LHC, G. Aad *et al.*, ATLAS Collaboration, Phys. Lett. B 710 (2012) 49-66
48. Search for the Standard Model Higgs boson in the decay channel $H \rightarrow ZZ^{(*)} \rightarrow 4l$ with 4.8 fb^{-1} of pp collisions at $\sqrt{s}=7$ TeV with ATLAS, G. Aad *et al.*, ATLAS Collaboration, Phys. Lett. B 710 (2012) 383-402
49. Search for Pair Production of a Heavy Up-Type Quark Decaying to a W Boson and a b Quark in the lepton+jets Channel with the ATLAS Detector, G. Aad *et al.*, ATLAS Collaboration, Phys. Rev. Lett 108 (2012) 261802
50. Search for pair-produced heavy quarks decaying to Wq in the two-lepton channel at $\sqrt{s} = 7$ TeV with the ATLAS detector, G. Aad *et al.*, ATLAS Collaboration, Phys. Rev. D 86 (2012) 012007

51. Search for anomaly-mediated supersymmetry breaking with the ATLAS detector based on a disappearing-track signature in pp collisions at $\sqrt{s} = 7$ TeV, G. Aad *et al.*, ATLAS Collaboration, Eur. Phys. J. C 72 (2012) 1993
52. Measurement of the cross section for top-quark pair production in pp collisions at $\sqrt{s} = 7$ TeV with the ATLAS detector using final states with two high-pt leptons, G. Aad *et al.*, ATLAS Collaboration, J. High Energy Phys. 05 (2012) 059
53. Search for same-sign top-quark production and fourth-generation down-type quarks in pp collisions at $\sqrt{s} = 7$ TeV with the ATLAS detector, G. Aad *et al.*, ATLAS Collaboration, J. High Energy Phys. 04 (2012) 069
54. Search for Down-Type Fourth Generation Quarks with the ATLAS Detector in Events with One Lepton and Hadronically Decaying W Bosons, G. Aad *et al.*, ATLAS Collaboration, Phys. Rev. Lett 109 (2012) 032001
55. Search for FCNC single top-quark production at $\sqrt{s} = 7$ TeV with the ATLAS detector, G. Aad *et al.*, ATLAS Collaboration, Phys. Lett. B 712 (2012) 351-369
56. Measurement of the azimuthal ordering of charged hadrons with the ATLAS detector, G. Aad *et al.*, ATLAS Collaboration, Phys. Rev. D 86 (2012) 052005
57. Search for new particles decaying to ZZ using final states with leptons and jets with the ATLAS detector in $\sqrt{s} = 7$ TeV proton-proton collisions, G. Aad *et al.*, ATLAS Collaboration, Phys. Lett. B 712 (2012) 331-350
58. Search for a light Higgs boson decaying to long-lived weakly-interacting particles in proton-proton collisions at $\sqrt{s} = 7$ TeV with the ATLAS detector, G. Aad *et al.*, ATLAS Collaboration, Phys. Rev. Lett 108 (2012) 251801
59. Measurement of the polarisation of W bosons produced with large transverse momentum in pp collisions at $\sqrt{s} = 7$ TeV with the ATLAS experiment, G. Aad *et al.*, ATLAS Collaboration, Eur. Phys. J. C 72 (2012) 2001
60. Measurement of the azimuthal anisotropy for charged particle production in $\sqrt{s_{NN}} = 2.76$ TeV lead-lead collisions with the ATLAS detector, G. Aad *et al.*, ATLAS Collaboration, Phys. Rev. C 86 (2012) 014907
61. Forward-backward correlations and charged-particle azimuthal distributions in *pp* interactions using the ATLAS detector, G. Aad *et al.*, ATLAS Collaboration, J. High Energy Phys. 07 (2012) 019
62. Measurement of the production cross section of an isolated photon associated with jets in proton-proton collisions at $\sqrt{s} = 7$ TeV with the ATLAS detector, G. Aad *et al.*, ATLAS Collaboration, Phys. Rev. D 85 (2012) 092014
63. Search for second generation scalar leptoquarks in *pp* collisions at $\sqrt{s} = 7$ TeV with the ATLAS detector, G. Aad *et al.*, ATLAS Collaboration, Eur. Phys. J. C 72 (2012) 2151

64. Measurement of the charge asymmetry in top quark pair production in pp collisions at $\sqrt{s} = 7$ TeV using the ATLAS detector, G. Aad *et al.*, ATLAS Collaboration, Eur. Phys. J. C 72 (2012) 2039
65. Determination of the strange quark density of the proton from ATLAS measurements of the $W \rightarrow l\nu$ and $Z \rightarrow ll$ cross sections, G. Aad *et al.*, ATLAS Collaboration, Phys. Rev. Lett 109 (2012) 012001
66. Observation of spin correlation in $t\bar{t}$ events from pp collisions at $\sqrt{s} = 7$ TeV using the ATLAS detector, G. Aad *et al.*, ATLAS Collaboration, Phys. Rev. Lett 108 (2012) 212001
67. Jet mass and substructure of inclusive jets in $\sqrt{s} = 7$ TeV pp collisions with the ATLAS experiment, G. Aad *et al.*, ATLAS Collaboration, J. High Energy Phys. 05 (2012) 128
68. Measurement of $t\bar{t}$ production with a veto on additional central jet activity in pp collisions at $\sqrt{s} = 7$ TeV using the ATLAS detector, G. Aad *et al.*, ATLAS Collaboration, Eur. Phys. J. C 72 (2012) 2043
69. Search for heavy neutrinos and right-handed W bosons in events with two leptons and jets in pp collisions at $\sqrt{s} = 7$ TeV with the ATLAS detector, G. Aad *et al.*, ATLAS Collaboration, Eur. Phys. J. C 72 (2012) 2056
70. Search for gluinos in events with two same-sign leptons, jets and missing transverse momentum with the ATLAS detector in pp collisions at $\sqrt{s} = 7$ TeV, G. Aad *et al.*, ATLAS Collaboration, Phys. Rev. Lett 108 (2012) 241802
71. Measurement of the top quark mass with the template method in the top antitop \rightarrow lepton + jets channel using ATLAS data, G. Aad *et al.*, ATLAS Collaboration, Eur. Phys. J. C 72 (2012) 2046
72. Measurement of the WW cross section in $\sqrt{s} = 7$ TeV pp collisions with the ATLAS detector and limits on anomalous gauge couplings, G. Aad *et al.*, ATLAS Collaboration, Phys. Lett. B 712 (2012) 289-308
73. Search for supersymmetry in pp collisions at $\sqrt{s} = 7$ TeV in final states with missing transverse momentum and b-jets with the ATLAS detector, G. Aad *et al.*, ATLAS Collaboration, Phys. Rev. D 85 (2012) 112006
74. Search for events with large missing transverse momentum, jets, and at least two tau leptons in 7 TeV proton-proton collision data with the ATLAS detector, G. Aad *et al.*, ATLAS Collaboration, Phys. Lett. B 714 (2012) 180-196
75. Search for a fermiophobic Higgs boson in the diphoton decay channel with the ATLAS detector, G. Aad *et al.*, ATLAS Collaboration, Eur. Phys. J. C 72 (2012) 2157
76. Search for the decay $B_s^0 \rightarrow \mu^+\mu^-$ with the ATLAS detector, G. Aad *et al.*, ATLAS Collaboration, Phys. Lett. B 713 (2012) 387

77. Search for Pair Production of a New b' Quark that Decays into a Z Boson and a Bottom Quark with the ATLAS Detector, G. Aad *et al.*, ATLAS Collaboration, Phys. Rev. Lett 109 (2012) 071801
78. Search for resonant WZ production in the $WZ \rightarrow l\nu l'l'$ channel in $\sqrt{s} = 7$ TeV pp collisions with the ATLAS detector, G. Aad *et al.*, ATLAS Collaboration, Phys. Rev. D 85 (2012) 112012
79. Search for charged Higgs bosons decaying via $H^\pm \rightarrow \tau\nu$ in $t\bar{t}$ events using pp collision data at $\sqrt{s} = 7$ TeV with the ATLAS detector, G. Aad *et al.*, ATLAS Collaboration, J. High Energy Phys. 06 (2012) 039
80. Search for supersymmetry with jets, missing transverse momentum and at least one hadronically decaying tau lepton in proton-proton collisions at $\sqrt{s} = 7$ TeV with the ATLAS detector, G. Aad *et al.*, ATLAS Collaboration, Phys. Lett. B 714 (2012) 197-214
81. Searches for TeV-scale Gravity Signatures in Final States with Leptons and Jets with the ATLAS Detector at $\sqrt{s} = 7$ TeV, G. Aad *et al.*, ATLAS Collaboration, Phys. Lett. B 716 (2012) 122-141
82. Search for supersymmetry in events with three leptons and missing transverse momentum in $\sqrt{s} = 7$ TeV pp collisions with the ATLAS detector, G. Aad *et al.*, ATLAS Collaboration, Phys. Rev. Lett 108 (2012) 261804
83. Measurement of τ polarization in $W \rightarrow \tau\nu$ decays with the ATLAS detector in pp collisions at $\sqrt{s} = 7$ TeV, G. Aad *et al.*, ATLAS Collaboration, Eur. Phys. J. C 72 (2012) 2062
84. Search for scalar top quark pair production in natural gauge mediated supersymmetry models with the ATLAS detector in pp collisions at $\sqrt{s} = 7$ TeV, G. Aad *et al.*, ATLAS Collaboration, Phys. Lett. B 715 (2012) 44-60
85. Search for lepton flavour violation in the $e\mu$ continuum with the ATLAS detector in $\sqrt{s} = 7$ TeV pp collisions at the LHC, G. Aad *et al.*, ATLAS Collaboration, Eur. Phys. J. C 72 (2012) 2040
86. Measurement of the top quark pair cross section with ATLAS in pp collisions at $\sqrt{s} = 7$ TeV using final states with an electron or a muon and a hadronically decaying τ lepton, G. Aad *et al.*, ATLAS Collaboration, Phys. Lett. B 717 (2012) 89-108
87. Measurement of the W boson polarization in top quark decays with the ATLAS detector, G. Aad *et al.*, ATLAS Collaboration, J. High Energy Phys. 06 (2012) 088
88. Measurement of $W\gamma$ and $Z\gamma$ production cross sections in pp collisions at $\sqrt{s} = 7$ TeV and limits on anomalous triple gauge couplings with the ATLAS detector, G. Aad *et al.*, ATLAS Collaboration, Phys. Lett. B 717 (2012) 49-69
89. Measurement of the t-channel single top-quark production cross section in pp collisions at $\sqrt{s} = 7$ TeV with the ATLAS detector, G. Aad *et al.*, ATLAS Collaboration, Phys. Lett. B 717 (2012) 330-350

90. Search for $t\bar{b}$ resonances in proton-proton collisions at $\sqrt{s} = 7$ TeV with the ATLAS detector, G. Aad *et al.*, ATLAS Collaboration, Phys. Rev. Lett 109 (2012) 081801
91. A search for $t\bar{t}$ resonances with the ATLAS detector in 2.05 fb^{-1} of proton-proton collisions at $\sqrt{s} = 7$ TeV, G. Aad *et al.*, ATLAS Collaboration, Eur. Phys. J. C 72 (2012) 2083
92. Evidence for the associated production of a W boson and a top quark in ATLAS at $\sqrt{s} = 7$ TeV, G. Aad *et al.*, ATLAS Collaboration, Phys. Lett. B 716 (2012) 142-159
93. Search for a Standard Model Higgs boson in the $H \rightarrow ZZ \rightarrow l^+l^-\nu\bar{\nu}$ decay channel using 4.7 fb^{-1} of $\sqrt{s} = 7$ TeV data with the ATLAS detector, G. Aad *et al.*, ATLAS Collaboration, Phys. Lett. B 717 (2012) 29-48
94. Measurement of the b-hadron production cross section using decays to $D^*\mu^-X$ final states in pp collisions at $\sqrt{s} = 7$ TeV with the ATLAS detector, G. Aad *et al.*, ATLAS Collaboration, Nucl. Phys. B 864 (2012) 341-381
95. New measurement of the charged kaon semileptonic $K^\pm \rightarrow \pi^+\pi^-e^\pm\nu$ (K_{e4}) decay Branching Ratio and Hadronic Form Factors, J.-R. Batley *et al.*, NA48/2 Collaboration, Phys. Lett. B 715 (2012) 105-115
96. A search for flavour changing neutral currents in top-quark decays in pp collision data collected with the ATLAS detector at $\sqrt{s} = 7$ TeV, G. Aad *et al.*, ATLAS Collaboration, J. High Energy Phys. 09 (2012) 139
97. Search for the Standard Model Higgs boson in the $H \rightarrow WW^{(*)} \rightarrow l\nu l\nu$ decay mode with 4.7 fb^{-1} of ATLAS data at $\sqrt{s} = 7$ TeV, G. Aad *et al.*, ATLAS Collaboration, Phys. Lett. B 716 (2012) 62-81
98. Hunt for new phenomena using large jet multiplicities and missing transverse momentum with ATLAS in 4.7 fb^{-1} of $\sqrt{s} = 7$ TeV proton-proton collisions, G. Aad *et al.*, ATLAS Collaboration, J. High Energy Phys. 07 (2012) 167
99. Measurement of event shapes at large momentum transfer with the ATLAS detector in pp collisions at $\sqrt{s} = 7$ TeV, G. Aad *et al.*, ATLAS Collaboration, Eur. Phys. J. C 72 (2012) 2211
100. Search for a Standard Model Higgs boson in the mass range 200-600 GeV in the $H \rightarrow ZZ \rightarrow l^+l^-q\bar{q}$ decay channel with the ATLAS detector, G. Aad *et al.*, ATLAS Collaboration, Phys. Lett. B 717 (2012) 70-88
101. ATLAS measurements of the properties of jets for boosted particle searches, G. Aad *et al.*, ATLAS Collaboration, Phys. Rev. D 86 (2012) 072006
102. Search for the Standard Model Higgs boson in the $H \rightarrow \tau^+\tau^-$ decay mode in $\sqrt{s} = 7$ TeV pp collisions with ATLAS, G. Aad *et al.*, ATLAS Collaboration, J. High Energy Phys. 09 (2012) 070
103. Search for the Higgs boson in the $H \rightarrow WW \rightarrow l\nu jj$ decay channel at $\sqrt{s} = 7$ TeV with the ATLAS detector, G. Aad *et al.*, ATLAS Collaboration, Phys. Lett. B 718 (2012) 391-410

104. Combined search for the Standard Model Higgs boson in pp collisions at $\sqrt{s} = 7$ TeV with the ATLAS detector, G. Aad *et al.*, ATLAS Collaboration, Phys. Rev. D 86 (2012) 032003
105. Search for the Standard Model Higgs boson produced in association with a vector boson and decaying to a b-quark pair with the ATLAS detector, G. Aad *et al.*, ATLAS Collaboration, Phys. Lett. B 718 (2012) 369-390
106. A search for $t\bar{t}$ resonances in lepton+jets events with highly boosted top quarks collected in pp collisions at $\sqrt{s} = 7$ TeV with the ATLAS detector, G. Aad *et al.*, ATLAS Collaboration, J. High Energy Phys. 09 (2012) 041
107. Search for top and bottom squarks from gluino pair production in final states with missing transverse energy and at least three b-jets with the ATLAS detector, G. Aad *et al.*, ATLAS Collaboration, Eur. Phys. J. C 72 (2012) 2174
108. Search for magnetic monopoles in $\sqrt{s} = 7$ TeV pp collisions with the ATLAS detector, G. Aad *et al.*, ATLAS Collaboration, Phys. Rev. Lett 109 (2012) 261803
109. Observation of a new particle in the search for the Standard Model Higgs boson with the ATLAS detector at the LHC, G. Aad *et al.*, ATLAS Collaboration, Phys. Lett. B 716 (2012) 1-29
110. Underlying event characteristics and their dependence on jet size of charged-particle jet events in pp collisions at $\sqrt{s} = 7$ TeV with the ATLAS detector, G. Aad *et al.*, ATLAS Collaboration, Phys. Rev. D 86 (2012) 072004
111. Time-dependent angular analysis of the decay $B_s^0 \rightarrow J/\psi\phi$ and extraction of $\Delta\Gamma_s$ and the CP-violating weak phase ϕ_s by ATLAS, G. Aad *et al.*, ATLAS Collaboration, J. High Energy Phys. 12 (2012) 072
112. Measurement of $W^\pm Z$ production in proton-proton collisions at $\sqrt{s} = 7$ TeV with the ATLAS detector, G. Aad *et al.*, ATLAS Collaboration, Eur. Phys. J. C 72 (2012) 2173
113. Search for a supersymmetric partner to the top quark in final states with jets and missing transverse momentum at $\sqrt{s} = 7$ TeV with the ATLAS detector, G. Aad *et al.*, ATLAS Collaboration, Phys. Rev. Lett 109 (2012) 211802
114. Search for direct top squark pair production in final states with one isolated lepton, jets, and missing transverse momentum in $\sqrt{s} = 7$ TeV pp collisions using 4.7 fb^{-1} of ATLAS data, G. Aad *et al.*, ATLAS Collaboration, Phys. Rev. Lett 109 (2012) 211803
115. Search for light scalar top-quark pair production in final states with two leptons with the ATLAS detector in $\sqrt{s} = 7$ TeV proton-proton collisions, G. Aad *et al.*, ATLAS Collaboration, Eur. Phys. J. C 72 (2012) 2237
116. Further search for supersymmetry at $\sqrt{s} = 7$ TeV in final states with jets, missing transverse momentum and isolated leptons with the ATLAS detector, G. Aad *et al.*, ATLAS Collaboration, Phys. Rev. D 86 (2012) 092002

117. Measurements of the pseudorapidity dependence of the total transverse energy in proton-proton collisions at $\sqrt{s} = 7$ TeV with ATLAS, G. Aad *et al.*, ATLAS Collaboration, J. High Energy Phys. 11 (2012) 033
118. Prototype ATLAS IBL modules using the FE-I4A front-end readout chip, J. Albert *et al.*, ATLAS Collaboration, J. Instrum 7 (2012) P11010
119. Search for diphoton events with large missing transverse momentum in 7 TeV proton-proton collision data with the ATLAS detector, G. Aad *et al.*, ATLAS Collaboration, Phys. Lett. B 718 (2012) 411-430
120. Search for high-mass resonances decaying to dilepton final states in pp collisions at a center-of-mass energy of 7 TeV with the ATLAS detector, G. Aad *et al.*, ATLAS Collaboration, J. High Energy Phys. 11 (2012) 138
121. Search for a heavy top-quark partner in final states with two leptons with the ATLAS detector at the LHC, G. Aad *et al.*, ATLAS Collaboration, J. High Energy Phys. 11 (2012) 094
122. ATLAS search for a heavy gauge boson decaying to a charged lepton and a neutrino in pp collisions at $\sqrt{s} = 7$ TeV, G. Aad *et al.*, ATLAS Collaboration, Eur. Phys. J. C 72 (2012) 2241
123. Search for resonant top quark plus jet production in $t\bar{t}$ +jets events with the ATLAS detector in pp collisions at $\sqrt{s}=7$ TeV, G. Aad *et al.*, ATLAS Collaboration, Phys. Rev. D 86 (2012) 091103
124. Search for Supersymmetry in Events with Large Missing Transverse Momentum, Jets, and at Least One Tau Lepton in 7 TeV Proton-Proton Collision Data with the ATLAS Detector, G. Aad *et al.*, ATLAS Collaboration, Eur. Phys. J. C 72 (2012) 2215
125. Search for R-parity-violating supersymmetry in events with four or more leptons in $\sqrt{s} = 7$ TeV pp collisions with the ATLAS detector, G. Aad *et al.*, ATLAS Collaboration, J. High Energy Phys. 12 (2012) 124
126. Search for anomalous production of prompt like-sign lepton pairs at $\sqrt{s} = 7$ TeV with the ATLAS detector, G. Aad *et al.*, ATLAS Collaboration, J. High Energy Phys. 12 (2012) 007
127. Search for pair production of massive particles decaying into three quarks with the ATLAS detector in $\sqrt{s} = 7$ TeV pp collisions at the LHC, G. Aad *et al.*, ATLAS Collaboration, J. High Energy Phys. 12 (2012) 086
128. Search for doubly-charged Higgs bosons in like-sign dilepton final states at $\sqrt{s} = 7$ TeV with the ATLAS detector, G. Aad *et al.*, ATLAS Collaboration, Eur. Phys. J. C 72 (2012) 2244
129. A Particle Consistent with the Higgs Boson Observed with the ATLAS Detector at the Large Hadron Collider, G. Aad *et al.*, ATLAS Collaboration, Science 338 (2012) 1576-1582

2011

1. Measurement of inclusive jet and dijet cross sections in proton-proton collisions at 7 TeV centre-of-mass energy with the ATLAS detector, G. Aad *et al.*, ATLAS Collaboration, Eur. Phys. J. C 71 (2011) 1512
2. Search for Quark Contact Interactions in Dijet Angular Distributions in pp Collisions at $\sqrt{s} = 7$ TeV Measured with the ATLAS Detector, G. Aad *et al.*, ATLAS Collaboration, Phys. Lett. B 694 (2011) 327-345
3. Studies of the performance of the ATLAS detector using cosmic-ray muons, G. Aad *et al.*, ATLAS Collaboration, Eur. Phys. J. C 71 (2011) 1593
4. Measurement of underlying event characteristics using charged particles in pp collisions at $\sqrt{s} = 900$ GeV and 7 TeV with the ATLAS Detector, G. Aad *et al.*, ATLAS Collaboration, Phys. Rev. D 83 (2011) 112001
5. Measurement of the inclusive isolated prompt photon cross section in pp collisions at $\sqrt{s} = 7$ TeV with the ATLAS detector, G. Aad *et al.*, ATLAS Collaboration, Phys. Rev. D 83 (2011) 052005
6. Measurement of the top quark-pair production cross section with ATLAS in pp collisions at $\sqrt{s} = 7$ TeV, G. Aad *et al.*, ATLAS Collaboration, Eur. Phys. J. C 71 (2011) 1577
7. Charged-particle multiplicities in pp interactions measured with the ATLAS detector at the LHC, G. Aad *et al.*, ATLAS Collaboration, New J. Phys 13 (2011) 053033
8. Search for diphoton Events with Large missing transverse energy in 7 TeV proton-proton collisions with the ATLAS detector, G. Aad *et al.*, ATLAS Collaboration, Phys. Rev. Lett 106 (2011) 121803
9. Measurement of the production cross section for W bosons in association with jets in pp collisions at $\sqrt{s} = 7$ TeV with the ATLAS detector, G. Aad *et al.*, ATLAS Collaboration, Phys. Lett. B 698 (2011) 325-345
10. Measurement of the centrality dependence of J/ψ yields and observation of Z production in lead-lead collisions with the ATLAS detector at the LHC, G. Aad *et al.*, ATLAS Collaboration, Phys. Lett. B 697 (2011) 294-312
11. Study of Jet Shapes in Inclusive Jet Production in pp Collisions at $\sqrt{s} = 7$ TeV using the ATLAS Detector, G. Aad *et al.*, ATLAS Collaboration, Phys. Rev. D 83 (2011) 052003
12. Luminosity Determination in pp Collisions at $\sqrt{s} = 7$ TeV using the ATLAS Detector at the LHC, G. Aad *et al.*, ATLAS Collaboration, Eur. Phys. J. C 71 (2011) 1630
13. Search for massive long-lived highly ionizing particles with the ATLAS detector at the LHC, G. Aad *et al.*, ATLAS Collaboration, Phys. Lett. B 698 (2011) 353-370
14. Search for supersymmetry using final states with one lepton, jets, and missing transverse momentum with the ATLAS detector in $\sqrt{s}=7$ TeV pp collisions, G. Aad *et al.*, ATLAS Collaboration, Phys. Rev. Lett 106 (2011) 131802

15. Measurement of Dijet Azimuthal Decorrelations in pp Collisions at $\sqrt{s} = 7\text{TeV}$, G. Aad *et al.*, ATLAS Collaboration, Phys. Rev. Lett 106 (2011) 172002
16. Search for squarks and gluinos using final states with jets and missing transverse momentum with the ATLAS detector in $\sqrt{s} = 7$ TeV proton-proton collisions, G. Aad *et al.*, ATLAS Collaboration, Phys. Lett. B 701 (2011) 186-203
17. Measurements of underlying-event properties using neutral and charged particles in pp collisions at $\sqrt{s} = 900$ GeV and $\sqrt{s} = 7$ TeV with the ATLAS detector at the LHC, G. Aad *et al.*, ATLAS Collaboration, Eur. Phys. J. C 71 (2011) 1636
18. Search for high-mass states with one lepton plus missing transverse momentum in proton-proton collisions at $\sqrt{s} = 7\text{TeV}$ with the ATLAS detector, G. Aad *et al.*, ATLAS Collaboration, Phys. Lett. B 701 (2011) 50-69
19. Search for Stable Hadronising Squarks and Gluinos at the ATLAS Experiment at the LHC, G. Aad *et al.*, ATLAS Collaboration, Phys. Lett. B 701 (2011) 1-19
20. Measurement of the W charge asymmetry in the $W \rightarrow \mu\nu$ decay mode in pp collisions at $\sqrt{s} = 7$ TeV with the ATLAS detector, G. Aad *et al.*, ATLAS Collaboration, Phys. Lett. B 701 (2011) 31-49
21. A search for new physics in dijet mass and angular distributions in pp collisions at $\sqrt{s} = 7$ TeV measured with the ATLAS detector, G. Aad *et al.*, ATLAS Collaboration, New J. Phys 13 (2011) 053044
22. Search for supersymmetry in pp collisions at $\sqrt{s} = 7\text{TeV}$ in final states with missing transverse momentum and b-jets, G. Aad *et al.*, ATLAS Collaboration, Phys. Lett. B 701 (2011) 398-416
23. Search for a heavy particle decaying into an electron and a muon with the ATLAS detector in $\sqrt{s} = 7$ TeV pp collisions at the LHC, G. Aad *et al.*, ATLAS Collaboration, Phys. Rev. Lett 106 (2011) 251801
24. Search for high mass dilepton resonances in pp collisions at $\sqrt{s}=7$ TeV with the ATLAS experiment, G. Aad *et al.*, ATLAS Collaboration, Phys. Lett. B 700 (2011) 163-180
25. Search for an excess of events with an identical flavour lepton pair and significant missing transverse momentum in $\sqrt{s} = 7$ TeV proton-proton collisions with the ATLAS detector, G. Aad *et al.*, ATLAS Collaboration, Eur. Phys. J. C 71 (2011) 1647
26. Search for supersymmetric particles in events with lepton pairs and large missing transverse momentum in $\sqrt{s} = 7$ TeV proton-proton collisions at the ATLAS experiment, G. Aad *et al.*, ATLAS Collaboration, Eur. Phys. J. C 71 (2011) 1682
27. Measurement of the Inelastic Proton-Proton Cross-Section at $\sqrt{s}=7$ TeV with the ATLAS Detector, G. Aad *et al.*, ATLAS Collaboration, Nat. Commun. 2 (2011) 463

28. Measurement of the differential cross-sections of inclusive, prompt and non-prompt J/ψ production in proton-proton collisions at $\sqrt{s} = 7$ TeV, G. Aad *et al.*, ATLAS Collaboration, Nucl. Phys. B 850 (2011) 387-444
29. Search for Contact Interactions in Dimuon Events from pp Collisions at $\sqrt{s} = 7$ TeV with the ATLAS Detector, G. Aad *et al.*, ATLAS Collaboration, Phys. Rev. D 84 (2011) 011101(R)
30. Search for pair production of first or second generation leptoquarks in proton-proton collisions at $\sqrt{s}=7$ TeV using the ATLAS detector at the LHC, G. Aad *et al.*, ATLAS Collaboration, Phys. Rev. D 83 (2011) 112006
31. Measurement of the W^+W^- cross section in $\sqrt{s} = 7$ TeV pp collisions with ATLAS, G. Aad *et al.*, ATLAS Collaboration, Phys. Rev. Lett 107 (2011) 041802
32. Measurement of $W\gamma$ and $Z\gamma$ production in proton- proton collisions at $\sqrt{s} = 7$ TeV with the ATLAS Detector, G. Aad *et al.*, ATLAS Collaboration, J. High Energy Phys. 09 (2011) 072
33. Limits on the production of the Standard Model Higgs Boson in pp collisions at $\sqrt{s}=7$ TeV with the ATLAS detector, G. Aad *et al.*, ATLAS Collaboration, Eur. Phys. J. C 71 (2011) 1728
34. Search for heavy long-lived charged particles with the ATLAS detector in pp collisions at $\sqrt{s} = 7$ TeV, G. Aad *et al.*, ATLAS Collaboration, Phys. Lett. B 703 (2011) 428-446
35. Search for new phenomena with the monojet and missing transverse momentum signature using the ATLAS detector in $\sqrt{s} = 7$ TeV proton-proton collisions, G. Aad *et al.*, ATLAS Collaboration, Phys. Lett. B 705 (2011) 294-312
36. Measurement of the $\Upsilon(1S)$ Production Cross-Section in pp Collisions at $\sqrt{s} = 7$ TeV in ATLAS, G. Aad *et al.*, ATLAS Collaboration, Phys. Lett. B 705 (2011) 9-27
37. Search for diphoton events with large missing transverse energy with 36 pb^1 of 7 TeV proton-proton collision data with the ATLAS detector, G. Aad *et al.*, ATLAS Collaboration, Eur. Phys. J. C 71 (2011) 1744
38. Measurement of dijet production with a veto on additional central jet activity in pp collisions at $\sqrt{s}=7$ TeV using the ATLAS detector, G. Aad *et al.*, ATLAS Collaboration, J. High Energy Phys. 09 (2011) 053
39. Measurement of multi-jet cross sections in proton-proton collisions at a 7 TeV center-of-mass energy, G. Aad *et al.*, ATLAS Collaboration, Eur. Phys. J. C 71 (2011) 1763
40. Measurement of the transverse momentum distribution of Z/γ^* bosons in proton-proton collisions at $\sqrt{s}=7$ TeV with the ATLAS detector, G. Aad *et al.*, ATLAS Collaboration, Phys. Lett. B 705 (2011) 415-434
41. Properties of jets measured from tracks in proton-proton collisions at center-of-mass energy $\sqrt{s} = 7$ TeV with the ATLAS detector, G. Aad *et al.*, ATLAS Collaboration, Phys. Rev. D 84 (2011) 054001

42. Search for neutral MSSM Higgs bosons decaying to $\tau^+\tau^-$ pairs in proton-proton collisions at $\sqrt{s} = 7$ TeV with the ATLAS detector, G. Aad *et al.*, ATLAS Collaboration, Phys. Lett. B 705 (2011) 174-192
43. Measurement of the inclusive isolated prompt photon cross-section in pp collisions at $\sqrt{s} = 7$ TeV using 35 pb^{-1} of ATLAS data, G. Aad *et al.*, ATLAS Collaboration, Phys. Lett. B 706 (2011) 150-167
44. Inclusive search for same-sign dilepton signatures in pp collisions at $\sqrt{s} = 7$ TeV with the ATLAS detector, G. Aad *et al.*, ATLAS Collaboration, J. High Energy Phys. 10 (2011) 107
45. Search for a heavy gauge boson decaying to a charged lepton and a neutrino in 1 fb^{-1} of pp collisions at $\sqrt{s} = 7$ TeV using the ATLAS detector, G. Aad *et al.*, ATLAS Collaboration, Phys. Lett. B 705 (2011) 28-46
46. Search for dilepton resonances in pp collisions at $\sqrt{s} = 7$ TeV with the ATLAS detector, G. Aad *et al.*, ATLAS Collaboration, Phys. Rev. Lett 107 (2011) 272002
47. Measurement of the $Z \rightarrow \tau\tau$ Cross Section with the ATLAS Detector, G. Aad *et al.*, ATLAS Collaboration, Phys. Rev. D 84 (2011) 112006
48. Search for the standard model higgs boson in the two photon decay channel with the ATLAS detector at the LHC, G. Aad *et al.*, ATLAS Collaboration, Phys. Lett. B 705 (2011) 452-470
49. Search for a Standard Model Higgs boson in the $H \rightarrow ZZ \rightarrow l^+l^-\nu\bar{\nu}$ decay channel with the ATLAS detector, G. Aad *et al.*, ATLAS Collaboration, Phys. Rev. Lett 107 (2011) 221802
50. Search for a heavy neutral particle decaying into an electron and a muon using 1 fb^{-1} of ATLAS data, G. Aad *et al.*, ATLAS Collaboration, Eur. Phys. J. C 71 (2011) 1809
51. Search for the Higgs boson in the $H \rightarrow WW \rightarrow l\nu jj$ decay channel in pp collisions at $\sqrt{s} = 7$ TeV with the ATLAS detector, G. Aad *et al.*, ATLAS Collaboration, Phys. Rev. Lett 107 (2011) 231801
52. Search for the standard model higgs boson in the decay channel $H \rightarrow ZZ^{(*)} \rightarrow 4l$ with the ATLAS detector, G. Aad *et al.*, ATLAS Collaboration, Phys. Lett. B 705 (2011) 435-451
53. Measurement of the jet fragmentation function and transverse profile in proton-proton collisions at a center-of-mass energy of 7 TeV with the ATLAS detector, G. Aad *et al.*, ATLAS Collaboration, Eur. Phys. J. C 71 (2011) 1795
54. Measurement of the inclusive and dijet cross-sections of b-jets in pp collisions at $\sqrt{s} = 7$ TeV with the ATLAS detector, G. Aad *et al.*, ATLAS Collaboration, Eur. Phys. J. C 71 (2011) 1846

55. Search for new phenomena in final states with large jet multiplicities and missing transverse momentum using $\sqrt{s}=7$ TeV pp collisions with the ATLAS detector, G. Aad *et al.*, ATLAS Collaboration, J. High Energy Phys. 11 (2011) 099
56. Search for massive colored scalars in four-jet final states in $\sqrt{s}=7$ TeV proton-proton collisions with the ATLAS detector, G. Aad *et al.*, ATLAS Collaboration, Eur. Phys. J. C 71 (2011) 1828

2010

1. Charged-particle multiplicities in pp interactions at $\sqrt{s} = 900$ GeV measured with the ATLAS detector at the LHC, G. Aad *et al.*, ATLAS Collaboration, Phys. Lett. B 688 (2010) 21-42
2. Readiness of the ATLAS Liquid Argon Calorimeter for LHC Collisions, G. Aad *et al.*, ATLAS Collaboration, Eur. Phys. J. C 70 (2010) 723-753
3. The ATLAS Simulation Infrastructure, G. Aad *et al.*, ATLAS Collaboration, Eur. Phys. J. C 70 (2010) 823-874
4. Performance of the ATLAS Detector using First Collision Data, G. Aad *et al.*, ATLAS Collaboration, J. High Energy Phys. 09 (2010) 056
5. The ATLAS Inner Detector commissioning and calibration, G. Aad *et al.*, ATLAS Collaboration, Eur. Phys. J. C 70 (2010) 787-821
6. Drift Time Measurement in the ATLAS Liquid Argon Electromagnetic Calorimeter using Cosmic Muons, G. Aad *et al.*, ATLAS Collaboration, Eur. Phys. J. C 70 (2010) 755-785
7. Readiness of the ATLAS Tile Calorimeter for LHC collisions, G. Aad *et al.*, ATLAS Collaboration, Eur. Phys. J. C 70 (2010) 1193-1236
8. Commissioning of the ATLAS Muon Spectrometer with Cosmic Rays, G. Aad *et al.*, ATLAS Collaboration, Eur. Phys. J. C 70 (2010) 875-916
9. Search for New Particles in Two-Jet Final States in 7 TeV Proton-Proton Collisions with the ATLAS Detector at the LHC, G. Aad *et al.*, ATLAS Collaboration, Phys. Rev. Lett 105 (2010) 161801
10. Measurement of the $W \rightarrow l\nu$ and $Z/\gamma^* \rightarrow ll$ production cross sections in proton-proton collisions at $\sqrt{s} = 7$ TeV with the ATLAS detector, G. Aad *et al.*, ATLAS Collaboration, J. High Energy Phys. 12 (2010) 060
11. Observation of a Centrality-Dependent Dijet Asymmetry in Lead-Lead Collisions at $\sqrt{s_{NN}} = 2.76$ TeV with the ATLAS Detector at the LHC, G. Aad *et al.*, ATLAS Collaboration, Phys. Rev. Lett 105 (2010) 252303

acte de conférence

2026

1. Machine Learning for Real-Time Processing of ATLAS Liquid Argon Calorimeter Signals with FPGAs, R. Bertrand, PoS EPS-HEP2025, EPS-HEP2025, 2025 European Physical Society Conference on High Energy Physics (2026) 078, Marseille, France, 7-11 Jul 2025

2025

1. Recent results and perspectives of the Monopix Depleted Monolithic Active Pixel Sensors (DMAPS), F. Hügging, M. Barbero, P. Barrillon, C. Bepin, P. Breugnon, I. Caicedo, Y. Degerli, J. Dingfelder, T. Hemperek, T. Hirono, H. Krüger, K. Moustakas, P. Pangaud, H. Pernegger, P. Riedler, P. Rymaszewski, L. Schall, P. Schwemling, W. Snoeys, T. Wang, N. Vermes, S. Zhang, Nucl. Instrum. Meth. A, 1070, 16th Pisa Meeting on Advanced Detectors (2025) 170007, La Biodola, Italy, 26 May - 01 Jun 2024
2. Machine Learning for Real-Time Processing of ATLAS Liquid Argon Calorimeter Signals with FPGAs, N. Sur, PoS, 2024, 42nd International Conference on High Energy Physics (2025) 1006, Prague, indéfini, 17-24 Jul 2024
3. Search for doubly resonant beyond the Standard Model process with one Higgs boson and one scalar resonance in the final state in the bb channel in the ATLAS experiment at the LHC, G. Tolkachev, indéfini, Journées de Rencontres Jeunes Chercheurs (JRJC 2024) (2025), Saint-Jacut-de-la-Mer, France, 24-30 Nov 2024
4. Improvement of Noise Burst Mitigation Measures in the ATLAS Liquid Argon Calorimeter, C. Mavungu Tsava, indéfini, Journées de Rencontres Jeunes Chercheurs (JRJC 2024) (2025), Saint-Jacut-de-la-Mer, France, 24-30 Nov 2024

2024

1. Improvement in the Design and Performance of the Monopix2 Reticule-Scale DMAPS, I. Caicedo, M. Barbero, P. Barrillon, C. Bepin, I. Berdalovic, P. Breugnon, R. Cardella, Y. Degerli, J. Dingfelder, L. F. S. de Acedo, F. Guilloux, A. Habib, T. Hemperek, T. Hirono, F. Hügging, H. Krüger, T. Kugathasan, K. Moustakas, P. Pangaud, H. Pernegger, F. Piro, P. Riedler, A. Rozanov, P. Rymaszewski, L. Schall, P. Schwemling, W. Snoeys, T. Wang, N. Vermes, S. Zhang, JPS Conf. Proc., 42, 31st International Workshop on Vertex Detectors (2024) 011021, Chiba, Japan, 23-28 Oct 2022
2. Measurements of Higgs boson production in association with top quarks at the ATLAS experiment, T. Strebler, PoS, EPS-HEP2023, 2023 European Physical Society Conference on High Energy Physics (2024) 383, Hamburg, Germany, 21-25 Aug 2023

3. Search for a heavy scalar X decaying to a scalar S and the Higgs boson in the $X \rightarrow SH \rightarrow b\bar{b}$ channel with ATLAS Run 2 data, M. Fernoux, indéfini, JRJC 2023 - Journées de Rencontre Jeunes Chercheurs (2024), Saint-Jean-de-Monts, France, 22-28 Oct 2023
4. Test-beam performance of a proton-irradiated, large-scale depleted monolithic active pixel sensors (DMAPS) in 150nm CMOS technology, L. Schall, M. Barbero, P. Barrillon, C. Bepin, P. Breugnon, I. Caicedo, Y. Degerli, J. Dingfelder, T. Hemperek, T. Hirono, F. Hügging, H. Krüger, P. Pangaud, P. Rymaszewski, P. Schwemling, T. Wang, N. Wermes, S. Zhang, PoS, 2023, 32nd International Workshop on Vertex Detectors (2024) 043, Genova, Italy, 16-20 Oct 2023
5. Scalar sector of Type 2 Seesaw model explorations with multi-lepton final states, A. Jinaru, C. Alexa, O. A. Ducu, A. E. Dumitriu, E. Monnier, G. Moulataka, A. Tudorache, H. Xu, PoS, 2024, 42nd International Conference on High Energy Physics (2024) 086, Prague, Czech Republic, 17-24 Jul 2024

2023

1. Flavour tagging with graph neural networks with the ATLAS detector, A. Duperrin, indéfini, 30th International Workshop on Deep-Inelastic Scattering and Related Subjects (2023), East Lansing, United States, 27-31 Mar 2023

2021

1. Test results of ATLASPIX3 — A reticle size HVCMOS pixel sensor designed for construction of multi chip modules, R. Schimassek, A. Andreazza, H. Augustin, M. Barbero, M. Benoit, F. Ehrler, G. Iacobucci, A. Meneses, P. Pangaud, M. Prathapan, A. Schöning, E. Vilella, A. Weber, M. Weber, W. Wong, H. Zhang, I. Perić, Nucl. Instrum. Meth. A, 986, 12th International 'Hiroshima' Symposium on the Development and Application of Semiconductor Tracking Detectors (2021) 164812, Hiroshima, Japan, 14-18 Dec 2019
2. Radiation hard monolithic CMOS sensors with small electrodes for High Luminosity LHC, H. Pernegger, P. Allport, I. Asensi Tortajada, M. Barbero, P. Barrillon, I. Berdalovic, C. Bepin, S. Bhat, D. Bortoletto, P. Breugnon, C. Buttar, R. Cardella, F. Dachs, V. Dao, Y. Degerli, H. Denizli, M. Dyndal, L. Flores Sanz de Acedo, P. Freeman, L. Gonella, A. Habib, T. Hemperek, T. Hirono, B. Hiti, T. Kugathasan, I. Mandić, M. Mikuž, K. Moustakas, M. Munker, K. Y. Oyulmaz, P. Pangaud, F. Piro, P. Riedler, H. Sandaker, E. J. Schioppa, P. Schwemling, A. Sharma, L. Simon Argemi, C. Solans Sanchez, W. Snoeys, T. Suligoj, T. Wang, N. Wermes, Nucl. Instrum. Meth. A, 986, 12th International 'Hiroshima' Symposium on the Development and Application of Semiconductor Tracking Detectors (2021) 164381, Hiroshima, Japan, 14-18 Dec 2019

2020

1. Single event upsets in the ATLAS IBL frontend ASICs at the Large Hadron Collider at CERN, A. Rozanov, J. Instrum, 15, 21st International Workshop on Radiation Imaging Detectors (2020) C01027, Chania, Greece, 7-12 Jul 2019

2. RD53 analog front-end processors for the ATLAS and CMS experiments at the High-Luminosity LHC, L. Gaioni, M. Manghisoni, V. Re, E. Riceputi, G. Traversi, M. B. Barbero, D. Fougeron, S. Godiot, M. Menouni, P. Pangaud, A. Rozanov, P. Breugnon, M. Bomben, G. Calderini, F. Crescioli, O. Le Dortz, G. Marchiori, D. Dzahini, F. E. Rarbi, R. Gaglione, H. Krüger, M. Daas, Y. Dieter, T. Hemperek, F. Hügging, K. Moustakas, D. Pohl, P. Rymaszewski, M. Standke, M. Vogt, T. Wang, N. Wermes, M. Karagounis, A. Stiller, C. Marzocca, G. De Robertis, F. Loddo, F. Licciulli, A. Andreazza, V. Liberali, A. Stabile, L. Frontini, M. Bagatin, D. Bisello, S. Gerardin, S. Mattiazzo, A. Paccagnella, D. Vogrig, S. Bonaldo, N. Bacchetta, G. Della Casa, N. Demaria, G. Mazza, E. Monteil, L. Pacher, A. Paternò, A. Rivetti, M. D. Da Rocha Rolo, L. Ratti, C. Vacchi, K. Androsov, R. Beccherle, G. Magazzu, M. Minuti, F. Morsani, F. Palla, S. Poulivos, G. M. Bilei, M. Menichelli, D. Passeri, P. Placidi, D. Gajanana, V. Gromov, B. van Eijk, R. Kluit, A. Vitkovskiy, T. Benka, M. Havranek, Z. Janoska, M. Marcisovsky, G. Neue, L. Tomasek, V. Kafka, V. Vrba, I. Vila, E. M. S. Jiménez, E. Lopez-Morillo, F. R. Palomo, F. Muñoz, D. Abbaneo, J. Christiansen, N. Emriskova, S. Orfanelli, S. Marconi, L. M. Jara Casas, S. Bell, M. L. Prydderch, S. Thomas, D. C. Christian, G. Deptuch, F. Fahim, J. Hoff, R. Lipton, T. Liu, T. Zimmerman, S. Miryala, M. Garcia-Sciveres, D. Gnani, A. Krieger, K. Papadopoulou, T. Heim, A. Dimitrievska, R. Carney, B. Nachman, C. Renteira, V. Wallangen, M. Hoferkamp, S. Seidel, PoS, Vertex2019, 28th International Workshop on Vertex Detectors (2020) 021, Lopud Island, Croatia, 13-18 Oct 2019
3. Recent measurements on MiniMALTA, a radiation hard CMOS sensor with small collection electrodes for ATLAS, P. M. Freeman, P. Allport, I. Asensi Tortajada, M. Barbero, S. Bhat, D. Bortoletto, I. Berdalovic, C. Bepin, C. Buttar, I. Caicedo, R. Cardella, F. Dachs, V. Dao, H. Denizli, M. Dyndal, L. Flores Sanz De Acedo, L. Gonella, A. Habib, T. Hemperek, T. Hirono, D. Maneuski, K. Metodiev, M. Mironova, K. Moustakas, M. Munker, K. Y. Oyulmaz, P. Pangaud, H. Pernegger, F. Piro, P. Riedler, H. Sandaker, E. J. Schioppa, P. Schwemling, A. Sharma, I. Shipsey, L. S. Argemim, C. Solans Sanchez, W. Snoeys, T. Suligoj, T. Wang, D. Weatherill, H. Wennlöf, N. Wermes, D. Wood, S. Worm, PoS, Vertex2019, 28th International Workshop on Vertex Detectors (2020) 020, Lopud Island, Croatia, 13-18 Oct 2019
4. Implementation and performances of a DPM federated storage and integration within the ATLAS environment, S. Jezequel, S. C. Crepe-Renaudin, C. Adam Bourdarios, F. M. Le Flour Chollet, E. B. Knoops, J.-C. Chevalayre, M. A. Gougerot, C. N. Gondrand, EPJ Web Conf., 245, 24th International Conference on Computing in High Energy and Nuclear Physics (2020) 04045, Adelaide, Australia, 4-8 Nov 2019
5. DMAPS Monopix developments in large and small electrode designs, C. Bepin, M. Barbero, P. Barrillon, I. Berdalovic, S. Bhat, P. Breugnon, I. Caicedo, R. Cardella, Z. Chen, Y. Degerli, J. Dingfelder, L. Flores Sanz de Acedo, S. Godiot, F. Guilloux, T. Hirono, T. Hemperek, F. Hügging, H. Krüger, T. Kugathasan, C. Marin Tobon, K. Moustakas, P. Pangaud, H. Pernegger, F. Piro, P. Riedler, A. Rozanov, P. Rymaszewski, P. Schwemling, W. Snoeys, M. Vandenbroucke, T. Wang, N. Wermes, S. Zhang, Nucl.

Instrum. Meth. A, 978, 12th International 'Hiroshima' Symposium on the Development and Application of Semiconductor Tracking Detectors (2020) 164460, Hiroshima, Japan, 14-18 Dec 2019

6. Applications and Perspectives of Ultrasonic Multi-Gas Analysis with Simultaneous Flowmetry, Hallewell, G., Dingley, J., Doubek, M., Feuillassier, R., Katunin, S., Nagai, K., Robinson, D., Rozanov, A., Williams, D., Vacek, V., indéfini, e-Forum Acusticum 2020 (2020), Lyon, France, 7-11 Dec 2020

2019

1. Selected Results from the ATLAS Experiment on its 25th anniversary, F. Djama, Particle Physics at the Silver Jubilee of Lomonosov Conferences, 18th Lomonosov Conference on Elementary Particle Physics (2019) 425-431, Moscow, Russia, 24-30 Aug 2017
2. Depleted fully monolithic active CMOS pixel sensors (DMAPS) in high resistivity 150 nm technology for LHC, T. Hirono, M. Barbero, P. Barrillon, S. Bhat, P. Breugnon, I. Caicedo, Z. Chen, M. Daas, Y. Degerli, S. Godiot, F. Guilloux, T. Hemperek, F. Hugging, H. Kruger, P. Pangaud, P. Rymaszewski, P. Schwemling, M. Vandenbroucke, T. Wang, N. Wermes, Nucl. Instrum. Meth. A, 924, 11th International 'Hiroshima' Symposium on the Development and Application of Semiconductor Tracking Detectors (2019) 87-91, Okinawa, Japan, 10-15 Dec 2017
3. Applications and perspectives of gas analysis based on sonar instrumentation, C. Rossi, M. Battistin, C. Bortolin, O. Crespo- Lopez, C. Deterre, M. Doubek, G. Hallewell, S. Katunin, K. Nagai, B. Pearson, D. Robinson, A. Rozanov, V. Vacek, L. Zwalinski, indéfini, 9, (2019) 169-176, indéfini,
4. Single event upsets in the ATLAS IBL front end ASICs, A. Rozanov, Nucl. Instrum. Meth. A, 936, 14th Pisa Meeting on Advanced Detectors (2019) 703-704, La Biodola-Isola d'Elba, Italy, 27 May - 02 Jun 2018
5. Towards the large area HVCMOS demonstrator for ATLAS ITk, M. Prathapan, M. Benoit, R. Casanova, D. Dannheim, F. Ehrler, M. Kiehn, A. Nürnberg, P. Pangaud, R. Schimassek, E. Vilella, A. Weber, W. Wong, H. Zhang, I. Perić, Nucl. Instrum. Meth. A, 936, 14th Pisa Meeting on Advanced Detectors (2019) 389-391, La Biodola-Isola d'Elba, Italy, 27 May - 02 Jun 2018
6. Test results and prospects for RD53A, a large scale 65 nm CMOS chip for pixel readout at the HL-LHC, L. Gaioni, M. B. Barbero, D. Fougeron, S. Godiot, M. Menouni, P. Pangaud, A. Rozanov, P. Breugnon, M. Bomben, G. Calderini, F. Crescioli, O. Le Dortz, G. Marchiori, D. Dzahini, F. E. Rarbi, R. Gaglione, H. Krüger, M. Daas, Y. Dieter, T. Hemperek, F. Hugging, K. Moustakas, D. Pohl, P. Rymaszewski, M. Standke, M. Vogt, T. Wang, N. Wermes, M. Karagounis, A. Stiller, C. Marzocca, G. De Robertis, F. Loddo, F. Licciulli, A. Andreatza, V. Liberali, A. Stabile, L. Frontini, M. Bagatin, D. Bisello, S. Gerardin, S. Mattiazzo, A. Paccagnella, D. Vogrig, S. Bonaldo, N. Bacchetta, F. De Canio, M. Manghisoni, V. Re, E. Riceputi, G. Traversi, L. Ratti, C. Vacchi, K. Androsov, R. Beccherle, G. Magazzu,

- M. Minuti, F. Morsani, F. Palla, S. Poullos, G. M. Bilei, M. Menichelli, S. Marconi, P. Placidi, G. Dellacasa, N. Demaria, G. Mazza, E. Monteil, L. Pacher, A. Paternò, A. Rivetti, M. Da Rocha Rolo, D. Gajanana, V. Gromov, B. van Eijk, R. Kluit, A. Vitkovskiy, T. Benka, M. Havranek, Z. Janoska, M. Marcisovsky, G. Neue, L. Tomasek, V. Kafka, V. Vrba, E. Lopez-Morillo, F. R. Palomo, F. Muñoz, I. Vila, E. M. S. Jiménez, D. Abbaneo, J. Christiansen, S. Orfanelli, L. M. Jara Casas, E. Conti, S. Bell, M. L. Prydderch, S. Thomas, D. C. Christian, G. Deptuch, F. Fahim, J. Hoff, R. Lipton, T. Liu, T. Zimmerman, S. Miryala, M. Garcia-Sciveres, D. Gnani, A. Krieger, K. Papadopoulou, T. Heim, R. Carney, B. Nachman, C. Renteira, V. Wallangen, M. Hoferkamp, S. Seidel, Nucl. Instrum. Meth. A, 936, 14th Pisa Meeting on Advanced Detectors (2019) 282-285, La Biodola-Isola d'Elba, Italy, 27 May - 02 Jun 2018
7. Characterization of a depleted monolithic pixel sensors in 150 nm CMOS technology for the ATLAS Inner Tracker upgrade, F. J. Iguaz, F. Balli, M. Barbero, S. Bhat, P. Breugnon, I. Caicedo, Z. Chen, Y. Degerli, S. Godiot, F. Guilloux, C. Guyot, T. Hemperek, T. Hirono, H. Krüger, J. P. Meyer, A. Ouraou, P. Pangaud, P. Rymaszewski, P. Schwemling, M. Vandenbroucke, T. Wang, N. Wermes, Nucl. Instrum. Meth. A, 936, 14th Pisa Meeting on Advanced Detectors (2019) 652-653, La Biodola-Isola d'Elba, Italy, 27 May - 02 Jun 2018
 8. Real-Time Measurement of Xenon Concentration in a Binary Gas Mixture Using a Modified Ultrasonic Time-of-Flight Anesthesia Gas Flowmeter, Williams, David J., Hallewell, Gregory D., Chakkarapani, Ela, Dingley, John, indéfini, 129, (2019) 985-990, indéfini,
 9. CMOS Monolithic Pixel Sensors based on the Column-Drain Architecture for the HL-LHC Upgrade, K. Moustakas, M. Barbero, I. Berdalovic, C. Bepin, P. Breugnon, I. Caicedo, R. Cardella, Y. Degerli, N. Egidios Plaja, S. Godiot, F. Guilloux, T. Hemperek, T. Hirono, H. Krüger, T. Kugathasan, C. A. Marin Tobon, P. Pangaud, H. Pernegger, P. Riedler, P. Rymaszewski, E. J. Schioppa, W. Snoeys, M. Vandenbroucke, T. Wang, N. Wermes, Nucl. Instrum. Meth. A, 936, 14th Pisa Meeting on Advanced Detectors (2019) 604-607, La Biodola-Isola d'Elba, Italy, 27 May - 02 Jun 2018
 10. Characterization of Soft Error Rate Against Memory Elements Spacing and Clock Skew in a Logic with Triple Modular Redundancy in a 65nm Process, S. Miryala, T. Hemperek, M. Menouni, PoS, TWEPP2018, Topical Workshop on Electronics for Particle Physics (2019) 029, Antwerpen, Belgium, 17-21 Sep 2018
 11. Test results of irradiated CMOS pixel circuits in 150 nm CMOS technology for the ATLAS Inner Tracker Upgrade, Z. Chen, M. Barbero, P. Barrillon, C. Bepin, S. Bhat, P. Breugnon, I. Caicedo, Y. Degerli, S. Godiot, T. Hemperek, T. Hirono, F. J. Iguaz, H. Krüger, P. Pangaud, R. Alexandre, P. Rymaszewski, P. Schwemling, M. Vandenbroucke, T. Wang, W. Norbert, PoS, TWEPP2018, Topical Workshop on Electronics for Particle Physics (2019) 156, Antwerpen, Belgium, 17-21 Sep 2018

12. Design of a HVCMOS pixel sensor ASIC with on-chip readout electronics for ATLAS ITk Upgrade, M. Prathapan, P. Barrillon, M. Benoit, R. Casanova, F. Ehrler, P. Pangaud, S. Pusti, R. Schimassek, E. Vilella, A. L. Weber, W. Wong, H. Zhang, I. Peric, PoS, TWEPP2018, Topical Workshop on Electronics for Particle Physics (2019) 074, Antwerpen, Belgium, 17-21 Sep 2018
 13. Exploring the neutral sector in the doublet-triplet Higgs model, R. Kukla, PoS, CHARGED2018, 7th International Workshop on Prospects for Charged Higgs Discovery at Colliders (2019) 021, Uppsala, Sweden, 25-28 Sep 2018
 14. Development of a charge pump for sensor biasing in a Serial Powering scheme for the ATLAS pixel detector upgrade, S. Bhat, M. Barbero, P. Barrillon, P. Breugnon, A. Habib, T. Kugathasan, P. Pangaud, H. Pernegger, A. Rozanov, W. Snoeys, J. Instrum, 14, 9th International Workshop on Semiconductor Pixel Detectors for Particles and Imaging (2019) C06014, Taipei, Taiwan, 10-14 Dec 2018
 15. The Monopix chips: Depleted monolithic active pixel sensors with a column-drain read-out architecture for the ATLAS Inner Tracker upgrade, I. Caicedo, M. Barbero, P. Barrillon, I. Berdalovic, S. Bhat, C. Bepin, P. Breugnon, R. Cardella, Z. Chen, Y. Degerli, J. Dingfelder, S. Godiot, F. Guilloux, T. Hirono, T. Hemperek, F. Håijgging, H. Kråijger, T. Kugathasan, K. Moustakas, P. Pangaud, H. Pernegger, P. Riedler, A. Rozanov, P. Rymaszewski, P. Schwemling, W. Snoeys, M. Vandenbroucke, T. Wang, N. Wermes, J. Instrum, 14, 9th International Workshop on Semiconductor Pixel Detectors for Particles and Imaging (2019) C06006, Taipei, Taiwan, 10-14 Dec 2018
 16. Higgs boson production in association with a $t\bar{t}$ pair at the ATLAS experiment, A. E. Dumitriu, PoS, 2019, 27th International Workshop on Deep Inelastic Scattering and Related Subjects (2019) 086, Torino, Italy, 8-12 Apr 2019
- 2018
1. Search for the 125 GeV Higgs boson in the $t\bar{t}H$ production mode with the ATLAS detector, E. Nagy, PoS, DIS2017, 25th International Workshop on Deep-Inelastic Scattering and Related Topics (2018) 273, Birmingham, United Kingdom, 3-7 Apr 2017
 2. $t\bar{t}H$ Coupling Measurement with the ATLAS Detector at the LHC, A. Hedef, EPJ Web Conf., 182, 6th International Conference on New Frontiers in Physics (2018) 02052, Kolybari, Greece, 17-26 Aug 2017
 3. A study of SEU-tolerant latches for the RD53A chip, D. Fougeron, PoS, TWEPP-17, Topical Workshop on Electronics for Particle Physics (2018) 095, Santa Cruz, United States, 11-15 Sep 2017
 4. Depleted fully monolithic CMOS pixel detectors using a column based readout architecture for the ATLAS Inner Tracker upgrade, T. Wang, M. Barbero, I. Berdalovic, C. Bepin, S. Bhat, P. Breugnon, I. Caicedo, R. Cardella, Z. Chen, Y. Degerli, N. Egidos, S. Godiot, F. Guilloux, T. Hemperek, T.

- Hirono, H. Krüger, T. Kugathasan, F. Hügging, C. A. Marin Tobon, K. Moustakas, P. Pangaud, P. Schwemling, H. Pernegger, D.-L. Pohl, A. Rozanov, P. Rymaszewski, W. Snoeys, N. Wermes, J. Instrum, 13, 19th International Workshop on Radiation Imaging Detectors (2018) C03039, Krakow, Poland, 2-6 Jul 2017
5. Study of prototypes of LFoundry active CMOS pixels sensors for the ATLAS detector, L. Vigani, D. Bortoletto, L. Ambroz, R. Plackett, T. Hemperek, P. Rymaszewski, T. Wang, H. Krueger, T. Hirono, I. C. Sierra, N. Wermes, M. Barbero, S. Bhat, P. Breugnon, Z. Chen, S. Godiot, P. Pangaud, A. Rozanov, J. Instrum, 13, 11th International Conference on Position Sensitive Detectors (2018) C02021, Milton Keynes, United Kingdom, 3-8 Sep 2017
 6. Development of depleted monolithic pixel sensors in 150 nm CMOS technology for the ATLAS Inner Tracker upgrade, P. Rymaszewski, M. Barbero, S. Bhat, P. Breugnon, I. Caicedo, Z. Chen, Y. Degerli, S. Godiot, F. Guilloux, C. Guyot, T. Hemperek, T. Hirono, F. Hügging, H. Krüger, M. Lachkar, P. Pangaud, A. Rozanov, P. Schwemling, M. Vandenbroucke, T. Wang, N. Wermes, PoS, TWEPP-17, Topical Workshop on Electronics for Particle Physics (2018) 045, Santa Cruz, United States, 11-15 Sep 2017
 7. Higgs boson production in association with a top quark pair at the LHC, D. Madaffari, PoS ALPS2018, 2018, An Alpine LHC Physics Summit 2018 (2018) 019, Obergurgl, Austria, 15-20 Apr 2018
 8. Evidence for the $t\bar{t}H$ production at $\sqrt{s} = 13$ TeV with the ATLAS detector, R. Wolff, Phys. Rev. D, 97, Top LHC France 2018 (2018) 072003, Paris, France, 23-25 May 2018
 9. Design and Evaluation of LAr Trigger Digitizer Board in the ATLAS Phase-I Upgrade, K. Chen, H. Chen, M. Citterio, H. Deschamps, A. Grabas, S. Latorre, M. Lazzaroni, H. Liu, P. Schwemling, S. Simion, H. Xu, H. Zhu, IEEE T. Nucl. Sci, 66, 21st IEEE Real Time Conference (2018) 2011-2016, Williamsburg, United States, 11-15 Jun 2018
 10. Observation of $t\bar{t}H$ production with ATLAS, F. Hubaut, indéfini, 11th International Workshop on Top Quark Physics (2018), Bad Neuenahr, Germany, 16-21 Sep 2018

2017

1. Custom ultrasonic instrumentation for flow measurement and real-time binary gas analysis in the CERN ATLAS experiment, M. Alhroob, M. Battistin, S. Berry, A. Bitadze, P. Bonneau, G. Boyd, O. Crespo-Lopez, C. Degeorge, C. Deterre, B.-D. Girolamo, M. Doubek, G. Favre, G. Hallewell, S. Katunin, D. Lombard, A. Madsen, S. McMahon, K. Nagai, O'Rourke, A., B. Pearson, D. Robinson, C. Rossi, A. Rozanov, E. Stanecka, M. Strauss, V. Vacek, R. Vaglio, J. Young, L. Zwalinski, J. Instrum, 12, 8th International Workshop on Semiconductor Pixel Detectors for Particles and Imaging (2017) C01091, Sestri Levante, Italy, 5-9 Sep 2016

2. Probing composite models at the LHC with exotic quarks production, R. Kukla, EPJ Web Conf., 138, 23rd International Baldin Seminar on High Energy Physics Problems (2017) 01009, Dubna, Russia, 19-24 Sep 2016
3. Development of a Depleted Monolithic CMOS Sensor in a 150 nm CMOS Technology for the ATLAS Inner Tracker Upgrade, T. Wang, P. Rymaszewski, M. Barbero, Y. Degerli, S. Godiot, F. Guilloux, T. Hemperek, T. Hirono, H. Krüger, J. Liu, F. Orsini, P. Pangaud, A. Rozanov, N. Wermes, J. Instrum, 12, Topical Workshop on Electronics for Particle Physics (2017) C01039, Karlsruhe, Germany, 26 Sep - 30 Oct 2016
4. Review of Standard Model Higgs results at the ATLAS experiment, A. Calandri, J. Phys. Conf. Ser., 873, 5th Symposium on Prospects in the Physics of Discrete Symmetries (2017) 012003, Warsaw, Poland, 28 Nov - 03 Dec 2016
5. Using Integral and Differential Charge Asymmetries for BSM Searches at the LHC, S. Muanza, J. Phys. Conf. Ser., 878, Workshop on Discovery Physics at the LHC (2017) 012027, Kruger National Park, South Africa, 4-9 Dec 2016
6. Phase-I Trigger Readout Electronics Upgrade for the ATLAS Liquid-Argon Calorimeters, B. Dinkespiler, J. Instrum, The International Conference "Instrumentation for Colliding Beam Physics" (INSTR-17) (2017), Novosibirsk, Russia, 27 Feb 2017 03 Mar 2017
7. Heavy ion results from ATLAS, J. Jia, Nucl. Phys. A, 967, 26th International Conference on Ultrarelativistic Nucleus-Nucleus Collisions (2017) 51-58, Chicago, United States, 6-11 Feb 2017
8. Trigger readout electronics upgrade for the ATLAS Liquid Argon Calorimeters, B. Dinkespiler, J. Instrum, 12, International Conference on Instrumentation for Colliding Beam Physics (2017) C09011, Novosibirsk, Russia, 27 Feb - 04 Mar 2017
9. Experimental investigation and modelling of flow boiling heat transfer of c3f8/c2f6 blends, M. Doubek, M. Haubner, D. Houska, V. Vacek, M. Battistin, G. Hallelwell, S. Katunin, D. Robinson, P HEFAT, 13th Internat. Conf. on Heat Transfer, Fluid Mechanics & Thermodynamics HEFAT2017 (2017), Portoroz, Slovenia, 17-19 Jul 2017
10. Algorithmic improvements and calibration measurements for flavour tagging at the ATLAS experiment, M. Battaglia, A. Calandri, PoS, EPS-HEP2017, 2017 European Physical Society Conference on High Energy Physics (2017) 480, Venice, Italy, 5-12 Jul 2017
11. Electron identification with the ATLAS detector, G. Tarna, PoS, EPS-HEP2017, 2017 European Physical Society Conference on High Energy Physics (2017) 769, Venice, Italy, 5-12 Jul 2017
12. Search for the associated production of a Higgs boson and a top quark pair in multilepton (2 leptons, no hadronically-decaying τ lepton candidates and 4 leptons) final states with the ATLAS detector., A. E. Dumitriu, PoS, EPS-HEP2017, 2017 European Physical Society Conference on High Energy Physics (2017) 694, Venice, Italy, 5-12 Jul 2017

13. Development of a Large Pixel Chip Demonstrator in RD53 for ATLAS and CMS Upgrades, E. Conti, M. Barbero, D. Fougeron, S. Godiot, M. Menouni, P. Pangaud, A. Rozanov, P. Breugnon, M. Bomben, G. Calderini, F. Crescioli, O. Le Dortz, G. Marchiori, D. Dzahini, F. E. Rarbi, R. Gaglione, T. Hemperek, F. Huegging, H. Krueger, P. Rymazewski, M. Vogt, T. Wang, N. Wermes, M. Karagounis, F. Ciciriello, F. Corsi, C. Marzocca, G. De Robertis, F. Loddo, F. Licciulli, A. Andreazza, V. Liberali, A. Stabile, L. Frontini, M. Bagatin, D. Bisello, S. Gerardin, S. Mattiazzo, A. Paccagnella, D. Vogrig, S. Bonaldo, N. Bacchetta, F. De Canio, L. Gaioni, M. Manghisoni, V. Re, E. Riceputi, G. Traversi, L. Ratti, C. Vacchi, K. Androsov, R. Beccherle, G. Magazzù, M. Minuti, F. Morsani, F. Palla, S. Poullos, G. M. Bilei, M. Menichelli, P. Placidi, S. Marconi, G. Dellacasa, N. Demaria, G. Mazza, E. Monteil, L. Pacher, A. Rivetti, M. D. Da Rocha Rolo, A. Paternò, D. Gajanna, V. Gromov, B. Van Eijk, R. Kluit, A. Vitkovskiy, T. Benka, M. Havranek, Z. Janoska, M. Marcisovsky, G. Neue, L. Tomasek, V. Kafka, V. Vrba, E. Lopez-Morillo, F. R. Palomo, F. Munoz, I. Vila, E. Jiménez, D. Abbaneo, J. Christiansen, S. Orfanelli, L. M. Jara Casas, S. J. Bell, M. Prydderch, S. Thomas, D. C. Christian, G. Deptuch, F. Fahim, J. Hoff, T. Zimmerman, S. Miryala, M. Garcia-Sciveres, D. Gnani, A. Krieger, K. Papadopoulou, T. Heim, R. Carney, B. Nachman, C. Renteira, V. Wallangen, M. R. Hoferkamp, S. Seidel, PoS, TWEPP-17, Topical Workshop on Electronics for Particle Physics (2017) 005, Santa Cruz, United States, 11-15 Sep 2017
14. The use of a 90 metre thermosiphon cooling plant and associated custom ultrasonic instrumentation in the cooling of the ATLAS inner silicon tracker, G. Hallewell, M. Battistin, S. Berry, P. Bonneau, C. Bortolin, O. Crespo-Lopez, C. Deterre, M. Doubek, G. Favre, S. Katunin, D. Lombard, A. Madsen, K. Nagai, B. Pearson, D. Robinson, C. Rossi, A. Rozanov, E. Stanecka, V. Vacek, J. Young, L. Zwalinski, JACoW, ICALEPCS2017, 16th International Conference on Accelerator and Large Experimental Physics Control Systems (ICALEPCS 2017) (2017) THPHA193, Barcelone, Spain, 8-13 Oct 2017
15. From the speed of sound to the speed of light: Ultrasonic Cherenkov refractometry, G. Hallewell, Nucl. Instrum. Meth. A, 876, 9th International Workshop on Ring Imaging Cherenkov Detectors RICH2016 (2017) 50-53, Bled, Slovenia, 5-9 Sep 2016

2016

1. Implementations of Custom Sonar Instruments for Binary Gas Mixture and Flow Analysis in the ATLAS Experiment at the CERN LHC, M. Alhroob, R. Bates, M. Battistin, S. Berry, A. Bitadze, P. Bonneau, N. Bousson, G. Boyd, G. Bozza, O. Crespo-Lopez, C. Degeorge, C. Deterre, B. Digirolamo, M. Doubek, G. Favre, J. Godlewski, G. Hallewell, A. Hasib, S. Katunin, D. Lombard, S. McMahon, K. Nagai, O'Rourke, Abigail, B. Pearson, D. Robinson, C. Rossi, A. Rozanov, M. Strauss, V. Vacek, R. Vaglio, J. Young, L. Zwalinski, IEEE T. Nucl. Sci., 63, 4th International Conference on Advancements in Nuclear Instrumentation Measurement Methods and their Applications (2016) 1659-1667, Lisbon, Portugal, 20-24 Apr 2015

2. A New Method for Indirect Mass Measurements using the Integral Charge Asymmetry at the LHC, S. Muanza, N.P.P.P., 270-272, 18th High-Energy Physics International Conference in Quantum Chromodynamics (2016) 201-205, Montpellier, France, 29 Jun - 03 Jul 2015
3. Search for squark and gluino production in leptonic final states with the ATLAS detector, S. Kahn, PoS, 2016, 24th International Workshop on Deep-Inelastic Scattering and Related Subjects (2016) 093, Hamburg, Germany, 11-15 Apr 2016
4. HV-CMOS simulation and performance on tracking and flavour tagging, A. Calandri, L. Vacavant, M. Barbero, A. Rozanov, F. Djama, J. Instrum, 11, 8th International Workshop on Semiconductor Pixel Detectors for Particles and Imaging (2016) C12053, Sestri Levante, Italy, 5-9 Sep 2016
5. Flavour tagging performance optimization for the 2016 LHC Run, A. Calandri, PoS, LHCP2016, Fourth Annual Large Hadron Collider Physics Conference (LHCP2016) (2016) 180, Lund, Denmark, 13-18 Jun 2016
6. Flavour tagging algorithms and performance at the ATLAS experiment, A. Calandri, PoS LHCP2016, 2016, 4th Large Hadron Collider Physics Conference (2016) 180, Lund, Sweden, 13-18 Jun 2016
7. Tracking and flavour-tagging performance for HV-CMOS sensors in the context of the ATLAS ITK pixel simulation program, A. Calandri, L. Vacavant, M. Barbero, A. Rozanov, F. Djama, J. Instrum, 11, 8th International Workshop on Semiconductor Pixel Detectors for Particles and Imaging (2016) C12053, Sestri Levante, Italy, 5-9 Sep 2016
8. Pixel architectures in a HV-CMOS process for the ATLAS inner detector upgrade, Y. Degerli, S. Godiot, F. Guilloux, T. Hemperek, H. Krüger, M. Lachkar, J. Liu, F. Orsini, P. Pangaud, P. Rymaszewski, T. Wang, J. Instrum, 11, Topical Workshop on Electronics for Particle Physics (2016) C12064, Karlsruhe, Germany, 26 Sep - 30 Oct 2016
9. Speed-of-sound based sensors for environmental monitoring, Doubek, Martin, Vacek, Vaclav, Hallewell, Gregory, Pearson, Ben, indéfini, IEEE SENSORS 2016 (2016), Orlando, United States, 30 Oct - 02 Nov 2016

2015

1. Development of a custom on-line ultrasonic vapour analyzer and flow meter for the ATLAS inner detector, with application to Cherenkov and gaseous charged particle detectors, M. Alhroob, R. Bates, M. Battistin, S. Berry, A. Bitadze, P. Bonneau, N. Bousson, G. Boyd, G. Bozza, O. Crespo-Lopez, C. Degeorge, C. Deterre, B. Digirolamo, M. Doubek, G. Favre, J. Godlewski, G. Hallewell, A. Hasib, S. Katunin, N. Langevin, D. Lombard, M. Mathieu, S. McMahon, K. Nagai, A. O'Rourke, B. Pearson, D. Robinson, C. Rossi, A. Rozanov, M. Strauss, V. Vacek, L. Zwalinski, J. Instrum, 10, Topical Workshop on Electronics for Particle Physics (2015) C03045, Aix en Provence, France, 22-26 Sep 2014

2. 1-Grad total dose evaluation of 65 nm CMOS technology for the HL-LHC upgrades, M. Menouni, M. Barbero, F. Bompard, S. Bonacini, D. Fougeron, R. Gaglione, A. Rozanov, P. Valerio, A. Wang, J. Instrum, 10, Topical Workshop on Electronics for Particle Physics (TWEPP14) (2015) C05009, Aix en Provence, France, 22-26 Sep 2014
3. Search for the Higgs boson in fermionic channels using ATLAS detector, K. Mochizuki, J. Phys. Conf. Ser., 623, Workshop on Discovery Physics at the LHC (2015) 012020, Kruger National Park, South Africa,
4. A New Method for Indirect Mass Measurements using the Integral Charge Asymmetry at the LHC, S. Muanza, T. Serre, PoS, DIS 2015 - XXIII. International Workshop on Deep-Inelastic Scattering and Related Subjects (2015), Dallas, Texas, United States, 27 Avr - 1 Mai 2015
5. The Upgrade of the ATLAS Electron and Photon Triggers towards LHC Run 2 and their Performance, S.-J. Kahn, PoS, EPS- HEP2015, European Physical Society Conference on High Energy Physics 2015 (2015) 264, Vienna, Austria, 22-29 Jul 2015
6. ATLAS b-tagging performance during LHC Run 2 with the new Insertable B-layer, Y. Rodina, indéfini, The Third Annual Large Hadron Collider Physics Conference (2015), St Petersburg, Russia, 31 Aug - 5 Sep 2015

2014

1. A Custom Online Ultrasonic Gas Mixture Analyzer With Simultaneous Flowmetry, Developed for the Upgraded Evaporative Cooling System of the ATLAS Silicon Tracker, R. Bates, M. Battistin, S. Berry, J. Berthoud, A. Bitadze, P. Bonneau, J. Botelho-Direito, N. Bousson, G. Boyd, G. Bozza, E. Da Riva, O. Crespo-Lopez, C. Degeorge, C. Deterre, B. Digirolamo, M. Doubek, G. Favre, J. Godlewski, G. Hallewell, S. Katunin, N. Langevin, D. Lombard, M. Mathieu, S. McMahon, K. Nagai, D. Robinson, C. Rossi, A. Rozanov, V. Vacek, M. Vitek, L. Zwalinski, IEEE T. Nucl. Sci, 61, 3rd International Conference on Advancements in Nuclear Instrumentation Measurement Methods and their Applications (2014) 2059-2065, Marseille, France, 23-27 Jun 2013
2. SUSY search with two same-sign leptons and jets with the ATLAS detector using 21 fb^{-1} of pp collisions at 8 TeV, O. Ducu, EPJ Web Conf., 71, 2nd International Conference on New Frontiers in Physics (2014) 00043, Kolymbari, Greece, 28 Aug - 5 Sep 2013
3. Search for a high mass Higgs boson using the ATLAS detector, S. Diglio, EPJ Web Conf., 71, 2nd International Conference on New Frontiers in Physics (2014) 00038, Kolymbari, Greece, 28 Aug - 5 Sep 2013
4. High-voltage pixel sensors for ATLAS upgrade, I. Perić, C. Kreidl, P. Fischer, F. Bompard, P. Breugnon, J. Clemens, D. Fougeron, J. Liu, P. Pangaud, A. Rozanov, M. Barbero, S. Feigl, M. Capeans, D. Ferrere, H. Pernegger, B. Ristic, D. Muenstermann, S. Gonzalez Sevilla, A. La Rosa, A. Miucci, M. Nessi, G. Iacobucci, M. Backhaus, F. Hüging, H. Krüger, T. Hemperek,

- T. Obermann, N. Wermes, M. Garcia-Sciveres, A. Quadt, J. Weingarten, M. George, J. Grosse-Knetter, J. Rieger, R. Bates, A. Blue, C. Buttar, D. Hynds, Nucl. Instrum. Meth. A, 172-176, 9th International 'Hiroshima' Symposium on the Development and Application of Semiconductor Tracking Detectors (2014) A765, Hiroshima, Japan, 2-6 Sep 2013
5. Test results of the first 3D-IC prototype chip developed in the framework of HL-LHC/ATLAS hybrid pixel upgrade, P. Pangaud, D. Arutinov, M. Barbero, F. Bompard, P. Breugnon, J. Clemens, D. Fougeron, M. Garcia-Sciveres, S. Godiot, T. Hemperek, H. Krüger, T. Obermann, S. Rozanov, N. Wermes, J. Instrum, 9, Topical Workshop on Electronics for Particle Physics (2014) C02031, Perugia, Italy, 23-27 Sep 2013
 6. Simultaneous On-line Ultrasonic Flowmetry and Binary Gas Mixture Analysis for the ATLAS Silicon Tracker Cooling Control System, M. Doubek, V. Vacek, M. Vitek, R.L. Bates, A. Bitadze, M. Battistin, S. Berry, J. Berthoud, P. Bonneau, J. Botelho-Direito, G. Bozza, O. Crespo-Lopez, E. Da Riva, B. Di Girolamo, G. Favre, J. Godlewski, D. Lombard, L. Zwalinski, N. Bousson, G. Hallewell, M. Mathieu, A. Rozanov, G. Boyd, C. Degeorge, C. Deterre, S. Katunin, S. McMahon, N. Nagai, C. Rossi, indéfini, 14th International Conference on Accelerator & Large Experimental Physics Control Systems, San Francisco, CA, USA, 6 - 11 Oct 2013, pp.tuppc038 (2014), San Francisco, United States, 6-11 Oct 2013
 7. Measurements of the production of vector bosons in association with heavy flavour quarks at ATLAS., G. Aad, indéfini, 22nd International Workshop on Deep-Inelastic Scattering and Related Subjects (2014), Warsaw, Poland, 28 Apr - 02 May 2014
 8. *b*-jet identification algorithms and performance in the ATLAS experiment, K. Mochizuki, Nucl.Part.Phys.Proc, 273-275, 37th International Conference on High Energy Physics (2014) 2536-2538, Valencia, Spain, 2-9 Jul 2014
 9. Searches for third generation squarks with the ATLAS detector, S. Muanza, indéfini, 22nd International Workshop on Deep-Inelastic Scattering and Related Subjects (2014), Warsaw, Poland, 28 Apr - 02 May 2014
 10. SUSY Searches : lessons from the first LHC Run, P. Pralavorio, indéfini, 26th Rencontres de Blois on Particle Physics and Cosmology (2014), Blois, France, 18-23 May 2014
 11. Real-time flavor tagging selection in ATLAS, D. Madaffari, Nucl.Part.Phys.Proc, 273-275, 37th International Conference on High Energy Physics (2014) 2524-2526, 46015 Valencia, Spain, 2-9 Jul 2014
 12. *b*-jet identification algorithms and performance in the ATLAS experiment, K. Mochizuki, indéfini, 37th International Conference on High Energy Physics (2014), Valencia, Spain, 2-9 Jul 2014

2013

1. 4th generation searches at ATLAS, L. Felgioni, PoS, 2012, 36th International Conference on High Energy Physics (2013) 560, Melbourne, Australia, 4-11 Jul 2012

2. SUSY searches at ATLAS, P. Pralavorio, Front. Phys. China, 8, 20th International Conference on Supersymmetry and Unification of Fundamental Interactions (2013) 248-256, Peking Univ, China, 13-8 Aug 2012
3. Experience with 3D integration technologies in the framework of the ATLAS pixel detector upgrade for the HL-LHC, D. Aruntinov, M. Barbero, L. Gonella, T. Hemperek, F. Hügging, H. Krüger, N. Wermes, P. Breugnon, B. Chantepie, J. Clemens, R. Fei, D. Fougeron, S. Godiot, P. Pangaud, A. Rozanov, M. Garcia-Sciveres, A. Mekkaoui, Nucl. Instrum. Meth. A, 731, 6th International Workshop on Semiconductor Pixel Detectors for Particles and Imaging (2013) 97-102, Inawashiro, Japan, 3-7 Sep 2012
4. Strip Technology and HVMAPS, I. Peric, C. Kreidl, P. Fischer, H. H. Nguyen, L. Meng, D. Münstermann, M. Barbero, F. Bompard, P. Breugnon, J. Clemens, D. Fougeron, J. Liu, P. Pangaud, A. Rozanov, M. Garcia-Sciveres, M. Backhaus, T. Hemperek, F. Hügging, H. Krüger, PoS, Vertex2012, 21st International Workshop on Vertex Detectors (2013) 021, Jeju, South Korea, 16-21 Sep 2012
5. ATLAS FE-I4 ASIC, L. Caminada, J. Fleury, D. Gnani, M. Garcia-Sciveres, F. Jensen, Y. Lu, A. Mekkaoui, P. Murray, D. Aruntinov, M. Backhaus, M. Barbero, X. Fang, L. Gonella, T. Hemperek, M. Karagounis, H. Krüger, A. Kruth, D. Pohl, N. Wermes, P. Breugnon, D. Fougeron, F. Gensolen, M. Menouni, A. Rozanov, R. Beccherle, G. Darbo, V. Gromov, R. Kluit, J. D. Schipper, V. Zivkovic, J. Grosse-Knetter, J. Weingarten, M. Kocian, PoS, Vertex2012, 21st International Workshop on Vertex Detectors (2013) 023, Jeju, South Korea, 16-21 Sep 2012
6. SEU tolerant memory design for the ATLAS pixel readout chip, M. Menouni, D. Aruntinov, M. Backhaus, M. Barbero, R. Beccherle, P. Breugnon, L. Caminada, S. Dube, G. Darbo, J. Fleury, D. Fougeron, M. Garcia-Sciveres, F. Gensolen, D. Gnani, L. Gonella, V. Gromov, T. Hemperek, F. Jensen, M. Karagounis, R. Kluit, H. Krueger, A. Kruth, Y. Lu, A. Mekkaoui, A. Rozanov, J. Schipper, V. Zivkovic, J. Instrum, 8, Topical Workshop on Electronics for Particle Physics (2013) C02026, Oxford, United Kingdom, 17-21 Sep 2012
7. Development of a custom on-line ultrasonic vapour analyzer/flowmeter for the ATLAS inner detector, with application to gaseous tracking and Cherenkov detectors, R. Bates, M. Battistin, S. Berry, J. Berthoud, A. Bitadze, P. Bonneau, J. Botelho-Direito, N. Bousson, G. Boyd, G. Bozza, E. Da Riva, C. Degeorge, B. Digirolamo, M. Doubek, J. Godlewski, G. Hallewell, S. Katunin, D. Lombard, M. Mathieu, S. McMahon, K. Nagai, E. Perez-Rodriguez, C. Rossi, A. Rozanov, V. Vacek, M. Vitek, L. Zwalinski, J. Instrum, 8, Topical Workshop on Electronics for Particle Physics (2013) C01002, Oxford, United Kingdom, 17-21 Sep 2012
8. Overview of the ATLAS Insertable B-Layer (IBL) Project, F. Djama, J. Instrum, 8, 14th International Workshop on Radiation Imaging Detectors (2013) C01034, Figueira da Foz, Portugal, 1-5 Jul 2012
9. Status and future of the ATLAS Pixel Detector at the LHC, A. Rozanov, Nucl. Instrum. Meth. A, 732, 13th Vienna Conference on Instrumentation (2013) 156-159, Vienne, Austria, 11-15 Feb 2013

10. Search for strongly produced superpartners in final states with 2 same-sign leptons and jets with the ATLAS detector in 21 fb^{-1} pp collisions at $\sqrt{s} = 8 \text{ TeV}$, J. Maurer, indéfini, XLVIII th Rencontres de Moriond - Electroweak Interactions and Unified Theories (2013), Paris, France, 2-9 Mar 2013
11. ATLAS studies on Higgs to diboson states, F. Hubaut, indéfini, volume, 48th Rencontres de Moriond on Electroweak Interactions and Unified Theories (2013) 247-255, La Thuile, Italy, 2-9 Mar 2013
12. High-voltage pixel detectors in commercial CMOS technologies for ATLAS, CLIC and Mu3e experiments, I. Perić, P. Fischer, C. Kreidl, H. H. Nguyen, H. Augustin, N. Berger, M. Kiehn, A. Perrevoort, A. Schöning, D. Wiedner, S. Feigl, T. Heim, L. Meng, D. Münstermann, M. Benoit, D. Dannheim, F. Bompard, P. Breugnon, J. Clemens, D. Fougeron, J. Liu, P. Pangaud, A. Rozanov, M. Barbero, M. Backhaus, F. Hügging, H. Krüger, F. Lütticke, C. Mariñas, T. Obermann, M. Garcia-Sciveres, B. Schwenker, A. Dierlamm, A. La Rosa, A. Miucci, Nucl. Instrum. Meth. A, 731, 6th International Workshop on Semiconductor Pixel Detectors for Particles and Imaging (2013) 131-136, Inawashiro, Japan, 3-7 Sep 2012
13. Top quark production in ATLAS, C. Bertella, PoS, 047, 21st International Workshop on Deep-Inelastic Scattering and Related Subjects (2013), Marseille, France, 22-26 Apr 2013
14. Higgs Search in $b\bar{b}$ Signatures at ATLAS and CMS, Y. Nagai, PoS, Beauty2013, 14th International Conference on B-Physics at Hadron Machines (2013) 001, Bologna, Italy, 8-12 Apr 2013
15. A custom on-line ultrasonic gas mixture analyzer with simultaneous flowmetry developed for use in the LHC-ATLAS experiment, with wide application in high and low flow gas delivery systems, R. Bates, M. Battistin, S. Berry, J. Berthoud, A. Bitadze, P. Bonneau, J. Botelho-Direito, N. Bousson, G. Boyd, G. Bozza, E. Da Riva, O. Crespo-Lopez, C. Degeorge, C. Deterre, B. Digirolamo, M. Doubek, G. Favre, J. Godlewski, G. Hallewell, S. Katunin, N. Langevin, D. Lombard, M. Mathieu, S. McMahon, K. Nagai, D. Robinson, C. Rossi, A. Rozanov, V. Vacek, M. Vitek, L. Zwalinski, indéfini, 3rd International Conference on Advancements in Nuclear Instrumentation Measurement Methods and their Applications (2013), Marseille, France, 23-27 Jun 2013
16. Search for strongly produced supersymmetric particles in final states with two same-sign leptons and jets with the ATLAS detector using 21 fb^{-1} of pp collisions at 8 TeV, O. A. Ducu, PoS, EPS-HEP2013, 2013 European Physical Society Conference on High Energy Physics (2013) 052, Stockholm, Sweden, 18-24 Jul 2013
17. Operation and performance of the ATLAS liquid argon electromagnetic calorimeters, J. Maurer, PoS, EPS-HEP2013, 2013 European Physical Society Conference on High Energy Physics (2013) 039, Stockholm, Sweden, 18-24 Jul 2013
18. Upgrades of the HL-LHC/ATLAS hybrid pixels detector: Test results of the first 3D-IC prototype, P. Pangaud, D. Arutinov, M. Barbero, F. Bompard, P. Breugnon, J. Clemens, D. Fougeron, M. Garcia-Sciveres, S. Godiot, T.

- Hemperek, H. Krüger, J. Liu, T. Obermann, A. Rozanov, N. Wermes, indéfini, 2013 IEEE Nuclear Science Symposium and Medical Imaging Conference (2013), Seoul, South Korea, 27 Oct - 02 Nov 2013
19. Particle Physics and Cosmology, P. Pralavorio, indéfini, 100e Ecole d'Ete de Physique: Post-Planck Cosmology (2013), Les Houches, France, 8 Jul - 2 Aug 2013
 20. Search for strongly-produced superpartners in final states with two same-sign leptons or three leptons with the ATLAS detector using 20 fb-1 of LHC pp collisions at 8 TeV, O. Ducu, indéfini, Journées de Rencontres des Jeunes Chercheurs 2013 (2013), Barbaste, France, 1-7 Dec 2013
 21. Search for the Higgs boson in multi-jet events with the ATLAS detector, D. Madaffari, indéfini, Journées de Rencontres des Jeunes Chercheurs 2013 (2013), Barbaste, France, 1-7 Dec 2013
 22. SUSY search with two same-sign leptons and jets with the ATLAS detector using $21fb^{-1}$ of pp collisions at 8 TeV, O. Ducu, indéfini, 2nd International Conference on New Frontiers in Physics (2013), Kolymbari, Greece, 28 Aug - 5 Sep 2013
- 2012
1. The FE-I4 pixel readout system-on-chip resubmission for the insertable B-Layer project, V. Zivkovic, J. Schipper, M. Garcia- Sciveres, A. Mekkaoui, M. Barbero, G. Darbo, D. Gnani, T. Hemperek, M. Menouni, D. Fougeron, F. Gensolen, F. Jensen, L. Caminada, V. Gromov, R. Kluit, J. Fleury, H. Kruger, M. Backhaus, X. Fang, L. Gonella, A. Rozanov, D. Arutinov, J. Instrum, 7, TWEPP-11: Topical Workshop on Electronics for Particle Physics (2012) C02050, Vienna, Austria, 26-30 Sep 2011
 2. ATLAS Exotic Searches, N. Bousson, EPJ Web Conf., 28, Hadron Collider Physics Symposium (2012) 09012, Paris, France, 14-18 Nov 2011
 3. A Combined On-Line Acoustic Flowmeter and Fluorocarbon Coolant Mixture Analyser for the ATLAS Silicon Tracker, A. Bitadze, R. Bates, M. Battistin, S. Berry, P. Bonneau, J. Botelho- Direito, B. DiGirolamo, J. Godlewski, E. Perez-Rodriguez, L. Zwalinski, N. Bousson, G. Hallewell, M. Mathieu, A. Rozanov, G. Boyd, M. Doubek, V. Vacek, M. Vitek, K. Egorov, S. Katunin, S. McMahon, K. Nagai, Phys. Rev. Spec. Top. Ac, 00, 13th International Conference on Accelerator and Large Experimental Physics Control Systems (ICALPCS 2011) (2012), Grenoble, France, 10-14 Oct 2011
 4. The ATLAS detector control system, K. Lantzsch, S. Arfaoui, S. Franz, O. Gutzwiller, S. Schlenker, C. Tsarouchas, B. Mindur, J. Hartert, S. Zimmermann, A. Talyshev, D. Oliveira Damazio, A. Poblaguev, H. Braun, D. Hirschbuehl, S. Kersten, T. Martin, P. Thompson, D. Caforio, C. Sbarra, D. Hoffmann, S. Nemecek, A. Robichaud-Veronneau, B. Wynne, E. Banas, Z. Hajduk, J. Olszowska, E. Stanecka, M. Bindi, A. Polini, M. Deliyergiyev, I. Mandic, E. Ertel, F. Marques Vinagre, G. Ribeiro, H. Santos, T. Barillari, J. Habring, J.

- Huber, G. Arabidze, H. Boterenbrood, R. Hart, G. Iakovidis, K. Karakostas, S. Leontsinis, E. Mountricha, K. Ntekas, V. Filimonov, V. Khomutnikov, S. Kovalenko, V. Grassi, J. Mitrevski, P. Phillips, S. Chekulaev, S. D'Auria, K. Nagai, G. Tartarelli, G. Aielli, F. Marchese, P. Lafarguette, R. Brenner, J. Phys. Conf. Ser., 396, 19th International Conference on Computing in High Energy and Nuclear Physics (2012) 012028, New York, United States, 21-25 May 2012
5. ATLAS Diboson Measurements, S. Li, indéfini, Physics at LHC 2012 (2012), Vancouver, Canada, 4-9 Jun 2012
 6. An on-line acoustic fluorocarbon coolant mixture analyzer for the ATLAS silicon tracker, R. Bates, M. Battistin, S. Berry, A. Bitadze, P. Bonneau, N. Bousson, G. Boyd, J. Botelho-Direito, B. DiGirolamo, M. Doubek, K. Egorov, J. Godlewski, G. Hallewell, S. Katunin, M. Mathieu, S. McMahon, K. Nagai, E. Perez-Rodriguez, A. Rozanov, V. Vacek, M. Vitek, IEEE T. Nucl. Sci., 59, Proc. 2nd International Conference on Advancements in Nuclear Instrumentation Measurement Methods and their Applications (ANIMMA 2011) (2012) 2367-2374, Ghent, Belgium, 6-9 Jun 2011
 7. Performance d identification des electrons a ATLAS et applications aux analyses SUSY, T. Serre, indéfini, Journées Jeunes Chercheurs 2012 (2012), Maison du Kleebach, Haut Rhin, France, 2-8 Dec 2012
 8. Search for SUSY with same-sign lepton pairs at ATLAS experiment, J. Maurer, indéfini, Journées Jeunes Chercheurs 2012 (2012), Maison du Kleebach, Haut Rhin, France, 2-8 Dec 2012
 9. Research the decay channel of Higgs $ZH \rightarrow \nu\nu b\bar{b}$ with the aid of ghost-association for b-tagging, L. Alio, indéfini, volume, Journées Jeunes Chercheurs 2012 (2012) pages, Maison du Kleebach, Haut Rhin, France, 2-8 Dec 2012
 10. Measurement of the top-antitop production cross section in the all-hadronic channel in 4.7 fb^{-1} of pp collisions at 7 TeV with the ATLAS detector, C. Bertella, indéfini, volume, Journées Jeunes Chercheurs 2012 (2012) pages, Maison du Kleebach, Haut Rhin, France, 2-8 Dec 2012
 11. Electron reconstruction in ATLAS/ Background-like lepton study in MC and Data, E. Tiouchichine, indéfini, Journées Jeunes Chercheurs 2012 (2012), Maison du Kleebach, Haut Rhin, France, 2-8 Dec 2012
 12. Predicting SuSy B-tagging in 2012 with ATLAS, M. Ughetto, indéfini, Journées Jeunes Chercheurs 2012 (2012), Maison du Kleebach, Haut Rhin, France, 2-8 Dec 2012
 13. SUSY searches at ATLAS, P. Pralavorio, indéfini, 20th International Conference on Supersymmetry and Unification of Fundamental Interactions (2012), Peking Univ., China, 13-18 Aug 2012

2011

1. The FE-I4 Pixel Readout Integrated Circuit, M. Garcia- Sciveres, D. Arutinov, M. Barbero, R. Beccherle, S. Dube, D. Elledge, J. Fleury, D. Fougeron,

- F. Gensolen, D. Gnani, V. Gromov, T. Hemperek, M. Karagounis, R. Kluit, A. Kruth, A. Mekkaoui, M. Menouni, J.-D. Schipper, Nucl. Instrum. Meth. A, 636, 7th International Symposium on the Development and Application of Semiconductor Tracking Detectors, (2011) S155-S159, Hiroshima, Japan, 29 Aug - 1 Sep 2009
2. The ATLAS Liquid Argon calorimeter: Overview and performance, H. Zhang, J. Phys. Conf. Ser., 293, 14th International Conference on Calorimetry in High Energy Physics (CALOR 2010) (2011) 012044, Beijing, China, 10-14 May 2010
 3. Electron and Photon Reconstruction and Identification with the ATLAS Detector, M. Kuna, Nucl. Phys. B-Proc. Sup, 215, 12th Topical Seminar on Innovative Particle and Radiation Detectors (IPRD10) (2011) 176-178, Sienna, Italy, 7-10 Jun 2010
 4. Commissioning and operation of the ATLAS pixel detector at the CERN LHC collider, F. Djama, J. Instrum, 6, 12th International Workshop on Radiation Imaging Detectors (2011) C01082, Cambridge, United Kingdom, 11-15 Jul 2010
 5. Submission of the first full scale prototype chip for upgraded ATLAS pixel detector at LHC, FE-I4A, M. Barbero, D. Arutinov, R. Beccherle, G. Darbo, S. Dube, D. Elledge, J. Fleury, D. Fougeron, M. Garcia-Sciveres, F. Gensolen, D. Gnani, V. Gromov, F. Jensen, T. Hemperek, M. Karagounis, R. Kluit, A. Kruth, A. Mekkaoui, M. Menouni, J. D. Schipper, N. Wermes, V. Zivkovic, Nucl. Instrum. Meth. A, 650, Pixel 2010: 5th International Workshop on Semiconductor Pixel Detectors for Particles and Imaging (2011) 111-114, Grindelwald, Switzerland, 6-10 Sep 2010
 6. The design for test architecture in digital section of the ATLAS FE-I4 chip, V. Zivkovic, J. Schipper, R. Kluit, M. Garcia-Sciveres, A. Mekkaoui, M. Barbero, R. Beccherle, D. Gnani, T. Hemperek, M. Karagounis, M. Menouni, D. Fougeron, F. Gensolen, V. Gromov, A. Kruth, G. Darbo, J. Fleury, J. Clemens, S. Dube, D. Elledge, A. Rozanov, D. Arutinov, J. Instrum, 6, Topical Workshop on Electronics for Particle Physics (2011) C01090, Aachen, Germany, 20-24 Sep 2010
 7. PDV: A PVSS data viewer application, D. Hoffmann, O. Pisano, J. Phys. Conf. Ser., 331, 18th International Conference on Computing in High Energy and Nuclear Physics (CHEP 2010) (2011) 042034, Taipei, Taiwan, 18-22 Oct 2010
 8. Commissioning of high-performance b-tagging algorithms in p p collisions at $\sqrt{s}= 7$ TeV with the ATLAS experiment, N. Bousson, PoS, EPS-HEP2011, 2011 Europhysics Conference on High Energy Physics (2011) 421, Grenoble, France, 21-27 Jul 2011
 9. Detector Control System of the ATLAS Insertable B-Layer, S. Kersten, P. Kind, K. Lantsch, P. Mättig, C. Zeitnitz, F. Gensolen, M. Citterio, C. Meroni, B. Verlaat, S. Kovalenko, Phys. Rev. Spec. Top. Ac, 00, 13th International Conference on Accelerator and Large Experimental Physics

Control Systems (ICALEPCS 2011) (2011) 347-367, Grenoble, France, 10-14 Oct 2011

10. A Tezzaron-Chartered 3D-IC electronic for SLHC/ATLAS hybrid pixels detectors test results and irradiations performance, P. Pangaud, D. Arutinov, M. Barbero, P. Breugnon, B. Chantepie, J. Clemens, R. Fei, D. Fougeron, M. Garcia-Sciveres, S. Godiot, T. Hemperek, M. Karagounis, H. Kruger, A. Mekkaoui, L. Perrot, A. Rozanov, N. Vermes, IEEE Nucl. Sci. Conf. R, 2011, 2011 IEEE Nuclear Science Symposium and Medical Imaging Conference (2011) 682-684, Valencia, Spain, 23-29 Oct 2011
11. ATLAS New Heavy Quark Searches, N. Bousson, indéfini, Physics at LHC 2011 (2011), Perugia, Italy, 6-11 Jun 2011
12. Fully hadronic $t\bar{t}b\bar{b}$ cross section measurement with ATLAS detector, C. Bertella, indéfini, 31st International Symposium on Physics In Collision (2011), Vancouver, Canada, 28 Aug - 1 Sep 2011
13. The FE-I4 Pixel Readout Chip and the IBL Module, M. Barbero, D. Arutinov, M. Backhaus, X. Fang, L. Gonella, T. Hemperek, M. Karagounis, H. Krueger, A. Kruth, N. Vermes, P. Breugnon, D. Fougeron, F. Gensolen, M. Menouni, S. Rozanov, L. Caminada, S. Dube, J. Fleury, D. Gnani, M. Garcia-Sciveres, F. Jensen, Y. Lu, A. Mekkaoui, V. Gromov, R. Kluit, J.-D. Schipper, V. Zivkovic, J. Grosse-Knetter, Weingarten, M. Kocian, indéfini, International Workshop on Vertex Detectors (2011), Rust, Austria, 19-24 Jun 2011
14. Measuring the b-tagging Performance with ATLAS Data, N. Tannoury, indéfini, PLHC 2011 (2011), Perugia, Italy, 06-11 Jun 2011

2010

1. Data quality from the detector control system at the ATLAS experiment, G. Aad, J. Adelman, S. Arfaoui, M. Baak, N. Boelaert, S. Burdin, J. Cook, S. D'Auria, M. D'Onofrio, J. Frost, C. Guyot, M. Hauschild, R. Hawkings, A. Hoecker, G. Iakovidis, M. Iodice, K. Leney, E. Lytken, M. Martinez-Perez, J. Masik, A. Nairz, P. Onyisi, S. Roe, S. Schatzel, S. Schatzel, D. Whittington, M. Wilson, S. Zimmermann, J. Phys. Conf. Ser., 219, 17th International Conference on Computing in High Energy and Nuclear Physics (CHEP 09) (2010) 022037, Prague, Czech Republic, 21-27 Mar 2009
2. Performance of the ATLAS liquid argon calorimeter with cosmic muons and single LHC beam data, P. Mangeard, Nucl. Instrum. Meth. A, 623, 1st international conference on Technology and Instrumentation in Particle Physics (TIPP09) (2010) 216-218, Tsukuba, Japan, 12-17 Mar 2009
3. ATLAS Calorimeter Results, E. Monnier, indéfini, 45th Rencontres de Moriond on QCD and High Energy Interactions (2010), La Thuile, Italy, 13-20 Mar 2010
4. Performance of the missing transverse energy reconstruction in first ATLAS data at a center-of-mass energy of 7-TeV, A. Olariu, PoS, 2010, 35th International Conference on High Energy Physics: ICHEP 2010 (2010) 041, Paris, France, 21-28 Jul 2010

5. Commissioning and performance of the ATLAS calorimeter system with proton collision at LHC, P. Pralavorio, PoS, 2010, 35th International Conference on High Energy Physics: ICHEP 2010 (2010) 021, Paris, France, 21-28 Jul 2010
6. Commissioning and Performance of the ATLAS Calorimeter System with Proton Collisions at the LHC, P. Pralavorio, PoS, 2010, 35th International Conference on High Energy Physics (2010) 021, Paris, France, 22-28 Jul 2010
7. Test results and irradiation performances of 3-D circuits developed in the framework of ATLAS hybrid pixel upgrade, P. Pangaud, D. Arutinov, M. Barbero, P. Breugnon, B. Chantepie, J. Clemens, R. Fei, D. Fougeron, M. Garcia-Sciveres, S. Godiot, T. Hemperek, M. Karagounis, H. Kruger, A. Mekkaoui, L. Perrot, S. Rozanov, N. Wermes, IEEE Nucl. Sci. Conf. R, 2010, 2010 IEEE Nuclear Science Symposium, Medical Imaging Conference, and 17th Room Temperature Semiconductor Detectors Workshop (2010) 1551-1555, Knoxville, United States, 30 Oct - 6 Nov 2010
8. Tau trigger and tau reconstruction, efficiency and fake rates in ATLAS, Y. Coadou, PoS, 007, 3rd International Workshop on Prospects for Charged Higgs Discovery at Colliders (CHARGED 2010) (2010) 152, Uppsala, Sweden, 27-30 Sep 2010
9. Muon Detection Based on a Hadronic Calorimeter, T. Ciodaro, M. Abolins, R. Abreu, R. Achenbach, P. Adragna, M. Aharrouche, G. Aielli, A. Al-Shabibi, I. Aleksandrov, E. Alexandrov, A. Aloisio, M. Alviggi, A. Amorim, N. Amram, V. Andrei, X. Anduaga, D. Angelaszek, N. Anjos, A. Annovi, S. Antonelli, F. Anulli, R. Apolle, I. Aracena, S. Ask, B. Åsman, G. Avolio, M. Baak, M. Backes, S. Backlund, E. Badescu, J. Baines, S. Ballestrero, S. Banerjee, H. Bansil, B. Barnett, R. Bartoldus, V. Bartsch, S. Batraneanu, A. Battaglia, B. Bauss, P. Beauchemin, H. Beck, C. Bee, M. Begel, P. Behera, P. Bell, W. Bell, L. Bellagamba, M. Bellomo, S. Ben Ami, M. Bendel, Y. Benhammou, K. Benslama, D. Berge, C. Bernius, T. Berry, M. Bianco, M. Biglietti, R. Blair, A. Bogaerts, C. Boehm, V. Boisvert, T. Bold, M. Bondioli, C. Borer, D. Boscherini, M. Bosman, E. Bossini, A. Boveia, J. Bracinik, A. Brandt, I. Brawn, B. Brelrier, R. Brenner, S. Bressler, R. Brock, W. Brooks, G. Brown, S. Brunet, A. Bruni, G. Bruni, F. Bucci, S. Buda, D. Burckhart-Chromek, V. Buscher, W. Buttinger, S. Calvet, P. Camarri, M. Campanelli, V. Canale, F. Canelli, L. Capasso, M. Caprini, D. Caracinha, C. Caramarcu, R. Cardarelli, G. Carlino, D. Casadei, M. Casado, G. Cattani, A. Cerri, L. Cerrito, B. Chapleau, J. Childers, G. Chiodini, I. Christidi, G. Ciapetti, D. Cimino, M. Ciobotaru, A. Coccaro, J. Cogan, N. Collins, P. Conde Muino, C. Conidi, F. Conventi, M. Corradi, A. Corso-Radu, R. Coura Torres, K. Cranmer, F. Crescioli, G. Crone, R. Crupi, C. Cuenca Almenar, J. Cummings, C. Curtis, Z. Czynzula, M. Dam, D. Damazio, V. Dao, G. Darlea, A. Davis, R. De Asmundis, D. De Pedis, A. De Santo, J. M. De Seixas, J. Degenhardt, M. Della Pietra, D. Della Volpe, S. Demers, B. Demirkoz, A. Di Ciaccio, A. Di Mattia, R. Di Nardo, A. Di Simone, M. Diaz, T. Dietzsch, C. Dionisi, E. Dobson, M. Dobson, A. Dos Anjos, A. Dotti, M. Dova, G. Drake, M. Dufour, I. Dumitru, S. Eckweiler, W.

Ehrenfeld, T. Eifert, E. Eisenhandler, K. Ellis, N. Ellis, D. Emeliyanov, D. Enoque Ferreira De Lima, Y. Ermoline, J. Ernst, E. Etzion, S. Falciano, S. Farrington, P. Farthouat, Faulkner, .P.J.W., W. Fedorko, D. Fellmann, E. Feng, S. Ferrag, R. Ferrari, M. Ferrer, L. Fiorini, G. Fischer, M. Flowerdew, T. Fonseca Martin, D. Francis, S. Fratina, S. French, D. Front, C. Fukunaga, S. Gadomski, N. Garelli, H. Garitaonandia Elejabarrieta, G. Gaudio, C. Gee, S. George, S. Giagu, P. Giannetti, A. Gillman, M. Giorgi, M. Giunta, P. Giusti, M. Goebel, R. Gonçalo, L. Gonzalez Silva, C. Göringer, B. Gorini, E. Gorini, I. Grabowska- Bold, B. Green, M. Groll, A. Guida, H. Guler, S. Haas, H. Hadavand, D. Hadley, J. Haller, A. Hamilton, P. Hanke, J. Hansen, S. Hasegawa, Y. Hasegawa, R. Hauser, T. Hayakawa, D. Hayden, S. Head, S. Heim, S. Hellman, M. Henke, A. Hershenhorn, A. Hidvégi, S. Hillert, S. Hillier, S. Hirayama, N. Hod, D. Hoffmann, T. Hong, T. Hryn'Ova, J. Huston, G. Iacobucci, O. Igonkina, M. Ikeno, Y. Ilchenko, A. Ishikawa, M. Ishino, H. Iwasaki, V. Izzo, P. Jez, S. Jimenez Otero, M. Johansen, K. Johns, G. Jones, M. Joos, P. Kadlecik, E. Kajomovitz, N. Kanaya, F. Kanega, T. Kanno, A. Kapliy, V. Kaushik, K. Kawagoe, T. Kawamoto, A. Kazarov, R. Kehoe, K. Kessoku, A. Khomich, G. Khoraiuli, G. Kieft, J. Kirk, M. Klemetti, P. Klofver, S. Klous, E. Kluge, T. Kobayashi, K. Koeneke, I. Koletsou, J. Koll, S. Kolos, T. Kono, R. Konoplich, N. Konstantinidis, K. Korcyl, K. Kordas, V. Kotov, R. Kowalewski, A. Krasznahorkay, J. Kraus, A. Kreisel, T. Kubota, A. Kugel, J. Kunkle, H. Kurashige, M. Kuze, R. Kwee, B. Laforge, M. Landon, J. Lane, A. Lankford, S. M. Laranjeira Lima, A. Larner, L. Leahu, G. Lehmann Miotto, X. Lei, D. Lellouch, L. Levinson, S. Li, B. Liberti, J. Lilley, J. Linnemann, E. Lipeles, T. Lohse, M. Losada, A. Lowe, C. Luci, L. Luminari, J. Lundberg, N. Lupu, J. Machado Miguéns, R. Mackeprang, S. Maettig, L. Magnoni, C. Maiani, D. Maltrana, P. Mangeard, R. Männer, L. Mapelli, F. Marchese, C. Marino, B. Martin, B. Martin, T. Martin, A. Martyniuk, F. Marzano, J. Masik, P. Mastrandrea, T. Matsushita, A. Mccarn, J. Mechnich, M. Medinnis, K. Meier, C. Melachrinou, L. M. Mendoza Nava, L. Merola, A. Messina, C. Meyer, R. Middleton, G. Mikenberg, C. Mills, A. Mincer, M. Mineev, A. Misiejuk, T. Moa, K. Moenig, J. Monk, F. Monticelli, C. Mora Herrera, P. Morettini, J. Morris, F. Müller, Y. Munwes, R. Murillo Garcia, K. Nagano, Y. Nagasaka, G. Navarro, A. Negri, S. Nelson, P. Nemethy, M. Neubauer, A. Neusiedl, P. Newman, A. Nisati, H. Nomoto, M. Nozaki, M. Nozicka, E. Nurse, C. Ochando, A. Ochi, S. Oda, A. Oh, C. Ohm, Y. Okumura, D. Olivito, C. Omachi, B. Osculati, H. Oshita, R. Ospanov, M. Owen, V. Özcan, K. Ozone, C. Padilla, B. Panes, N. Panikashvili, A. Paramonov, F. Parodi, E. Pasqualucci, F. Pastore, S. Patricelli, T. Pauly, V. Perera, E. Perez, M. Petcu, B. Petersen, J. Petersen, E. Petrolo, A. Phan, R. Piegai, A. Pilkington, A. Pinder, S. Poddar, A. Polini, B. Pope, C. Potter, M. Primavera, F. Prokoshin, E. Ptacek, W. Qian, F. Quinonez, S. Rajagopalan, R. Ramos Dos Santos Neves, E. Reinherz-Aronis, A. Reinsch, P. Renkel, M. Rescigno, S. Rieke, I. Riu, S. Robertson, M. Robinson, D. Rodriguez, A. Roich, G. Romeo, R. Romero, L. Roos, A. Ruiz Martinez, Y. Ryabov, P. Ryan, A. Saavedra, F. Safai Tehrani, H. Sakamoto, G. Salamanna, A. Salamon, J. Saland, A. Salnikov, F. Salvatore, D. Sankey, C. Santamarina, R. Santonico, E. Sarkisyan- Grinbaum, O. Sasaki, D. Savu, D. Scannicchio, U. Schäfer, V. Scharf, D. Scheirich, C. Schiavi, J. Schlereth, K. Schmitt, C.

Schroder, N. Schroer, H. Schultz-Coulon, R. Schwienhorst, G. Sekhniaidze, A. Sfyrla, M. Shamim, D. Sherman, M. Shimojima, M. Shochet, D. Shooltz, A. Sidoti, O. Silbert, S. Silverstein, N. Sinev, G. Siragusa, S. Sivoklov, R. Sjoen, J. Sjölin, K. Slagle, J. Sloper, B. Smith, A. Soffer, I. Soloviev, S. Spagnolo, R. Spiwoks, R. Staley, R. Stamen, S. Stancu, P. Steinberg, J. Stelzer, M. Stockton, A. Straessner, E. Strauss, D. Strom, D. Su, Y. Sugaya, T. Sugimoto, S. Sushkov, M. Sutton, Y. Suzuki, A. Taffard, N. Taiblum, Y. Takahashi, H. Takeda, T. Takeshita, M. Tamsett, C. Tan, S. Tanaka, S. Tapprogge, S. Tarem, Z. Tarem, C. Taylor, P. Teixeira-Dias, J. Thomas, P. Thompson, M. Thomson, K. Tokushuku, K. Tollefson, M. Tomoto, C. Topfel, E. Torrence, F. Touchard, D. Traynor, L. Tremblet, A. Tricoli, M. Tripiana, N. Triplett, P. True, M. Tsiakiris, S. Tsuno, J. Tuggle, G. Ünél, P. Urquijo, P. Urrejola, G. Usai, B. Vachon, S. Vallecorsa, L. Valsan, W. Vandelli, R. Vari, L. Vaz Gil Lopes, S. Veneziano, A. Ventura, N. Venturi, V. Vercesi, J. Vermeulen, G. Volpi, V. Vorwerk, P. Wagner, M. Wang, A. Warburton, P. Watkins, A. Watson, M. Watson, P. Weber, A. Weidberg, T. Wengler, P. Werner, M. Werth, M. Wessels, M. White, D. Whiteson, F. Wickens, W. Wiedenmann, M. Wielers, F. Winklmeier, K. Woods, S. Wu, X. Wu, L. Xaplanteris Karampatsos, S. Xella, A. Yakovlev, Y. Yamazaki, U. Yang, Y. Yasu, L. Yuan, A. Zaitsev, L. Zanello, H. Zhang, J. Zhang, L. Zhao, H. Zobernig, M. Zur Nedden, IEEE Nucl. Sci. Conf. R, 2010, 2010 IEEE Nuclear Science Symposium, Medical Imaging Conference, and 17th Room Temperature Semiconductor Detectors Workshop (2010) 772-776, Knoxville, United States, 30 Oct - 6 Nov 2010

10. Mesure de l'efficacité de l'étiquetage des jets beaux dans l'expérience ATLAS, N. Tannoury, indéfini, Journées Jeunes Chercheurs 2010 (2010), Angers, France, 21-27 Nov 2010

présentation orale

2025

1. Optimization of embedded neural networks for the energy reconstruction of the liquid argon calorimeter cells of ATLAS, **R. Bertrand**, IN2P3/IRFU Machine Learning workshop 2025, Caen, France, 26-28 Nov 2025
2. Shower shapes correction via normalising flows, **K. Kazakova**, IN2P3/IRFU Machine Learning workshop 2025, Caen, France, 26-28 Nov 2025

2021

1. ATLAS and CMS latest results on ttH/tH - SM@LHC 2021, Streblor, Thomas, Standard Model at the LHC 2021, , indéfini, 26 Avr - 30 Avr 2021

2020

1. The Phase-I Trigger Readout Electronics Upgrade of the ATLAS Liquid Argon Calorimeters, **E. Fortin**, ATLAS LAr Collaboration, Instrumentation for Colliding Beam Physics, Novosibirsk, Russia, 24-28 Feb 2020

2. Higgs self coupling and Higgs rare decays at FCC-hh, , Workshop FCC-France, Paris, indéfini,
3. Search for phenomena beyond the Standard Model in events with large b -jet multiplicity using the ATLAS detector at the LHC, **H. D. N. Nguyen**, 8th Conference of Large Hadron Collider Physics, Online, France, 25-30 May 2020
4. Multiplexing Firmware Prototypes for the Global Trigger System of the ATLAS Phase-II Upgrade, F. Bonini, M. Begel, H. Chen, K. Chen, M. Benoit, H. Liu, W. Yin, S. Tang, D. Matakias, H. Xu, E. Zhivun, 2020 IEEE Nuclear Science Symposium (NSS) and Medical Imaging Conference (MIC), Boston, United States, 31 Oct - 7 Nov 2020

2019

1. Low-Mass Diphoton Resonances Search With the ATLAS Detector at 13 TeV, **A. Hadeef**, The 4th China LHC Physics Workshop (CLHCP 2018), Shanghai, China, 12-22 Dec 2018
2. HH prospects for HL(HE)-LHC, Yellow Report results, **Petit, Elisabeth**, HL/HE-LHC Physics Workshop: final jamboree, Genève, Suisse, 1 Mar 2019
3. Higgs boson production in association with a $t\bar{t}$ pair at the ATLAS experiment, **A. E. Dumitriu**, The XXVII International Workshop on Deep Inelastic Scattering and Related Subjects, Turin, Italy, 8-12 Apr 2019
4. Path towards measuring the Higgs potential, , CERN Council Open Symposium on the Update of European Strategy for Particle Physics, Grenade, indéfini,
5. Experimental prospects on di-Higgs measurements, , IRN Terascale@Annecy, Annecy, indéfini,
6. Performance of the ATLAS RPC Detector and L1 Muon Barrel Trigger at 13 TeV, **A. Hadeef**, EPS-HEP Conference 2019, Ghent, Belgium, 10-17 Jul 2019
7. Measurement of $t\bar{t}$ with additional jets with the ATLAS detector, **T. Theveneaux-Pelzer**, European Physical Society Conference on High Energy Physics (EPS-HEP) 2019, Ghent, Belgium, 10-17 Jul 2019
8. Inclusive Diffraction at Colliders, **F. Djama**, 49th International Symposium on Multiparticle Dynamics, Santa Fe, United States, 9-13 Sep 2019
9. High Luminosity yellow report: what does HL-LHC physics look like in ATLAS and CMS?, **A. Duperrin**, 19th Lomonosov Conference on Elementary Particle Physics, Moscou, Russia, 22-28 Aou 2019
10. Higgs studies in ATLAS and CMS experiments, **K. Liu**, Workshop on Connecting Insights in Fundamental Physics: Standard Model and Beyond, Corfu, Greece, 31 Aou - 11 Sep 2019
11. Treatment of theory uncertainties for Higgs measurements and searches at ATLAS, **T. P. Calvet**, Higgs Couplings, Oxford, United Kingdom, 30 Sep - 4 Oct 2019

12. Evolution of the ATLAS analysis model for Run-3 and prospects for HL-LHC, J. Elmsheuser, C. Anastopoulos, J. Boyd, J. Catmore, H. Gray, J. A. Mcfayden, C. Meyer, A. Sfyrla, J. Strandberg, K. Suruliz, T. Theveneaux-Pelzer, 24th International Conference on Computing in High Energy and Nuclear Physics, Adelaide, Australia, 4-8 Nov 2019
13. Higgs self-couplings: Experimental vision, **Petit, Elisabeth**, Ultimate Precision at Hadron Colliders, Paris, France, 25 Nov - 6 Dec 2019

2018

1. First bulk and surface results for the ATLAS ITk stereo annulus sensors, S. H. Abidi, T. Affolder, J. Bohm, J. M. Botte, B. Ciungu, K. Dette, Z. Dolezal, C. Escobar, V. Fadeyev, X. Fernandez-Tejero, C. Garcia-Argos, D. Gillberg, K. Hara, R. F. Hunter, J. Keller, P. Kodys, T. Koffas, Z. Kotek, J. Kroll, C. Lacasta, V. Latonova, J. Loenker, D. Madaffari, M. Mkestikova, M. Minano Moya, S. Y. Ng, R. Orr, D. Rodriguez Rodriguez, U. Soldevila, J. Stastny, M. Stegler, J. Suzuki, R. Teuscher, Y. Unno, S. Wada, F. Wizemann, V. Zahradnik, 11th International "Hiroshima" Symposium on the Development and Application of Semiconductor Tracking Detectors (HSTD11) in conjunction with 2nd Workshop on SOI Pixel Detectors (SOIPIX2017) at OIST, Okinawa, Japan, Okinawa, Japan, 10-15 Dec 2017
2. Evidence for the $t\bar{t}H$ production at $\sqrt{s} = 13$ TeV with the ATLAS detector, **R. Wolff**, 53rd Rencontres de Moriond on Electroweak Interactions and Unified Theories, La Thuile, Italy, 10-17 Mar 2018
3. Performance of tracking for the ATLAS Inner Detector Upgrade program, **A. Calandri**, ATLAS France ITK Upgrade, Annecy, France, 05 Avr 2018
4. Top, Bottom and Charm Yukawa couplings at the HL-LHC, **A. Calandri**, HL/HE LHC Meeting, Fermilab, United States, 4-6 Avr 2018
5. $t\bar{t}H$ at the LHC, **D. Madaffari**, Alps 2018, Obergurgl, Austria, 15-20 Apr 2018
6. Status of b-tagging in ATLAS and CMS, **A. Calandri**, Top LHC France 2018, Paris, France, 23-25 Mai 2018
7. Searches for non-Standard Model Higgs bosons, **A. E. Dumitriu**, Thirteenth Conference on the Intersections of Particle and Nuclear Physics, Palm Springs, CA, United States, 29 Mai - 3 Jun 2018
8. Searches for electroweak production of higgsinos with ATLAS, **R. El Kosseifi**, MASS2018: Origin of Mass at the High Energy and Intensity Frontier, Odense, Denmark, 28 May - 1 Jun 2018
9. Single Event Upsets in the ATLAS IBL Front End ASICs, **A. Rozanov**, 14th Pisa Meeting on Advanced Detectors, La Biodola-Isola d'Elba, Italy, 27 Mai - 2 Jun 2018
10. Status of b-tagging (ATLAS & CMS), **A. Calandri**, Top LHC France 2018, Paris, France, 23-25 Mai 2018

11. $t\bar{t}H(H \rightarrow b\bar{b})$: ATLAS & CMS latest run-2 results in the leptonic channels, **T. Theveneaux-Pelzer**, Top LHC France 2018, Paris, France, 23-25 Mai 2018
12. Top quark properties and mass measurements with the ATLAS detector, **K. De Vasconcelos Corga**, QCD@LHC 2018, Dresden, Germany, 27-31 Aou 2018
13. Searches for new physics in FCNC top decays in multilepton final states, **G. Tarna**, Corfu2018: 18th Hellenic School and Workshops on Elementary Particle Physics and Gravity, Corfu, Greece, 31 Aug - 28 Sep 2018
14. Observation of $t\bar{t}H$ production with ATLAS, **F. Hubaut**, 11th International Workshop on Top Quark Physics, Bad Neuenahr, Germany, 16-21 Sep 2018
15. Global status of couplings projections in ATLAS, **A. Calandri**, Workshop on the physics of HL-LHC and perspectives at HE-LHC, June 20th 2018, Geneve, Switzerland, 18-20 Jun 2018
16. Search for Vector like Quarks, **R. Kukla**, The 25th International Conference on Supersymmetry and the Unification of Fundamental Interactions, Mumbai, India, 11-15 Dec 2017
17. Development of the ATLAS Liquid Argon Calorimeter Readout Electronics for the HL-LHC, **H. Xu**, 2018 IEEE Nuclear Science Symposium and Medical Imaging Conference (NSS/MIC 2018), Sydney, Australia, 10-17 Nov 2018

2017

1. Phase - I Trigger Readout Electronics upgrade for the ATLAS Liquid Argon Calorimeters, **B. Dinkespiler**, INSTR17: Instrumentation for Colliding Beam Physics, Novosibirsk, Russia, 27 Feb 2017 03 Mar 2017
2. Search for the 125 GeV Higgs boson in the $t\bar{t}H$ production mode with the ATLAS detector, **E. Nagy**, 25th International Workshop on Deep Inelastic Scattering and Related Topics, Birmingham, United Kingdom, 3-7 Apr 2017
3. Recent results on $t\bar{t}H$ in the $b\bar{b}$ channel, **T. Calvet**, Top-LHC-France 2017, Marseille, France, 4-5 Mai 2017
4. New analysis techniques in $t\bar{t}H$, G.Aad, Top-LHC- France 2017, Marseille, France, 4-5 Mai 2017
5. Recent ATLAS results, **C. Diaconu**, 20th Planck Conference from Kazimierz to Warsaw (Planck 2017), Warsaw, Poland, 22-25 Mai 2017
6. Operational Experience with the ATLAS Pixel Detector, **F. Djama**, International Conference on Technology and Instrumentation in Particle Physics 2017, Beijing, China, 21-26 May 2017
7. Higgs Yukawa couplings, **G. Aad**, 5th Conference on Large Hadron Collider Physics 2017, Shanghai, China, 15-20 May 2017

8. Search for the SM Higgs boson in the $t\bar{t}H$ production with the ATLAS detector, **K. Liu**, 8th Higgs Hunting 2017, Orsay and Paris, France, 24-26 Jul 2017
9. The ATLAS Experiment at the LHC Collider, **F. Djama**, EIGHTEENTH LOMONOSOV CONFERENCE ON ELEMENTARY PARTICLE PHYSICS, Moscow, Russia, 24-30 Aug 2017
10. Higgs (SM and BSM) in ATLAS and CMS, **Y. Coadou**, Corfu2017: 17th Hellenic School and Workshops on Elementary Particle Physics and Gravity, Corfu, Greece, 2-28 Sep 2017
11. Perspectives of Higgs measurements at High-Luminosity LHC, **A. Calandri**, International Workshop on Future Linear Colliders, LCWS2017, Strasbourg, France, 23-27 Oct 2017
12. Direct top-quark decay width measurement in the $t\bar{t}$ lepton+jets channel at $\sqrt{s} = 8$ TeV with the ATLAS experiment., **R. E. Ticse Torres**, P. Stolte, 10th International Workshop on Top Quark Physics TOP 2017, Braga, Portugal, 17-22 Sep 2017
13. Measurement of tW Differential Cross Section with the ATLAS Detector at 13 TeV, **R. Zhang**, 10th International Workshop on Top Quark Physics TOP 2017, Braga, Portugal, 17-22 Sep 2017
14. The use of a 90 metre thermosiphon cooling plant and associated custom ultrasonic instrumentation in the cooling of the ATLAS inner silicon tracker, **G. Hallewell**, 16th International Conference on Accelerator and Large Experimental Physics Control Systems (ICALEPCS 2017), Barcelone, Spain, 8-13 Oct 2017
15. ATLAS LAr Calorimeter Trigger Electronics Phase-1 Upgrade, **G. Aad**, Calorimetry for High Energy Frontier CHEF2017, Lyon, France, 2-6 Oct 2017
16. $t\bar{t}H$ Coupling Measurement with the ATLAS Detector at the LHC, **A. Hadeef**, 6th International Conference on New Frontiers in Physics (ICNFP 2017), Kolymbari, Greece, 17-26 Aou 2017
17. Higgs Prospects studies at High-Luminosity LHC, **A. Calandri**, IRN Terascale@Marseille, Marseille, France, 13-15 Dec 2017

2016

1. Top properties at LHC@13 TeV in ATLAS and CMS, **E. Monnier**, 51th Rencontres de Moriond on ELECTROWEAK INTERACTIONS AND UNIFIED THEORIES, La Thuile, Italy, 12-19 Mar 2016
2. Pixel Simulation and Performance with HVCMOS, **A. Calandri**, AIDA-2020 workshop on HV/HR-CMOS TCAD and Geant4 simulations, Marseille, France, 12-13 Mai 2016
3. Search for squark and gluino production in leptonic final states, **S.-J. Kahn**, 24th International Workshop on Deep Inelastic Scattering and related subjects, Hamburg, Germany, 11-15 Apr 2016

4. Flavour tagging performance optimization for the 2016 LHC Run, **A. Calandri**, Fourth Annual Large Hadron Collider Physics Conference (LHCP2016), Lund, Denmark, 13-18 Jun 2016
5. Flavour tagging algorithms and performance at the ATLAS experiment, **A. Calandri**, 4th Large Hadron Collider Physics Conference, Lund, Sweden, 13-18 Jun 2016
6. Searches for new phenomena in high-pT lepton final states and jets using the ATLAS detector, **R. Zhang**, The 24th International Conference on Supersymmetry and Unification of Fundamental Interactions, Melbourne, Australia, 3-8 Jul 2016
7. Measurement of cross sections and couplings of the SM Higgs boson in the WW decay channel using the ATLAS detector, **C. Bertella**, 38th International Conference on High Energy Physics, Chicago, United States, 03-10 Aug 2016
8. Recent Results on VBF, VBS, Exclusive WW and Tri-boson Production from ATLAS, **R. Zhang**, QCD@LHC 2016, Zurich, Switzerland, 22-26 Aug 2016
9. Using Integral and Differential Charge Asymmetries for BSM Searches at the LHC, **S. Muanza**, LIO international conference on Composite Models, Electroweak Physics and the LHC, Lyon, France, 5-8 Sep 2016
10. Recent results on Higgs physics from the ATLAS experiment, **A. Calandri**, DISCRETE2016 - Fifth Symposium on Prospects in the Physics of Discrete Symmetries, Warsaw, Poland, 28 Nov 2016 - 3 Dec 2016
11. Studies on higher QCD corrections in the context of the Higgs boson signal strength extraction at the ATLAS experiment, **A. Calandri**, GDR Terascale@Paris, Paris, France, 23-25 Nov 2016
12. Using integral and differential charge asymmetries in searches for BSM physics at the LHC, **S. Muanza**, International Workshop on Discovery Physics at the LHC (KRUGER2016), Mpumalanga, South Africa, 4-9 Dec 2016
13. Review of Standard Model Higgs results at the ATLAS experiment, **A. Calandri**, 5th Symposium on Prospects in the Physics of Discrete Symmetries, Warsaw, Poland, 28 Nov - 03 Dec 2016
14. Review of Higgs results from the ATLAS experiment, **A. Calandri**, 5th Symposium on Prospects in the Physics of Discrete Symmetries, Warsaw, Poland, 28 Nov - 3 Dec 2016
15. ATLAS Supersymmetry Searches, **M. Ughetto**, International Workshop on Discovery Physics at the LHC, Kruger, South Africa, 3-7 Dec 2012

2015

1. Combination of spin/CP and differential cross-sections in ATLAS and CMS, **K. Liu**, GDR Terascale@Saclay, Saclay, France, 30 Mar - 01 Apr 2015

2. Run 1 $t\bar{t}H \rightarrow b\bar{b}$, **D. Madaffari**, top LHC- France 2015, Lyon, France, 18-19 Mai 2015
3. Run 2 $t\bar{t}H$ perspectives, **G. Aad**, top LHC-France 2015, Lyon, France, 18-19 Mai 2015
4. A New Method for Indirect Mass Measurements using the Integral Charge Asymmetry at the LHC, **S. Muanza**, **T. Serre**, DIS 2015 - XXIII. International Workshop on Deep-Inelastic Scattering and Related Subjects, Dallas, Texas, United States, 27 Avr - 1 Mai 2015
5. New Method for Mass Measurements using Integral Charge Asymmetry at LHC, **S. Muanza**, 18th High-Energy Physics International Conference in Quantum Chromodynamics, Montpellier, France, 29 Jun - 03 Jul 2015
6. Recent Results from the ATLAS Experiment, **F. Djama**, 4th International Conference on New Frontiers in Physics ICNFP2015, Kolymbari, Greece, 23-30 Aug 2015
7. Searches for $t\bar{t}$ resonances with the ATLAS detector at the LHC, **L. Felgioni**, The 23rd International Conference on Supersymmetry and Unification of Fundamental Interactions (SUSY), Lake Tahoe, United States, 23 Aug - 29 Aug 2015

2014

1. $W+c$ Cross Section, ATLAS, **G. Aad**, The top-charm frontier at the LHC, Genève, Switzerland, 14-17 Jan 2014
2. Measurements of the production of vector bosons in association with heavy flavour quarks at ATLAS., **G. Aad**, 22nd International Workshop on Deep-Inelastic Scattering and Related Subjects, Warsaw, Poland, 28 Apr - 02 May 2014
3. Searches for third generation squarks with the ATLAS detector, **S. Muanza**, 22nd International Workshop on Deep- Inelastic Scattering and Related Subjects, Warsaw, Poland, 28 Apr - 02 May 2014
4. Searches for electroweak production of supersymmetric gauginos and sleptons with the ATLAS detector, **M. Ughetto**, Phenomenology 2014 Symposium, Pittsburgh, United States, 5-7 May 2014
5. Inclusive searches for squarks and gluinos with the ATLAS detector, **O. Ducu**, Phenomenology 2014 Symposium, Pittsburgh, United States, 5-7 May 2014
6. SUSY Searches : lessons from the first LHC Run, **P. Pralavorio**, 26th Rencontres de Blois on Particle Physics and Cosmology, Blois, France, 18-23 May 2014
7. SM Higgs in Boson Decay Modes in ATLAS, **E. Tiouchichine**, 22nd International Conference on Supersymmetry and Unification of Fundamental Interactions, Univ. Manchester, United Kingdom, 21-26 Jul 2014

8. Review of SUSY searches with the ATLAS detector, **T. Serre**, Prospects for Charged Higgs Discovery at Colliders, Uppsala, Sweden, 16 Sep - 19 Sep 2014
9. Search for the Higgs boson in fermionic channels using the ATLAS detector, **K. Mochizuki**, Workshop on Discovery Physics at the LHC, Kruger Gate, South Africa, 1-6 Dec 2014

2013

1. Status and future of the ATLAS Pixel Detector at the LHC, **A. Rozanov**, 13th Vienna Conference on Instrumentation, Vienne, Austria, 11-15 Feb 2013
2. The Higgs candidate, experimental status, **F. Hubaut**, The 9th Franco-Italian meeting on B physics, Annecy le Vieux, France, 18-19 Feb 2013
3. Search for strongly produced superpartners in final states with 2 same-sign leptons and jets with the ATLAS detector in 21 fb^{-1} pp collisions at $\sqrt{s} = 8 \text{ TeV}$, **J. Maurer**, XLVIII th Rencontres de Moriond - Electroweak Interactions and Unified Theories, Paris, France, 2-9 Mar 2013
4. ATLAS studies on Higgs to diboson states, **F. Hubaut**, 48th Rencontres de Moriond on Electroweak Interactions and Unified Theories, La Thuile, Italy, 2-9 Mar 2013
5. Search for the Higgs boson in $H \rightarrow b\bar{b}$, **Y. Nagai**, Japan Physical Society Meeting Hiroshima Japan, Hiroshima, Japan, 26-29 Mar 2013
6. Latest ATLAS studies on Higgs to diboson states, **F. Hubaut**, 48th Rencontres de Moriond on Electroweak Interactions and Unified Theories, La Thuile, Italy, 2-9 Mar 2013
7. Top pair production cross-section measurement in full hadronic mode with ATLAS+CMS, **C. Bertella**, LHC France 2013, Annecy, France, 2-6 Apr 2013
8. Searches for the SM BEH boson decaying into a pair of b quarks at the LHC, **N. Tannoury**, LHC France 2013, Annecy, France, 2-6 Apr 2013
9. Search for strongly produced superpartners in final states with same-sign leptons and jets, **J. Maurer**, LHC France 2013, Annecy, France, 2-6 Apr 2013
10. Reducible background estimation for the standard model Higgs boson search analysis in the decay channel $H \rightarrow ZZ^* \rightarrow 4l$ with the ATLAS experiment, **E. Tiouchichine**, LHC France 2013, Annecy, France, 2-6 Apr 2013
11. SUSY search with two same-sign leptons and jets with the ATLAS detector using 21 fb^{-1} of pp collisions at 8 TeV, **O. A. Ducu**, LHC France 2013, Annecy, France, 2-6 Apr 2013
12. Higgs Search in $b\bar{b}$ Signatures at ATLAS and CMS, **Y. Nagai**, 14th International Conference on B-Physics at Hadron Machines, Bologna, Italy, 8-12 Apr 2013

13. Higgs search with emphasis on *barb* at ATLAS and CMS, **Y. Nagai**, 14th International Conference on B-Physics at Hadron Machines, Bologna, Italy, 8-12 Apr 2013
14. Top quark production in ATLAS, **C. Bertella**, 21st International Workshop on Deep-Inelastic Scattering and Related Subjects, Marseille, France, 22-26 Apr 2013
15. Top quark production in ATLAS, **C. Bertella**, 21st International Workshop on Deep-Inelastic Scattering and Related Subjects, Marseilles, France, 22-26 Apr 2013
16. Search for direct slepton and chargino production in final states with two leptons and missing transverse momentum in pp collisions at $\sqrt{s} = 8\text{TeV}$ with the ATLAS detector, **T. Serre**, GDR Terascale, Montpellier, France, 13-15 May 2013
17. Particle physics highlights - Higgs Boson: Experimental Status, **Y. Coadou**, OCEVU General Workshop, Toulouse, France, 11-13 Jun 2013
18. Searches for resonances at LHC and Tevatron, **L. Vacavant**, 1st Large Hadron Collider Physics Conference, Barcelona, Spain, 13-18 May 2013
19. Particle Physics and Cosmology, **P. Pralavorio**, 100e Ecole d'Ete de Physique: Post-Planck Cosmology, Les Houches, France, 8 Jul - 2 Aug 2013
20. Operation and performance of the ATLAS liquid argon electromagnetic calorimeters, **J. Maurer**, EPS-HEP 2013 European Physical Society Conference on High Energy Physics, Stockholm, Sweden, 18-24 Jul 2013
21. SUSY status at ATLAS, **P. Pralavorio**, SEARCH'13, Stony Brook, United States, 20-22 Aug 2013
22. Search for a high mass Higgs boson using the ATLAS detector, **S. Diglio**, 2nd International Conference on New Frontiers in Physics, Kolymbari, Greece, 28 Aug - 5 Sep 2013
23. Performance of TOP tagging methods, **M. Talby**, TOP2013 - 6th International Workshop on Top Quark Physics, Durbach, Germany, 14-19 Sep 2013
24. Upgrades of the HL-LHC/ATLAS hybrid pixels detector: Test results of the first 3D-IC prototype, **P. Pangaud**, D. Arutinov, M. Barbero, F. Bompard, P. Breugnon, J. Clemens, D. Fougeron, M. Garcia-Sciveres, S. Godiot, T. Hemperek, H. Krüger, J. Liu, T. Obermann, A. Rozanov, N. Wermes, 2013 IEEE Nuclear Science Symposium and Medical Imaging Conference, Seoul, South Korea, 27 Oct - 02 Nov 2013
25. Mass Constraint on a SUSY Signal from Global Charge Asymmetry, **S. Muanza**, T. Serre, GDR Terascale, Annecy le Vieux, France, 28-30 Oct 2013
26. $VH \rightarrow bb$: experimental review, **G. Aad**, GDR Terascale, Annecy le Vieux, France, 28-30 Oct 2013

27. Search for chargino and neutralino production in final states with one lepton two b-jets consistent with a higgs boson and missing transverse momentum with the ATLAS detector in 20.3 fb^{-1} of $\sqrt{s} = 8 \text{ TeV}$ pp collisions, **S. Muanza**, **M. Ughetto**, GDR Terascale, Annecy le Vieux, France, 28-30 Oct 2013
28. Summary of LHC higgs results (ATLAS+CMS), **E. Monnier**, 19th International Symposium on Particles, Strings and Cosmology, Taipei, Taiwan, 20-26 Nov 2013

2012

1. Introduction of ATLAS cooperation, **E. Monnier**, 5th workshop of the France China Particle Physics Laboratory, FCPPL 2012, Orsay, France, 21-24 Mar 2012
2. DCS Data Viewer, a Application that Access ATLAS DCS Historical Data , **C. Tsarouchas**, **D. Hoffmann** , Computing in High Energy and Nuclear Physics (CHEP2012), New-York, United States, 21-25 May 2012
3. Global Charge Asymmetry: a New Method for Indirect Mass Constraints at the LHC, **S. Muanza**, Tools for the SM and the New Physics, Stockholm, Sweden, 2-1 Jun 2012
4. ATLAS Diboson Measurements, **S. Li**, Physics at LHC 2012, Vancouver, Canada, 4-9 Jun 2012
5. 4th generation searches at ATLAS, **L. Felgioni**, 36th International Conference on High Energy Physics, Melbourne, Australia, 4-11 Jul 2012
6. Overview of the ATLAS Insertable B-Layer (IBL) Project, **F. Djama**, iWoRID 2012 - 14th International Workshop on Radiation Imaging Detectors, Figueira Da Foz, Portugal, 1-5 Jul 2012
7. SUSY searches at ATLAS, **P. Pralavorio**, 20th International Conference on Supersymmetry and Unification of Fundamental Interactions, Peking Univ, China, 13-8 Aug 2012
8. Higgs to $b\bar{b}$ and $\tau\tau$ and beyond SM Higgs searches with ATLAS, **Y. Coadou**, LHC days in Split 2012, Split, Croatia, 1-6 Oct 2012
9. The Global Charge Asymmetry: A new Method to Constrain Masses at the LHC, **S. Muanza**, GDR Terascale, Paris, France, 6 Nov 2012
10. Searching for $t\bar{t}H$ at the LHC, **L. Vacavant**, GDR Terascale, Paris, France, 7 Nov 2012

2011

1. Highlights From Physics Analysis From ATLAS, **L. Vacavant**, SLHC, the High-Luminosity Upgrade, Genève, Switzerland, 8 Mar 2011
2. ATLAS FCPPL project, **E. Monnier**, The 4 th workshop France-China Particle Physics Laboratory (FCPPL2011), Shandong, China, 7-9 Apr 2011

3. The FE-I4 Chip for ATLAS, **M. Menouni**, 8th International Meeting on Front-End Electronics, Bergamo, Italy, 24-27 May 2011
4. FEI4 Chip in Chartered 130 nm, **J.- C. Clémens**, 8th International Meeting on Front-End Electronics, Bergamo, Italy, 24-27 May 2011
5. Commissioning of high-performance b-tagging algorithms in pp collisions at $\sqrt{s}=7$ TeV with the ATLAS experiment, **N. Bousson**, 2011 Europhysics Conference on High Energy Physics, Grenoble, France, 21-27 Jul 2011
6. ATLAS New Heavy Quark Searches, **N. Bousson**, Physics at LHC 2011, Perugia, Italy, 6-11 Jun 2011
7. Fully hadronic $t\bar{t}$ cross section measurement with ATLAS detector, **C. Bertella**, Physics in Collision 2011, Vancouver, Canada, 28 Aug - 1 Sep 2011
8. ATLAS Exotic Searches, **N. Bousson**, Hadron Collider Physics Symposium, Paris, France, 14-18 Nov 2011
9. Search for the SM Higgs boson in the decay channel $H \rightarrow ZZ \rightarrow 4l$ with the ATLAS detector, **J. Odier**, Hadron Collider Physics Symposium 2011, Paris, France, 14-18 Nov 2011

2010

1. New developments of scintillating crystal-based hybrid single photon detectors (X-HPDs) for charged particle and neutrino detection applications, **G. Hallewell**, Advancements in Nuclear Instrumentation Measurement Methods and their Applications ANIMMA 2009, Marseille, France, 7-10 Jun 2009
2. ATLAS Calorimeter Results, **E. Monnier**, 45th Rencontres de Moriond on QCD and High Energy Interactions, La Thuile, Italy, 13-20 Mar 2010
3. The ATLAS Liquid Argon calorimeter: Overview and performance, **H. Zhang**, 14th International Conference on Calorimetry in High Energy Physics (CALOR 2010), Beijing, China, 10-14 May 2010
4. Performance of E_T^{miss} reconstruction in first ATLAS data, **E. Petit**, 2010 Phenomenology Symposium: LHC Decade!, Madison, United States, 10-12 May 2010
5. Commissioning and operation of the ATLAS pixel detector at the CERN LHC collider, **F. Djama**, 12th International Workshop on Radiation Imaging Detectors, Cambridge, United Kingdom, 11-15 Jul 2010
6. Commissioning and Operation of the ATLAS Pixel Detector, **F. Djama**, 12th International Workshop on Radiation Imaging Detectors, Cambridge, United Kingdom, 11-15 Jul 2010
7. ATLAS early results, **F. Hubaut**, 4th International Workshop on the Interconnection between Particle Physics and Cosmology, Torino, Italy, 12-16 Jul 2010

8. Performance of the missing transverse energy reconstruction in first ATLAS data at a center-of-mass energy of 7-TeV, **A. Olariu**, 35th International Conference on High Energy Physics: ICHEP 2010, Paris, France, 21-28 Jul 2010
9. Commissioning and performance of the ATLAS calorimeter system with proton collision at LHC, **P. Pralavorio**, 35th International Conference on High Energy Physics: ICHEP 2010, Paris, France, 21-28 Jul 2010
10. Tau trigger and tau reconstruction, efficiency and fake rates in ATLAS, **Y. Coadou**, 3rd International Workshop on Prospects for Charged Higgs Discovery at Colliders (CHARGED 2010), Uppsala, Sweden, 27-30 Sep 2010
11. Status of b-tagging in ATLAS, **C. Lapoire**, Implications of First LHC Data: a joint Berkeley-MIT workshop, MIT, United Kingdom, 10-13 Aug 2010
12. Electron and Photon Reconstruction and Identification with the ATLAS Detector, **M. Kuna**, IPRD 2010 conference, Siena, Italy,

affiche

2016

1. Measurements of electron efficiencies with the 2015 pp collision data in ATLAS at $\sqrt{s} = 13$ TeV, **A. Hedef**, LHCC 2016, Geneva, Switzerland, 02 Mar 2016
2. HV-CMOS simulation and performance on tracking and flavour tagging, **A. Calandri**, **L. Vacavant**, **M. Barbero**, **A. Rozanov**, **F. Djama**, 8 th International Workshop on Semiconductor Pixel Detectors for Particles and Imaging, Sestri Levante, Italy, 5-9 Sep 2016
3. Optimisation of the ATLAS b -tagging performance for the 2016 LHC Run, **A. Calandri**, LHCP 2016, Lund, Sweden, 14 Jun 2016

2015

1. The Upgrade of the ATLAS Electron and Photon Triggers towards LHC Run 2 and their Performance, **S.J. Kahn**, European Physical Society Conference on High Energy Physics 2015, Vienna, Austria, 22-29 Jul 2015
2. ATLAS b -tagging performance during LHC Run 2 with the Insertable B-layer, **Y. Rodina**, 3rd Annual Large Hadron Collider Physics Conference, St. Petersburg, Russia, 31 Aug - 5 Sep 2015
3. B-tagging performance for ATLAS in LHC Run 2, **T.P. Calvet**, European Physical Society Conference on High Energy Physics 2015, Vienna, Austria, 22-29 Jul 2015

2014

1. ATLAS detector performance in Run1: Calorimeters, B. Burghgrave, **E. Tiouchichine**, 117th LHCC Meeting, CERN, Switzerland, 5-6 Mar 2014

2. Real-time flavor tagging selection in ATLAS, **D. Madaffari**, 37th International Conference on High Energy Physics, Valencia, Spain, 2-9 Jul 2014
3. Real-time flavor tagging selection in ATLAS, **D. Madaffari**, 37th International Conference on High Energy Physics, 46015 Valencia, Spain, 2-9 Jul 2014

2013

1. SUSY search with two same-sign leptons and jets with the ATLAS detector using 21 fb⁻¹ of pp collisions at 8TeV, **O. Ducu**, LHCC2013, Geneva, Switzerland, 1-3 Mar 2013
2. Search for strongly produced supersymmetric particles in final states with two same-sign leptons and jets with the ATLAS detector using 21 fb⁻¹ of pp collisions at 8 TeV, **O. A. Ducu**, 2013 European Physical Society Conference on High Energy Physics, Stockholm, Sweden, 18-24 Jul 2013
3. SUSY search with two same-sign leptons and jets with the ATLAS detector using 21 fb⁻¹ of pp collisions at 8 TeV, **O. Ducu**, 2nd International Conference on New Frontiers in Physics, Kolymbari, Greece, 28 Aug - 5 Sep 2013
4. SUSY search with two same-sign leptons and jets with the ATLAS detector using 21 fb⁻¹ of pp collisions at 8TeV, **O. Ducu**, ICNFP2013, Kolymbari, Crete, Greece, 28 Aug - 05 Sep 2013
5. SUSY search with two same-sign leptons and jets with the ATLAS detector, O.-A. Ducu, EPS HEP 2013, Stockholm, Sweden, 1-5 Jul 2013

2012

1. A System for Monitoring and Tracking the LHC Beam Spot within the ATLAS High Level Trigger, R. Bartoldus, C. Bee, J. Cogan, A. Salnikov, E. Strauss, F. Winklmeier, Computing in High Energy and Nuclear Physics 2012, New York, United States, 21-25 May 2012

2011

1. Measurement of the b-Tagging Performance with ATLAS, N. Tannoury, Physics at LHC 2011, Perugia, Italy, 6-11 Jun 2011
2. ATLAS New Heavy Quark Searches, **N. Bousson**, Physics at LHC 2011, Perugia, Italy, 6-11 Jun 2011
3. Luminosity measurement in ATLAS, **S. Arfaoui**, The Hadron Collider Physics Symposium 2011, Paris, France, 14-18 Nov 2011

rapport

2019

1. Physics Beyond Colliders at CERN: Beyond the Standard Model Working Group Report, J. Beacham, C. Burrage, D. Curtin, A. De Roeck, J. Evans, J. L. Feng, C. Gatto, S. Gninenko, A. Hartin, I. Irastorza, J. Jaeckel, K. Jungmann, K. Kirch, F. Kling, S. Knapen, M. Lamont, G. Lanfranchi, C. Lazzeroni, A. Lindner, F. Martinez- Vidal, M. Moulson, M. Papucci, I. Pedraza, K. Petridis, M. Pospelov, A. Rozanov, G. Ruoso, P. Schuster, Y. Semertzidis, T. Spadaro, C. Vallée, G. Wilkinson, CERN-PBC-REPORT-2018-007

2016

1. Optimization of the ATLAS b-tagging performance for the 2016 LHC Run,, ATLAS, ATL-PHYS-PUB-2016-012
2. Electron efficiency measurements with the ATLAS detector using the 2015 LHC proton-proton collision data, C. Anastopoulos, L. Aperio Bella, M. Backes, E. Benhar Noccioli, K. Brendlinger, K. De Vasconcelos Corga, J.-B. De Vivie De Regie, C. Diaconu, B. Dutta, V. Eliajasyula, A. Hedef, F. Hubaut, J. Kroll, S.J. Kahn, S. Laplace, Y. Liu, K. Lohwasser, N.M. Hartmann, A.M. Burger, A. Maslennikov, E. Monnier, D. Moreno, G. Navarro, R. Ospanov, G. Pasztor, P. Podberezko, J. Poveda, P. Pralavorio, J. Reichert, R.R. Fletcher, E. Sauvan, Y. Shen, P. Sommer, A. Trofymov, G. Unal, C. Wang, R. White, R. Zhang, J.G. Vasquez, P. Tipton, S. Heim , ATLAS-COM- CONF-2016-028, ATLAS-CONF-2016-024
3. Optimisation of the ATLAS *b*-tagging performance for the 2016 LHC Run, A. Calandri, ATL-COM-PHYS-2016-646, ATL- PHYS-SLIDE-2016-333
4. Search for the Standard Model Higgs boson produced in association with top quarks and decaying into $b\bar{b}$ in pp collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector, G. Aad, T. Calvet, Y. Coadou, A. Duperrin, E. Ticse Torres, Royer , V. Vacavant, T. Theveneaux-Pelzer, Y. Rodina, ATLAS-CONF-2016-080
5. Combination of the searches for Higgs boson production in association with top quarks in the $\gamma\gamma$, multilepton, and $b\bar{b}$ decay channels at $\sqrt{s}=13$ TeV with the ATLAS Detector, T. Calvet,
6. Search for the Standard Model Higgs boson produced in association with top quarks and decaying into $b\bar{b}$ in pp collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector,, Atlas, G. Aad, Th. Calvet, Y. Coadou, A. Duperrin, T. Theveneaux-Pelzer, R. Ticse Torres, Y. Rodina, L. Vacavant, ATL-PHYS-INT-2016-017

2010

1. Benchmark analysis for Z to $\tau\tau$ to lepton hadron with the first 100 pb^{-1} , P. Bechtel, Y. Coadou, ATL- PHYS-INT-2010-075
2. Tracking studies for b-tagging algorithm in 900 GeV collision data, N. Bousson, J. Fleckner, C. Gwilliam, J. Kvita, C. Lapoire, A. Mehta, A. Rozanov, L. Vacavant, ATL-COM-PHYS-2010-089

3. Validation of the simulation of the electromagnetic shower shapes using 2008 cosmic-ray data, O. Arnaez, J. Odier, Z. Liang, ATL-PHYS-INT-2010-002
4. Tracking studies for b-tagging with 900 GeV collision data with the ATLAS detector, The ATLAS Collaboration, ATLAS- CONF-2010-003
5. Photon conversions at $\sqrt{s} = 900$ GeV measured with the ATLAS detector, The ATLAS Collaboration, ATLAS-CONF-2010-007
6. Higgs production cross sections and decay branching ratios, N. Andari, S. Muanza, H. Zhang, ATL-COM- PHYS-2010-046
7. Cosmic Ray Detection Efficiency for the ATLAS Pixel Detector, G. Aad, T. Golling, C. Ruwiedel, M.G. Wilson, ATL-COM-INDET-2010-051
8. Search for top pair candidate events in ATLAS in $\sqrt{s} = 7$ TeV, The ATLAS Collaboration, ATLAS-CONF-2010-063
9. Response and shower topology of 2 to 180 GeV pions measured with the ATLAS barrel calorimeter at the CERN. Test-Beam and comparison to Monte Carlo simulations, ATLAS, ATL-CAL-PUB-2010-001
10. Pixel clusters separately in paired and unpaired bunches to estimate contribution from beam background, L. Skinnari, F. Djama, ATL-COM-INDET-2010-061
11. Tracking studies for b-tagging with 7 TeV collision data with the ATLAS detector, The ATLAS Collaboration, ATLAS- CONF-2010-040
12. Impact -Parameter based b-Tagging algorithms in the $\sqrt{s} = 7$ TeV collisions with the ATLAS detector, The ATLAS Collaboration, ATLAS-CONF-2010-041
13. Performance of Impact-Parameter based b-Tagging algorithms with the ATLAS detector using Proton-Proton collisions at $\sqrt{s} = 7$ TeV, N. Bousson, T. Goepfert, F. Hirsh, C. Jung, C. Lapoire, S. Strandberg, L. Vacavant, K. Zenker, M. Zur Nedden, ATL-COM-2010-047
14. Prospects for studying $W \rightarrow \tau\nu$ decays with ATLAS data corresponding to an integrated luminosity of 100 pb^{-1} , G. Nunes Hanninger, Y. Coadou, ATL-PHYS- INT-2010-073
15. Performance of the missing transverse energy reconstruction in minimum bias collisions at center-of mass energy of $\sqrt{s} = 7$ TeV with the ATLAS detector, The ATLAS Collaboration, ATLAS- CONF-2010-039
16. Probing the response of the ATLAS electromagnetic calorimeter and material upstream with energy flow from $\sqrt{s} = 7$ TeV minimum bias events, The ATLAS Collaboration, ATLAS- CONF-2010-037
17. Commissioning of the ATLAS Tau-Lepton Reconstruction Using 7 TeV data, Y. Coadou, ATL-COM-PHYS-2010-392
18. Search for compressed SUSY at $\sqrt{s} = 7$ TeV with ATLAS detector : Same-sign dilepton and heavy flavor jets final states, Z. Zhan, X. Zhang, S. Jin, F. Lu, S. Muanza, E. Monnier, ATL-COM-PHYS-2010-723

19. Reconstruction of hadronic τ candidates in QCD events at ATLAS with 7 TeV proton-proton collisions, The ATLAS Collaboration, ATLAS-CONF-2010-059
 20. Tracking studies for b-tagging with 7 TeV collision data with the ATLAS detector, The ATLAS Collaboration, ATLAS-CONF-2010-070
 21. Properties of the pixel cluster charge in cosmic ray data and simulation, S. Aoun et.al., ATL-INDET-INT-2010-004
 22. τ Reconstruction and identification performance in ATLAS, The ATLAS Collaboration, ATLAS-CONF-2010-086
 23. Background studies for top-pair production in lepton plus jets final states in $\sqrt{s} = 7$ TeV ATLAS data, The ATLAS Collaboration, ATLAS-CONF-2010-087
 24. First look at the JetProb b-tagging algorithm in 900 GeV collision data, C. Lapoire, N. bousson, J. Fleckner, L. Vacavant, ATL-COM-PHYS-2010-086
 25. Calibrating the Efficiency of the SV0 Algorithm Using the pTrel Method in 3 pb-1 of Data, S. Aoun, J. Fleckner, B. Heinemann, F. Hirsch, S. Strandberg, N. Tannoury, ATL-COM-PHYS-2010-758
 26. First look at the JetProb b-tagging algorithm in 900 GeV collision data, The ATLAS Collaboration, ATLAS-CONF-2010-010
 27. Performance of Impact-Parameter based b-Tagging algorithms with the ATLAS detector using Proton-Proton collisions at $\sqrt{s} = 7$ TeV, The ATLAS Collaboration, ATLAS-CONF-2010-091
 28. Observation of $W \rightarrow \tau\nu$ decays with the ATLAS experiment, The ATLAS Collaboration, ATLAS-CONF-2010-097
- 2018
1. Search for chargino and neutralino production in final state with a Higgs boson, and missing transverse momentum at $\sqrt{s} = 13\text{TeV}$ with the ATLAS detector, R. El Kosseifi *et al.*, ATLAS Collaboration, ATL-COM-PHYS-2018-486
- 2017
1. Studies on Operation of the ATLAS Pixel Detector 2 for Run 2 and 3, A. Calandri *et al.*, ATLAS Collaboration, ATL-COM-INDET-2017-034
 2. Search for flavor-changing neutral current $t \rightarrow Hq$ ($q = u, c$) decays, with $H \rightarrow WW, ZZ, lelep$ in the light lepton+jets final state in pp collisions at $\sqrt{s} = 13\text{TeV}$ with the ATLAS Detector, E. Monnier *et al.*, ATLAS Collaboration, ATL-COM-PHYS-2017-1663
 3. Optical Fibers Cabling of the LAr Calorimeter Trigger Path for the ATLAS Phase One Upgrade, G. Aad *et al.*, ATLAS Collaboration, ATL-COM-LARG-2017-053

4. ATLAS LAr Calorimeter trigger electronics phase I upgrade: LATOME Firmware Specifications, G. Aad *et al.*, ATLAS Collaboration, ATL-COM-LARG-2017-052
5. Search for chargino and neutralino production in final state with one lepton, two b-jets consistent with a Higgs boson, and missing transverse momentum at $\sqrt{s} = 13\text{TeV}$ with the ATLAS detector,, R. El Kosseifi *et al.*, ATLAS Collaboration, ATL-COM-PHYS-2017-381
6. Optimisation and performance studies of the ATLAS b-tagging algorithms for the 2017-18 LHC run, ATLAS *et al.*, ATLAS Collaboration, ATL-PHYS-PUB-2017-013
7. Search for the Associated Production of a Higgs Boson and a Top Quark Pair in multilepton final states in pp Collisions at $\sqrt{s} = 13\text{TeV}$ with the ATLAS Detector,, K. Liu *et al.*, ATLAS Collaboration, ATL-COM-PHYS-2017-101
8. Optimization of the b-tagging algorithms for the Phase 2 ITk Pixel TDR, C. Bordereau *et al.*, ATLAS Collaboration, ATL- COM-UPGRADE-2018-010
9. Technical Design Report for the Phase-II Upgrade of the ATLAS LAr Calorimeter, ATLAS *et al.*, ATLAS Collaboration, ATLAS-TDR-027, CERN-LHCC-2017-018
10. Technical Design Report for the ATLAS Inner Tracker Pixel Detector, ATLAS *et al.*, ATLAS Collaboration, ATLAS- TDR-030, CERN-LHCC-2017-021
11. Combination of the searches for Higgs boson production in association with top quarks in the , multilepton, and $b\bar{b}$ final states at $\sqrt{s}=13\text{ TeV}$, G. Aad *et al.*, ATLAS Collaboration, ATL-COM-PHYS-2017-651
12. Measurements of fiducial and differential cross-sections of $t\bar{t}$ production with additional heavy-flavour jets in proton-proton collisions at $\sqrt{s} = 13\text{TeV}$ with the ATLAS detector, G. Aad *et al.*, ATLAS Collaboration, ATL-COM-PHYS-2017-792
13. Search for the Standard Model Higgs boson produced in association with top quarks and decaying into $b\bar{b}$ in pp collisions at $\sqrt{s} = 13\text{ TeV}$ with the ATLAS detector, G. Aad *et al.*, ATLAS Collaboration, ATL-COM-PHYS-2017-079
14. Search for the Standard Model Higgs boson produced in association with top quarks and decaying into a $b\bar{b}$ pair in pp collisions at $\sqrt{s} =13\text{ TeV}$ with the ATLAS detector, ATLAS *et al.*, ATLAS Collaboration, ATLAS-COM-CONF-2017-095, ATLAS-CONF-2017-076
15. Evidence for the associated production of the Higgs boson and a top quark pair with the ATLAS detector, ATLAS *et al.*, ATLAS Collaboration, ATLAS-COM-CONF-2017-096, ATLAS- CONF-2017-077

2015

1. Run-2 prospects for top Yukawa coupling measurement in the ttH channel with two same-sign leptons, O. Ducu *et al.*, ATLAS Collaboration, ATL-COM-PHYS-2015-479
2. Summary of the ATLAS Run-I searches for direct pair production of third generation squarks at the Large Hadron Collider, J. Abdallah *et al.*, ATLAS Collaboration, ATL-COM-PHYS-2015-102
3. Properties of the First Observed Clusters in the Recently Installed Insertable B-Layer (IBL) During the M7 Cosmic Run, M. Alstaty *et al.*, ATLAS Collaboration, ATL-COM-INDET-2015-014
4. Search for strongly produced superpartners in final states with same-sign leptons or three leptons and jets: preparing for 2015 analyses, B. Abbott *et al.*, ATLAS Collaboration, ATL-COM-PHYS-2015-329
5. Properties of IBL Clusters and Dead Module Map for Pixels with First 2015 Collisions at $\sqrt{s} = 13$ TeV, F. Djama *et al.*, ATLAS Collaboration, ATL-COM-INDET-2015-039
6. Cluster Properties and Lorentz Angle Measurement in the 4-Layer Pixel Detector Using Cosmic Rays, The ATLAS Collaboration *et al.*, ATLAS Collaboration, ATL-PHYS-PUB-2015-012
7. Optimization of cut-based electron identification menus for run 2 high pile-up conditions, S.J. Kahn *et al.*, ATLAS Collaboration, ATL-COM-PHYS-2015-489
8. Search for Triboson $WWW \rightarrow ll\bar{l}$ Production and Anomalous Quartic Gauge Couplings in 8 TeV ATLAS Data, J. Butler *et al.*, ATLAS Collaboration, ATL-COM-PHYS-2015-601
9. Expected performance of the ATLAS b-jet trigger in Run 2, J.W. Hetherly *et al.*, ATLAS Collaboration, ATL-COM-DAQ-2015-088
10. Electron shower shapes, tracking, isolation and invariant mass distributions from $Z \rightarrow ee$ and $J/\Psi \rightarrow ee$ events : Plots for EPS, V. Ellajosyula *et al.*, ATLAS Collaboration, ATL-COM-PHYS-2015-728
11. Measurement of the correlations between the polar angles of leptons from top quark decays in the helicity basis at $\sqrt{s}=7$ TeV using the ATLAS detector, C. Zhu *et al.*, ATLAS Collaboration, ATL-COM-PHYS-2015-754
12. Expected performance of the ATLAS b-tagging algorithms in Run-2, The ATLAS Collaboration *et al.*, ATLAS Collaboration, ATL-PHYS-PUB-2015-022
13. Search for strongly produced superpartners in final states with same-sign leptons or three leptons and jets in pp collisions at $\sqrt{s}=13$ TeV (Supporting not, B. Abbott *et al.*, ATLAS Collaboration, ATL-COM-PHYS-2015-1150

2014

1. Search for the bb decay of the Standard Model Higgs boson in associated (W/Z)H production with the ATLAS detector, F. Ahmadov *et al.*, ATLAS Collaboration, ATL-COM-PHYS-2014-024
2. ATLAS Detector Control System Data Viewer, C. Tsarouchas *et al.*, ATLAS Collaboration, ATL-COM-DAQ-2014-002
3. Supporting Document for the Search for the bb decay of the Standard Model Higgs boson in associated (W/Z)H production with the ATLAS detector, F. Ahmadov *et al.*, ATLAS Collaboration, ATL-COM-PHYS-2014-051
4. Impact of TRT transition radiation detection in the search for SUSY with two same-sign leptons or three leptons at $\sqrt{s} = 8$ TeV, D. Cote *et al.*, ATLAS Collaboration, ATL-PHYS-INT-2014-003
5. Recommendations from the Review Committee on Analysis Approval and PubCom Procedures, U. Blumenschein *et al.*, ATLAS Collaboration, ATL-COM-GEN-2014-004
6. Benchmarks for Heavy Higgs boson searches in the electroweak bosons decay channels in the ATLAS detector, G. Carrillo-Montoya *et al.*, ATLAS Collaboration, ATL-COM-PHYS-2014-258
7. Pixel Clusters Properties in 2012, F. Djama *et al.*, ATLAS Collaboration, ATL-COM-INDET-2014-010
8. $H \rightarrow WW \rightarrow l\nu l\nu$ high-mass analysis with 25 fb^{-1} of data collected with the ATLAS detector at $\sqrt{s}=7$ TeV and $\sqrt{s}=8$ TeV, P. Calpin *et al.*, ATLAS Collaboration, ATL-COM-PHYS-2014-193
9. Electron efficiency measurements with the ATLAS detector using the 2012 LHC proton-proton collision data, F. Hubaut *et al.*, ATLAS Collaboration, ATLAS-CONF-2014-032
10. Supporting document on electron performance measurements using the 2011 LHC proton-proton collisions, J. Alison *et al.*, ATLAS Collaboration, ATL-PHYS-INT-2014-016
11. Search for direct stau production in events with at least two hadronic taus and missing transverse momentum using a multivariate analysis technique, Y. Bai *et al.*, ATLAS Collaboration, ATL-COM-PHYS-2014-964
12. ATLAS Pixel IBL: Stave Quality Assurance, M. Backhaus *et al.*, ATLAS Collaboration, ATL-INDET-PUB-2014-006
13. Multi-jet Tag Rate Function for multi heavy flavour final states, D. Madaffari *et al.*, ATLAS Collaboration, ATL-COM-PHYS-2014-1169
14. Search for charged Higgs bosons decaying via $H^\pm \rightarrow \tau^\pm \nu$ in hadronic final states using pp collision data at $\sqrt{s}=8$ TeV with the ATLAS detector, The ATLAS Collaboration *et al.*, ATLAS Collaboration, ATLAS-CONF-2014-050
15. Prospects for chargino searches at LHC, T. Serre *et al.*, ATLAS Collaboration, ATL-COM-PHYS-2014-1466

16. Studies of Monte Carlo generators in Higgs boson production for ATLAS Run 2, The ATLAS Collaboration *et al.*, ATLAS Collaboration, ATL-PHYS-PUB-2014-022
17. ATLAS Nov 2014 Physics Workshop "Ready for Run-2" — Conclusions and Actions, H. Bachacou *et al.*, ATLAS Collaboration, ATL-COM-PHYS-2014-1587

2013

1. Object selection and calibration, background estimations and MC samples for the Winter 2013 Top Quark analyses with 2012 data, B. Acharya *et al.*, ATLAS Collaboration, ATL-COM-PHYS-2013-088
2. Measurements of the properties of the Higgs-like boson in the four lepton decay channel with the ATLAS detector using 25 fb^{-1} of proton-proton collision data, The ATLAS Collaboration *et al.*, ATLAS Collaboration, ATLAS-CONF-2013-013
3. Invariant Mass Studies for the $H \rightarrow b\bar{b}$ Measurements for LHCP, G. Aad *et al.*, ATLAS Collaboration, ATL-COM-PHYS-2013-449
4. Search for the Standard Model Higgs boson in associated production with a vector boson and decaying to bottom quarks with the ATLAS detector, G. Aad *et al.*, ATLAS Collaboration, ATL-COM-PHYS-2013-465
5. Search for direct-slepton and direct-chargino production in final states with two opposite-sign leptons, missing transverse momentum and no jets in $20/\text{fb}$ of pp collisions at $\sqrt{s} = 8 \text{ TeV}$ with the ATLAS detector, The ATLAS Collaboration *et al.*, ATLAS Collaboration, ATLAS-CONF-2013-049
6. B -tagging for VH , with $H \rightarrow b\bar{b}$, G. Aad *et al.*, ATLAS Collaboration, ATL-COM-PHYS-2013-697
7. Search for strongly produced superpartners in final states with two same sign leptons with the ATLAS detector using 21 fb^{-1} of proton-proton collisions at $\sqrt{s}=8 \text{ TeV}$., The ATLAS Collaboration *et al.*, ATLAS Collaboration, ATLAS-CONF-2013-007
8. A search for high-mass ditau resonances decaying in the fully hadronic final state in pp collisions at $\sqrt{s} = 8 \text{ TeV}$ with the ATLAS detector, The ATLAS Collaboration *et al.*, ATLAS Collaboration, ATLAS-CONF-2013-066
9. Object selection and calibration, background estimations and MC samples for top quark analyses using the full 2012 data set, B. Acharya *et al.*, ATLAS Collaboration, ATL-COM-PHYS-2013-1016
10. Search for the bb decay of the Standard Model Higgs boson in associated W/ZH production with the ATLAS detector, The ATLAS Collaboration *et al.*, ATLAS Collaboration, ATLAS-CONF-2013-079
11. Search for chargino and neutralino production in final states with one lepton, two b-jets consistent with a Higgs boson, and missing transverse momentum with the ATLAS detector in 20.3 fb^{-1} of $\sqrt{s} = 8 \text{ TeV}$ pp collisions, S. Muanza *et al.*, ATLAS Collaboration, ATLAS-CONF-2013-093

12. TDAQ Phase-I Upgrade Technical Design Report, R. Bartoldus *et al.*, ATLAS Collaboration, ATL-COM-DAQ-2013-063
13. Search for weak gaugino production in final states with one lepton, two b-jets consistent with a Higgs boson, and missing transverse momentum with the ATLAS detector in 20.3 fb⁻¹ of $\sqrt{s} = 8$ TeV pp collisions, B. Butler *et al.*, ATLAS Collaboration, ATL-PHYS-INT-2013-014
14. Theoretical studies for the $H \rightarrow WW$ measurement with the ATLAS detector, M. Chelstowska *et al.*, ATLAS Collaboration, ATL-COM-PHYS-2013-1541
15. Event selection and background estimation for the measurement of the properties of the Higgs particle in the four lepton decay channel with the ATLAS detector, S-H. Abidi *et al.*, ATLAS Collaboration, ATL-COM-PHYS-2013-1599
16. Search for Chargino and Neutralino Production in Final States with One Lepton, Two b-jets Consistent with a Higgs Boson, and Missing Transverse Momentum with the ATLAS detector in 20.3 fb⁻¹ of $\sqrt{s} = 8$ TeV pp collisions, B. Butler *et al.*, ATLAS Collaboration, ATL-COM-PHYS-2013-1640

2012

1. Search for the Standard Model Higgs Boson in the $ZH \rightarrow \nu\nu bb$ Channel with the ATLAS Detector at the LHC, F. Ahmadov *et al.*, ATLAS Collaboration, ATL-COM-PHYS-2012-062
2. Measurement of the W^+W^- Production Cross section in Proton-Proton Collisions at $\sqrt{s} = 7$ TeV with the ATLAS Detector, The ATLAS Collaboration *et al.*, ATLAS Collaboration, ATLAS-CONF-2012-025
3. Measurement and QCD Analysis of Differential Inclusive $W \rightarrow l\nu$ and $Z/\gamma \rightarrow ll$ Production and Leptonic Decay Cross Sections with ATLAS, K. Bachas *et al.*, ATLAS Collaboration, ATL-COM-PHYS-2013-217
4. Observation of an excess of events in the search for the Standard Model Higgs boson in the gamma-gamma channel with the ATLAS detector, The ATLAS Collaboration *et al.*, ATLAS Collaboration, ATLAS-CONF-2012-091
5. Search for the Standard Model Higgs boson produced in association with a vector boson and decaying to a b-quark pair using up to $4.7fb^{-1}$ of pp collision data at $\sqrt{s} = 7$ TeV with the ATLAS detector at the LHC, The ATLAS Collaboration *et al.*, ATLAS Collaboration, ATLAS-CONF-2012-015
6. Search for squarks and gluinos using final states with jets and missing transverse momentum with the ATLAS detector in $\sqrt{s} = 7$ TeV proton-proton collisions, The ATLAS Collaboration *et al.*, ATLAS Collaboration, ATLAS-CONF-2012-033
7. Measurement of the b-jet production cross section using muons in jets with ATLAS in pp Collisions at $\sqrt{s}=7$ TeV, J. Boudreau *et al.*, ATLAS Collaboration, ATL-PHYS-INT-2012-030

8. Measurement of the $t\bar{t}$ production cross section in the all-hadronic channel in ATLAS with $\sqrt{s}=7$ TeV data, The ATLAS Collaboration *et al.*, ATLAS Collaboration, ATLAS- CONF-2012-031
9. Object selection and calibration, background estimations and MC samples for the Summer 2012 Top Quark analyses with 2011 data, B. Acharya *et al.*, ATLAS Collaboration, ATL-COM- PHYS-2012-499
10. A System for Monitoring and Tracking the LHC Beam Spot within the ATLAS High Level Trigger, R. Bartoldus *et al.*, ATLAS Collaboration, ATL-COM-DAQ-2012-083
11. Search for Supersymmetry in final states with two same-sign leptons, jets and missing transverse momentum with the ATLAS detector in pp collisions at $\sqrt{s}=8$ TeV, The ATLAS Collaboration *et al.*, ATLAS Collaboration, ATLAS- CONF-2012-105
12. Search for Supersymmetry in four top-quarks final state with ATLAS in Lum. = 4.7 fb^{-1} of $\sqrt{s} = 7$ TeV proton-proton collisions, S. Jin *et al.*, ATLAS Collaboration, ATL-COM- PHYS-2012-792
13. Search for pair production of fourth generation quarks in the lepton plus jets final state at $\sqrt{s} = 7$ TeV, W. Bell *et al.*, ATLAS Collaboration, ATL-COM-PHYS-2012-810
14. Search for pair production of heavy top-like quarks decaying to a high- $p_T W$ boson and a b quark in the lepton plus jets final state at $\sqrt{s} = 7$ TeV, W. Bell *et al.*, ATLAS Collaboration, ATL-COM-PHYS-2012-851
15. Search for Supersymmetry with jets and missing transverse momentum and two same-sign leptons at 8 TeV, D. Cote *et al.*, ATLAS Collaboration, ATL-COM-PHYS-2012-965.
16. A search for high mass resonances decaying to $\tau+\tau^-$ in the ATLAS detector, The ATLAS Collaboration *et al.*, ATLAS Collaboration, ATLAS-CONF-2012-067
17. Observation of an excess of events in the search for the Standard Model Higgs boson with the ATLAS detector at the LHC, The ATLAS Collaboration *et al.*, ATLAS Collaboration, ATLAS- CONF-2012-093
18. Observation of an excess of events in the search for the Standard Model Higgs boson in the $H \rightarrow ZZ^{(*)} \rightarrow 4l$ channel with the ATLAS detector, The ATLAS Collaboration *et al.*, ATLAS Collaboration, ATLAS-CONF-2012-092
19. Object selection and calibration, background estimations and MC samples for the Autumn 2012 Top Quark analyses with 2011 data, B. Acharya *et al.*, ATLAS Collaboration, ATL-COM- PHYS-2012-1197
20. Measurements of the photon identification efficiency with the ATLAS detector using 4.9 fb^{-1} of pp collision data collected in 2011, The ATLAS Collaboration *et al.*, ATLAS Collaboration, ATLAS-CONF-2012-123

21. Improved electron reconstruction in ATLAS using the Gaussian Sum Filter-based model for bremsstrahlung, F. Hubaut *et al.*, ATLAS Collaboration, ATLAS-CONF-2012-047
22. Search for the Standard Model Higgs boson in produced in association with a vector boson and decaying to bottom quarks with the ATLAS detector, The ATLAS Collaboration *et al.*, ATLAS Collaboration, ATLAS-CONF-2012-161
23. Updated results and measurements of properties of the new Higgs-like particle in the four lepton decay channel with the ATLAS detector, The ATLAS Collaboration *et al.*, ATLAS Collaboration, ATLAS-CONF-2012-169

2011

1. A measurement of the total W^\pm and Z /cross sections in the e and μ decay channels and of their ratios in pp collisions at $\sqrt{s} = 7$ TeV with the ATLAS detector, The ATLAS Collaboration *et al.*, ATLAS Collaboration, ATLAS-CONF-2011-041
2. Simple extrapolations for supersymmetry discovery limits at different LHC centre-of-mass energies and luminosities, based on inclusive searches with the ATLAS detector, The ATLAS Collaboration *et al.*, ATLAS Collaboration, ATL-PHYS- PUB-2011-003
3. Search for the standard model higgs boson in the decay channel $H \rightarrow ZZ^{(*)} \rightarrow 4l$ with 40 pb^{-1} of pp Collisions at $\sqrt{s} = 7$ TeV, The ATLAS Collaboration *et al.*, ATLAS Collaboration, ATLAS-CONF-2011-048
4. A Measurement of the b-jet production cross section with 2010 ATLAS data using muons in jets, S. Aoun *et al.*, ATLAS Collaboration, ATL-COM-PHYS-2011-221
5. Updated Luminosity Determination in pp Collisions at $\sqrt{s} = 7$ TeV Using the ATLAS Detector, The ATLAS Collaboration *et al.*, ATLAS Collaboration, ATLAS- CONF-2011-011
6. Measurement of the W^+W^- Production Cross Section in Proton-Proton Collisions at $\sqrt{s} = 7$ TeV with the ATLAS Detector, The ATLAS Collaboration *et al.*, ATLAS Collaboration, ATLAS-CONF-2011-015
7. Measurement of the Top Quark-Pair Cross Section with ATLAS in pp Collisions at A measurement of the total W^\pm and Z /cross sections in the e and μ decay channels and of their ratios in pp collisions at $\sqrt{s} = 7 \text{ TeV}$ with the ATLAS detector in the Single-Lepton Channel Using b-Tagging, The ATLAS Collaboration *et al.*, ATLAS Collaboration, ATLAS-CONF-2011-035
8. Data-Driven Estimation of the Background to $H \rightarrow$ Searches with Hadronic-tau Final States, S. Arghir *et al.*, ATLAS Collaboration, ATL-PHYS-INT-2011-028

9. Data-Driven Estimation of the Background to Charged Higgs Boson Searches Using Hadronically-Decaying tau Final States in ATLAS , The ATLAS Collaboration *et al.*, ATLAS Collaboration, ATLAS-CONF-2011-051
10. Measurement of the b-jet production cross section using muons in jets with ATLAS in pp Collisions at $\sqrt{s}=7$ TeV, The ATLAS Collaboration *et al.*, ATLAS Collaboration, ATLAS- CONF-2011-057
11. Expected photon performance in the ATLAS experiment, The ATLAS Collaboration *et al.*, ATLAS Collaboration, ATL- PHYS-PUB-2011-007
12. Search for ttbar production in the all-hadronic channel in ATLAS with $\sqrt{s} = 7$ TeV data, The ATLAS Collaboration *et al.*, ATLAS Collaboration, ATLAS-CONF-2011-066
13. Updated preliminary egamma plots with collision data, ATLAS *et al.*, ATLAS Collaboration, ATL-CONF-2011-656
14. Expected electron performance in the ATLAS experiment, The ATLAS Collaboration *et al.*, ATLAS Collaboration, ATL- PHYS-PUB-2011-006
15. Calibrating the b-Tag Efficiency and Mistag Rate in $35 pb^{-1}$ of Data with the ATLAS Detector, The ATLAS Collaboration *et al.*, ATLAS Collaboration, ATLAS-CONF-2011-089
16. Commissioning of the ATLAS advanced b-tagging algorithms in the 7 TeV collision data (INT note), N. Bousson *et al.*, ATLAS Collaboration, ATL-COM-PHYS-2011-789
17. Measurement of hadronic tau decay identification efficiency using $W \rightarrow \tau\nu$ events, The ATLAS Collaboration *et al.*, ATLAS Collaboration, ATLAS-CONF-2011-093
18. Commissioning of the ATLAS high-performance b-tagging algorithms in the 7 TeV collision data, The ATLAS Collaboration *et al.*, ATLAS Collaboration, ATLAS-CONF-2011-102
19. Measurement of the ttbar production cross section in the all-hadronic channel in ATLAS with $\sqrt{7}$ TeV data, I. Aracena *et al.*, ATLAS Collaboration, ATL-COM-PHYS-2011-976
20. Measurement of hadronic tau decay identification efficiency using $W \rightarrow \tau\nu$ events (supporting note), Y. Coadou *et al.*, ATLAS Collaboration, ATL-PHYS-INT-2011-066
21. Measurement of ttbar production in the all-hadronic channel in 1.02 fb1 of pp collisions at $\sqrt{s}=7$ TeV with the ATLAS detector, The ATLAS Collaboration *et al.*, ATLAS Collaboration, ATLAS-CONF-2011-140
22. b-jet Tagging for Top Physics: Performance studies, Calibrations and Heavy Flavor Fractions, B. Alvarez *et al.*, ATLAS Collaboration, ATL-COM-PHYS-2011-124

23. Measurements of top quark pair differential cross sections with ATLAS in pp collisions at $s = 7$ TeV, K. Gellerstedt *et al.*, ATLAS Collaboration, ATL-COM-PHYS-2011-1356
24. Luminosity Determination in pp Collisions at $\sqrt{s} = 7$ TeV using the ATLAS Detector in 2011, The ATLAS Collaboration *et al.*, ATLAS Collaboration, ATLAS-CONF-2011-116
25. Particle Identification Performance of the ATLAS Transition Radiation Tracker , The ATLAS Collaboration *et al.*, ATLAS Collaboration, ATLAS-CONF-2011-128
26. b- Jet Tagging Efficiency Calibration Using the System8 Method , The ATLAS Collaboration *et al.*, ATLAS Collaboration, ATLAS-CONF-2011-143

mémoire

2024

1. Contrôle, fonctionnement, démarrage et performance de la mise à niveau Ph-1 du calorimètre LAr de l'électronique du détecteur ATLAS, F. Bernon, Aix-Marseille Université, 11 Jui 2024
2. Search for new physics in the bb channel with the ATLAS experiment, M. Fernoux, Aix-Marseille Université, 30 Sep 2024
3. The Standard Model is complete, what's next, G. Aad, Aix- Marseille Université, 15 Mar 2024

2023

1. Development of artificial intelligence algorithms adapted to big data processing in embedded (FPGAs) trigger and data acquisition systems at the LHC, L. Laatu, Aix-Marseille Université, 03 Oct 2023
2. Conception et test d'une puce électronique pour le domaine de l'imagerie par comptage de photons par pixels hybrides, K. Bonkhal, Aix-Marseille Université, 13 Nov 2023
3. Implémentation d'algorithmes d'intelligence artificielle embarqués sur le système de lecture du calorimètre électromagnétique à argon liquide d'ATLAS, N. Chiedde, Aix- Marseille Université, 21 Nov 2023

2022

1. Commissioning and performance of the trigger and readout system of the liquid argon calorimeter of the ATLAS experiment., E. Fortin, Aix-Marseille Université, 29 Jun 2022
2. Unravelling the top-Higgs coupling with the ATLAS experiment at LHC, N. Kumari, Aix-Marseille Université, 16 Nov 2022

2021

1. Search for doubly charged scalar bosons decaying to $W^\pm W^\pm$ at LHC, H. Xu, University of science and technology of China; Aix-Marseille University, 20 Jul 2021
2. Studies of the Higgs boson properties and search for new physics beyond the standard model in multilepton final states with the ATLAS detector at LHC, Z. Li, Aix-Marseille Université & Shandong Université, 16 Sep 2021
3. Search for SUSY Electroweak production at LHC Run 2 and study of CMOS sensor for ITk replacement in second-half of HL-LHC, N. Vu, Aix-Marseille University, 17 Dec 2021

2019

1. Studies of the Higgs boson properties and search for new physics beyond the standard model in the top sector with the ATLAS detector, G. Tarna, Aix-Marseille Université, 18 Oct 2019
2. Search for the Higgs boson in the $t\bar{t}H(H \rightarrow b\bar{b})$ channel and measurement of the production cross-section of $t\bar{t}b\bar{b}$ with the ATLAS detector at the LHC, N. Brahim, Aix-Marseille Université, 31 Oct 2019
3. Search for the Higgs boson in the $t\bar{t}H(H \rightarrow b\bar{b})$ channel in the ATLAS experiment at the LHC using machine learning methods and synchronization of the ITk geometry description for simulation and radiation studies for the HL-LHC ATLAS upgrade, Z. Guo, Aix-Marseille Université, 05 Nov 2019

2018

1. Study of the Higgs boson production in association with a top quark pair with the ATLAS experiment at the LHC, A. E. Dumitriu, Aix Marseille Université, 18 Sep 2018
2. Searches for $t\bar{t}H$ and flavour-changing $t \rightarrow Hq$ productions in multileptonic final states with the ATLAS detector, R. Wolff, Aix Marseille Université, 20 Sep 2018
3. Étude du couplage du boson de Higgs au quark top dans les canaux avec deux leptons de même signe avec l'expérience ATLAS au LHC, K. De Vasconcelos Corga, Aix-Marseille Université, 18 Oct 2018
4. Search for chargino and neutralino pair production in final states with one lepton, two b-jets consistent with a Higgs boson and missing transverse momentum with the ATLAS detector at the LHC Run2, R. El Kousseifi, Aix Marseille Université, 28 Nov 2018

2017

1. Search for supersymmetric particles in final states with multi-leptons with the ATLAS detector, H. Ren, Aix-Marseille Université, 18 Oct 2017

2. Search for Higgs boson production in association with a top quark pair in two same-sign lepton final states with the ATLAS detector at LHC, A. Hedef, Aix-Marseille U., 20 Oct 2017
3. Commissioning of the ATLAS Pixel Detector at Run 2 of the LHC, and Search for Supersymmetric Particles with Two Same-Sign Leptons or Three Leptons in the Final State, M. Alstaty , Aix- Marseille Université, 07 Nov 2017
4. Search for the production of a Higgs boson in association with top quarks and decaying into a b-quark pair and b-jet identification with the ATLAS experiment at LHC, T. P. Calvet, Aix-Marseille U., 08 Nov 2017
5. Search for the Higgs boson decaying to a pair of bottom quarks and produced in association with a pair of top quarks in the LHC Run 2 data with the ATLAS detector using a likelihood technique, Y. Rodina, L. Vacavant, M. P. Casado Lechuga , M. P Casado Lechuga, Barcelona, Autonomia U., Aix-Marseille U., 23 Nov 2017
6. Search for the $W \pm W \pm W$ production and the doubly charged higgs with the Atlas detector, R. Zhang , Aix-Marseille Université, 01 Dec 2017
7. Search for the production of the Higgs boson associated with a pair of top quarks with the Atlas detector at the LHC, C. Wang, Aix-Marseille Université, 06 Dec 2017
8. Search for a doubly charged Higgs boson decaying to same- sign W bosons in a triplet-doublet extension of the Standard Model with the ATLAS detector at the LHC, V. Ellajosyula, Aix Marseille Université, 2017-12-18

2016

1. Study of a monolithic pixel detector for the ATLAS detector at the High Luminosity LHC, Jian Liu, Aix Marseille University, 27 Mai 2016
2. Search for the Higgs boson in the $t\bar{t}H(\rightarrow b\bar{b})$ channel and the identification of jets containing two B hadrons with the ATLAS experiment., R.-E. Ticse Torres, Marseille U., Luminy, 29 Sep 2016
3. Optimisation des critères d'identification des électrons et recherche de Supersymétrie dans les canaux avec deux leptons de même charge à partir des données du détecteur ATLAS, S. Kahn, Aix Marseille Université, 13 Oct 2016

2015

1. Search for new physics in events with same sign leptons and missing energy with ATLAS at LHC, O.-A. Ducu, Aix Marseille Université, 15 Oct 2015
2. Search for the Higgs boson in the $WH \rightarrow b\bar{b}$ channel with the ATLAS detector - Development of high performance b-jet identification algorithms, K. Mochizuki, Aix Marseille Université, 27 Oct 2015

3. Measurement of the WW production cross-section in Proton- Proton Collisions at $\sqrt{s} = 8$ TeV with the ATLAS Detector, J. Gao, Aix Marseille Université, 30 Oct 2015
4. Search for the decay $H B \bar{b}$ of the standard model Higgs boson produced in association with hadronically decaying top quarks in pp collisions 8 TeV with the ATLAS detector at the LHC, D. Madaffari, Aix Marseille Université, 18 Dec 2015
5. Search for Higgs bosons and for Supersymmetric particles at particle collider experiments, S. Muanza, Habilitation, 09 Oct 2015

2014

1. Mesure de l'efficacité d'identification des électrons et recherche de SUSY dans le canal 2 leptons avec le détecteur ATLAS, T. Serre, AixMarseille Université , 09 Oct 2014
2. Recherche de production électrofaible supersymétrique dans des cascades de désintégration contenant un boson de Higgs avec le détecteur ATLAS au LHC, M. Ughetto, Montpellier U, 07 Nov 2014
3. Search for the Higgs boson produced in association with a Z boson and decaying to a pair of bottom quarks with the ATLAS experiment at LHC, L. Alio, Aix Marseille Université, 12 Nov 2014
4. Performance du calorimètre à argon liquide et recherche du boson de Higgs dans son canal de désintégration $H \rightarrow ZZ^{(*)} \rightarrow 4\ell$ avec l'expérience ATLAS auprès du LHC., E. Tiouchichine, Aix Marseille Université, 14 Nov 2014

2013

1. Mesure des performances de reconstruction des électrons et recherche de Supersymétrie dans les canaux avec deux leptons de même charge dans les données du détecteur ATLAS., J. Maurer, Aix Marseille Université, 20 Sep 2013
2. Probing top quark and Higgs boson production in multi-jet events at the LHC with the ATLAS detector, C. Bertella, Aix- Marseille Université, 30 Sep 2013
3. W polarization and $t\bar{t}$ spin correlation study in $t\bar{t}$ semi-lepton decay at ATLAS, L. Bo, Shandong U., 10 Dec 2013
4. Measurement of $t\bar{t}$ spin correlation and W polarization with the $t\bar{t}$ di-leptonic channel events at ATLAS, L. Chen, Aix Marseille Université, 10 Dec 2013

2012

1. Etude des performances d'étiquetage des B et analyse du canal HW dans l'expérience ATLAS., Y. Bai, Aix Marseille Université, 29 Mai 2012

2. Calibration des algorithmes d'identification des jets issus de quarks b et mesure de la section efficace différentielle de production de paires de quarks top-antitop en fonction de la masse et de la rapidité du système top-antitop dans les collisions p-p à une énergie au centre de masse de 7 TeV auprès de l'expérience ATLAS au LHC, N. Tannoury, Aix Marseille Université, 09 Oct 2012
3. Mesure de la production W^+W^- dans les collisions proton-proton à $\sqrt{s} = 1.96$ TeV avec le détecteur ATLAS au LHC, S. Li, Aix Marseille Université, 02 Nov 2012
4. Recherche de nouveaux quarks lourds avec l'expérience ATLAS au LHC - Mise en oeuvre d'algorithmes d'identification de jets issus de quarks b, N. Bousson, Aix Marseille Université, 18 Dec 2012

2011

1. Première mesure de section efficace de production du boson W et de son asymétrie de charge avec l'expérience ATLAS., E. Petit, Université de la Méditerranée Aix-Marseille II, 23 Sep 2011
2. Première mesure de section efficace de production du boson W et son asymétrie de charge avec l'expérience ATLAS, E. Petit, Université de la Méditerranée - Aix-Marseille II, 23 Sep 2011
3. Système haute-tension du calorimètre à argon liquide du détecteur ATLAS: mise en oeuvre, optimisation, et mesure de luminosité du LHC, S. Arfaoui, Université de la Méditerranée Aix- Marseille II - CERN, 14 Oct 2011
4. La première physique auprès du détecteur Atlas et la recherche du boson de Higgs dans le canal $H \rightarrow ZZ(\star) \rightarrow 4l$, J. Odier, Université de la Méditerranée - Aix-Marseille II, 02 Nov 2011
5. Mise en oeuvre du détecteur à pixels et mesure de la section efficace différentielle de production des jets issus de quarks beaux auprès de l'expérience ATLAS au LHC, S. Aoun, Université de la Méditerranée Aix-Marseille II, 07 Nov 2011
6. Aspects of the use of saturated fluorocarbon fluids in high energy physics, G.-D. Hallewell, Habilitation, 15 Feb 2011
7. Mesures de précision au LEP et au SppS et instrumentation auprès du LHC, F. Djama, Université de la Méditerranée Aix- Marseille II, 29 Apr 2011

2010

1. Mise en oeuvre du calorimètre électromagnétique d'ATLAS et de la reconstruction des électrons avec les premières données du collisionneur de protons LHC. Détermination du potentiel de découverte d'un boson de jauge lourd chargé $W'^{\rightarrow e\nu}$, M. Kuna, Université de la Méditerranée - Aix-Marseille II, 20 Sep 2010
2. Mise en oeuvre de l'etiquetage des jets issus de quarks beaux avec l'expérience ATLAS au LHC, C. Lapoire, Université de la Méditerranée - Aix-Marseille II, 22 Sep 2010

ouvrage

2017

1. Les Big Data à découvert. Préservation et archivage, C. Diaconu *et al.*, ATLAS Collaboration, Cnrs Edition, (2017) 368

2016

1. Handbook of LHC Higgs Cross Sections: 4. Deciphering the Nature of the Higgs Sector, D. de Florian *et al.*, indéfini, 2 (2016) 849

2013

1. A la recherche du boson de Higgs, C. Grojean *et al.*, indéfini, volume (2013) 1-95